

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





62.17

For Best Results  
Plant

LIBRARY  
RECORDED  
JAN 17 1947  
U.S. Department of Agriculture

# KILGORE'S *Bred-Rite* SEEDS

TRADE MARK

1947 Annual Catalog  
for Florida

FORDHOOK  
EARLY BUSH  
LIMA BEAN



KENTUCKY  
WONDER  
POLE BEAN


A FIELD OF  
PLENTIFUL  
BEANS AT  
POMPANO,  
FLORIDA



EARLY  
BLOOD-RED  
MARKET BEET



GOLDEN CROSS  
BANTAM  
SWEET CORN



BLIGHT  
RESISTANT  
WORLD  
BEATER  
PEPPER

## THE KILGORE SEED COMPANY

*General Offices and Mail Order Department, Plant City, Florida*


THIRTEEN KILGORE SEED STORES SERVING FLORIDA




*For Best Results  
Plant*

# KILGORE'S *Bred-Rite* SEEDS

TRADE MARK



OCOEE  
WHITE BOSTON  
LETTUCE



DIXIE QUEEN  
WATERMELON





FLORIDA GIANT PEPPER



OPENHAGEN  
MARKET  
EXTRA EARLY  
CABBAGE

A & C  
(KILGORE'S  
IMPROVED)  
CUCUMBER

SHOGUN  
(FOLIAGE)  
TURNIP



FORDHOOK FANCY MUSTARD

## THE KILGORE SEED COMPANY

*General Offices and Mail Order Department* • • • **PLANT CITY, FLORIDA**



## ORDER BLANK

Post Office.....

County..... State.....

Ship by.....Parcel Post ☐.....Express ☐.....Freight ☐

Exp. or Frt. Office..... Date..... 19.....

AMOUNT ENCLOSED

## Check

### Money Order...

Cash...

### Stamps.

**Total**

**IMPORTANT!** Be sure address and shipping instructions are correct. Please write plainly.

**SPECIAL NOTICE! Remittance**—For small amounts, send money order, cash, or stamps. Although we have an ample supply of all items listed in this catalog as we go to press, owing to the extra heavy demand for seeds, some items may be short before the end of the season. Therefore we would ask you wherever possible in the case of seeds to allow us to substitute with items of equal value and of the nearest variety. Just mark with a cross in the space provided at the bottom of this order sheet.

The Kilgore Seed Company gives no warranty, express or implied, as to the productiveness of any seeds, bulbs or plants it sells, and will not be in any way responsible for the crop. Its liability in all instances is limited to the purchase price of the seeds, bulbs or plants. If the seeds, bulbs or plants are not accepted on these terms, they are to be returned at once in unopened packages.

We test our seeds for germination before we send them to our customers. We have the fullest confidence in the quality of all the seeds we sell, but we have no control over them after they leave our hands. Satisfactory germination and production are dependent upon many factors other than the quality of the seed, such as weather and soil conditions, methods of planting, cultivating and fertilizing. If we should warrant or guarantee our seeds, we could be held responsible for the failure of the crop, regardless of cause, a responsibility we cannot accept.

Quantity

## ITEMS WANTED

**Price**

Dollars	Cents
---------	-------

☐

—You may substitute the next best of any variety you cannot supply

**Total**



—Please do not substitute without first notifying me

(Mark "X" in above desired space)

We would like to send our annual catalog to several of your friends. Space on the reverse side of this sheet is provided for this purpose.

If you are interested in flower culture and home beautification and wish a copy of *Kilgore's Flower Guide for Florida* be sure to mark X in this space ☐

PLEASE DO NOT FORGET TO GIVE YOUR NAME AND ADDRESS

[SEE OTHER SIDE]



Tear Off Along This Line

**DOES THIS ORDER include everything you need in vegetable, flower and field crop seeds, fertilizers, sprays, dusts, spraying and dusting machines, garden tools, cans and canning equipment, poultry and bee supplies? Extra order blanks and envelopes sent upon application.**

**PLEASE WRITE BELOW**

The names of several of your neighbors or friends who you believe might be interested in receiving a copy of our annual catalog.

NAMES	POST OFFICE	P.O.Box, Street, or R.F.D.	STATE



# IMPORTANT DIRECTIONS TO CUSTOMERS

*No price quoted in this catalog exceeds the O. P. A. ceiling.*

By carefully observing the following directions, mistakes and misunderstandings will be very largely avoided.

## How to order

Please be careful to sign your name, box number, street or rural route, post office and state on every order. Be sure to tell us your nearest express or freight office should you desire the seed or merchandise forwarded by express, freight or truck line. *Please write plainly.*

## Cash with order or C. O. D.

Ours is a cash business and our prices are made on that basis. Customers are requested to remit when ordering, and by so doing save the c.o.d. fee charged by express companies, banks, and postal authorities for collecting and returning money.

## Perishable items not sent C. O. D.

Perishable items,, such as strawberry plants, rose bushes, seed potatoes, onion sets, etc., are not sent c.o.d. under any circumstances. Remittance must be sent with order.

## How to send money

Remittances should be made by post-office money orders, express money orders, drafts or checks.

## Remittance by stamps

On orders for seeds where the amount is less than 50 cents, we will accept stamps in good condition the same as cash, but we would ask those remitting stamps to wrap them in oiled paper to prevent their sticking together or to the order.

## We pay postage to points in Florida

The postpaid prices indicated in this catalog include delivery to any point in Florida.

## Prices subject to change

This catalog is printed during the early fall months. The market on many items of garden and field seeds, as well as supplies, has not yet been fully established. Consequently, prices on these items indicate value at time these pages are printed. In practically all cases orders will be filled at prices indicated in this catalog, *but all prices are subject to change without notice.* Write for special prices on larger quantities.

## Export Shipments to Cuba, and the West Indies

For the convenience of our customers in the West Indies, we have established the following agencies: Mr. E. G. Del Campo, Nueva Gerona, Isle of Pines; Mr. F. C. Albury, Nassau, Bahamas; Mr. Leslie R. Mordecai, 50-A Port Royal St., Kingston, Jamaica; Mr. Georges Coupet, P. O. Box A-25, Port au Prince, Haiti.

Each order of pepper and tomato seed sent to Cuba requires an export certificate costing \$3.00.

*For direct deliveries outside the continental United States, all prices quoted as "Postpaid" in this catalog are on an f.o.b. Plant City, Florida, basis, and the proper amount for postage must be added to the cost of the seeds.*

## Parcel-post rates to Cuba and the West Indies

The parcel-post rate to Cuba and all other points in the West Indies is 14 cents for each pound or fraction thereof. If the net weight of an order is 1 pound or more, 1 pound must always be added to cover weight after being packed for shipment. Packages of merchandise weighing 8 ounces or less are subject to the postage rate of 1½ cents for each 2 ounces or fraction of 2 ounces.

War time restrictions now in force are as follows: Parcel post packages for export to foreign countries (not Puerto Rico or the Virgin Islands) are limited to 44 lbs. weight, and 42 inches combined length and girth.

Air express shipments to points in the West Indies can now be made. The air express rate from Miami, Fla., to any point in the West Indies is 39c per pound.

## Non-warranty

The Kilgore Seed Company gives no warranty, express or implied, as to the productiveness of any seeds, bulbs or plants it sells, and will not be in any way responsible for the crop. Its liability in all instances is limited to the purchase price of the seeds, bulbs or plants. If the seeds, bulbs or plants are not accepted on these terms, they are to be returned at once in unopened packages.

## Stock or lot number on all Kilgore's seed packages

Every lot of seed distributed by the Kilgore Seed Company will indicate on one end of the front of the envelope, or with large seed like beans and peas on a tag attached to the bag, a stock number or lot number. This stock number is a code reference to our records of the history, performance and production of that particular lot of seed, by means of which we can trace it back to the growers' field where it was produced and to our trial plantings. It is recommended that every commercial grower of vegetables retain the empty packages or tags with the stock numbers from which Kilgore's seed is planted. Correspondence pertaining to the performance of Kilgore's Bred-Rite seeds should include the specific lot number of the seed under consideration to aid investigation.

## Postal information

The parcel post weight limit for all zones is 70 pounds. Any weight up to 40 pounds in the first and second zones and 22 pounds in the third zone will usually go just as cheaply by parcel post as by freight or express.

In many sections of Florida that are not easily accessible by freight or express, parcel post service will be found not only far more satisfactory, but more economical. If on a rural route, delivery will be made to your door by mail.

Most Florida points are in the 1st or 2nd Postal Zone; however, Jacksonville north, Live Oak north and west, and points on the East Coast south of Delray Beach are in the 3rd Zone. Only extreme west Florida, Milton, Pensacola, and west are in the fourth zone.

Do not have your order delayed or reduced by failing to add necessary postage. It will be found plainly stated above each item whether or not it is postpaid. If you send too much, it will be returned to you.

When you order your seeds and supplies to come by express or freight we can send them collect, so you may pay the transportation charges on delivery. When ordering your seeds to be shipped by express or freight, always give your express or freight station, if it is not the same as your post-office.

## FOURTH CLASS OR PARCEL POST RATES

ZONES					ZONES				
Wt. in Lbs.	Local	1-2 up to 150 mi.	3 150 to 300 mi.	4 300 to 600 mi.	Wt. in Lbs.	Local	1-2 up to 150 mi.	3 150 to 300 mi.	4 300 to 600 mi.
1	\$.08	\$.09	\$.10	\$.11	36	\$.26	\$.48	\$.81	\$1.37
2	.09	.11	.12	.15	37	.26	.49	.83	1.40
3	.09	.12	.14	.18	38	.27	.50	.85	1.44
4	.10	.13	.16	.22	39	.27	.52	.88	1.47
5	.10	.14	.18	.25	40	.28	.53	.90	1.51
6	.11	.15	.20	.29	41	.28	.54	.92	1.55
7	.11	.16	.22	.32	42	.29	.56	.94	1.59
8	.12	.17	.24	.36	43	.29	.57	.96	1.62
9	.12	.18	.26	.39	44	.30	.58	.98	1.66
10	.13	.19	.28	.43	45	.30	.59	1.00	1.69
11	.13	.20	.30	.46	46	.31	.60	1.02	1.73
12	.14	.22	.32	.50	47	.31	.61	1.04	1.76
13	.14	.23	.34	.54	48	.32	.62	1.06	1.80
14	.15	.24	.36	.58	49	.32	.63	1.08	1.83
15	.15	.25	.38	.61	50	.33	.64	1.10	1.87
16	.16	.26	.40	.65	51	.33	.65	1.12	1.91
17	.16	.27	.42	.68	52	.34	.67	1.14	1.95
18	.17	.28	.44	.72	53	.34	.68	1.16	1.98
19	.17	.29	.46	.75	54	.35	.69	1.18	2.02
20	.18	.30	.48	.79	55	.35	.70	1.21	2.05
21	.18	.31	.50	.82	56	.36	.71	1.23	2.09
22	.19	.33	.53	.87	57	.36	.72	1.25	2.12
23	.19	.34	.55	.90	58	.37	.73	1.27	2.16
24	.20	.35	.57	.94	59	.37	.74	1.29	2.19
25	.20	.36	.59	.97	60	.38	.75	1.31	2.24
26	.21	.37	.61	1.01	61	.38	.76	1.33	2.27
27	.21	.38	.63	1.04	62	.39	.78	1.35	2.31
28	.22	.39	.65	1.08	63	.39	.79	1.37	2.34
29	.22	.40	.67	1.11	64	.40	.80	1.39	2.38
30	.23	.41	.69	1.15	65	.40	.81	1.41	2.41
31	.23	.42	.71	1.18	66	.41	.82	1.43	2.45
32	.24	.44	.73	1.23	67	.41	.83	1.45	2.48
33	.24	.45	.75	1.26	68	.42	.84	1.47	2.52
34	.25	.46	.77	1.30	69	.42	.85	1.49	2.55
35	.25	.47	.79	1.33	70	.43	.87	1.51	2.60



# Florida home gardens for better health and more vitality

## *Grow Vitamins at your kitchen door*



Florida is one of the most important commercial vegetable producing states of the Union. Florida home vegetable gardens offer almost no competition to commercial vegetables which are grown mainly for shipment to northern markets. Many Florida families who do not get fresh vegetables from their own gardens, seldom get them, at least in sufficient quantity for good health, from the market.

Garden projects should, however, conserve supplies, equipment and human energy as much as possible, because under present conditions, seeds, fertilizers and spray materials, as well as time and energy are needed to supply the fullest possible values. One should not attempt to have a home vegetable garden, unless he or she is vitally interested and has made ample plans to properly plant and take care of what is planted. No food should be let go to waste. Florida people, city residents as well as rural folks, can help solve our post-war food problems by producing vegetables in the home garden, that they otherwise would do without or would have to buy. High prices and reduced supplies in the markets have proven beyond all doubt the vital need for home garden production.

Florida climate and soils are favorable for producing the finest vegetables in the United States. Unlike any other state in the

Union, in Florida fresh vegetables can be grown every month in the year, especially during the fall, winter and spring months when they cannot be grown in other sections of the United States. In addition to producing fresh vegetables in your Florida home garden, plans should also be made for preserving vegetables from the garden by canning for home use, which will mean not only better health for the family, but also a material saving in cost.

Doctors, nurses and dieticians all advise the use of a plentiful supply of fresh vegetables in the diet in order to provide the essentials which are so necessary for the health of the human system. Experts tell us that vegetables contain a higher percentage of these body-regulating essentials, such as mineral salts, vitamins and roughage than are contained in any other food or food products. Statistics prove that people who eat lots of fresh vegetables throughout the year have less sickness and fewer doctor bills to pay than people who use fresh vegetables sparingly. The health of our people has become largely dependent upon the output of home gardens.

Grow more vegetables in Florida home gardens this season. They will materially help produce better health and more vitality. Let your slogan be "What is a Florida home without a vegetable garden?"

### THE KILGORE TRADE MARK

**KILGORE'S  
BRED-RITE  
SEEDS**  
TRADE MARK

Is your assurance of quality vegetables in your Florida home garden

*Be sure to read about our special methods of handling and treatment of seeds on page 34*



# How to plant home garden vegetables in Florida

Many mistakes may be avoided by following directions given in this table. The time requirements indicated for crops to reach edible size varies, of course, according to the season, varieties and soil conditions. Allowance also must be made for the relative estimate of the yields, due to climatic and soil conditions. However, the averages indicated in the table will be found to be fairly accurate for Florida growing conditions on the basis of many years of observation and experience.

Kind of vegetable	Number of Running feet of row for a family of 3 or 4 people (Includes for canning)	Seeds or plants to provide for a family of 3 or 4 people	Depth to cover in inches	Space between rows	Set plants from seedbed or thin out to inches in row	Approximate time required to produce crop, from seed planted in garden or from transplanting plants to garden (days)
Beans (Bush).....	100 ft.*	½ lb.†	1 ½ to 2 in.	2 to 2 ½ ft.	3 to 4 in.	48 to 56
Beans (Pole).....	50 ft.	¼ lb.	1 ½ to 2 in.	3 to 4 ft.	9 in. or 3 ft. hills	63 to 70
Beans (Bush Lima).....	100 ft.*	½ to 1 lb.†	1 ½ to 2 in.	3 ft.	4 to 5 in.	65 to 75
Beans (Pole Lima).....	50 ft.	½ lb.	1 ½ to 2 in.	3 to 4 ft.	9 in. or 3 ft. hills	90
Beet.....	100 ft.*	1 oz.†	½ to ¾ in.	1 ½ to 2 ft.	3 to 4 in.	56 to 68
Broccoli.....	40 ft.	1 pkt. or 25 plts.	¼ to ½ in.	3 ft.	18 to 24 in.	60 from plants
Brussels Sprouts.....	25 ft.	15 plants	¼ to ½ in.	2 ½ to 3 ft.	18 to 24 in.	90 from plants
Cabbage.....	60 ft.	50 plants	¼ to ½ in.	2 ½ to 3 ft.	12 to 18 in.	62 to 98 from plts.
Chinese Cabbage.....	40 ft.*	1 pkt. or 50 plts.†	¼ to ½ in.	2 ½ to 3 ft.	8 to 12 in.	70 from seed
Cantaloupe.....	50 ft. or 10 hills	1 pkt.	½ to ¾ in.	4 to 5 ft.	24 in. or 4 ft. hills	75 to 95
Carrot.....	100 ft.*	2 pkts.†	¼ to ½ in.	1 ½ to 2 ft.	2 to 3 in.	72 to 95
Cauliflower.....	50 ft.	30 plants	¼ to ½ in.	2 ½ to 3 ft.	18 to 24 in.	55 to 62 from plts.
Celery.....	50 ft.	150 plants	½ in.	3 ft.	4 to 5 in.	105 to 130 from plts
Celtuce.....	40 ft.	1 pkt.	¼ in.	2 ft.	12 to 15 in.	80
Collard.....	50 ft.*	1 pkt. or 35 plts.†	¼ to ½ in.	2 ½ to 3 ft.	14 to 18 in.	50 to 52 from plts.
Corn (Sweet).....	200 ft.*	¼ lb.†	1 to 2 in.	2 ½ to 3 ft.	12 to 15 in.	65 to 80
Corn (Roasting Ear).....	200 ft.*	¼ lb.†	1 to 2 in.	3 to 3 ½ ft.	15 to 18 in.	68 to 87
Cowpeas (Edible or Table) ..	150 ft.	½ to ¾ lb.	1 to 1 ½ in.	3 to 4 ft.	5 to 6 in.	68 to 85
Cucumber.....	50 ft.	1 pkt.	¾ in.	5 to 6 ft.	12 to 24 in.	40 to 50
Eggplant.....	50 ft.	17 plants	½ in.	3 to 4 ft.	36 in.	80 to 85 from plts.
Endive (Escarolle).....	40 ft.	1 pkt. or 50 plts.	¼ to ½ in.	1 ½ to 2 ft.	9 in.	90 to 95 from seed
Garlic.....	30 ft.	1 lb.	1 in.	18 in.	4 in.	90
Kale.....	25 ft.	1 pkt.	¼ to ½ in.	2 ½ ft.	20 to 24 in.	70
Kohl Rabi.....	25 ft.*	1 pkt.†	¼ to ½ in.	1 ½ to 2 ft.	6 to 8 in.	50
Leek.....	50 ft.	1 pkt. or 120 plts.	½ in.	1 ½ ft.	5 to 6 in.	140 from seed
Lettuce (Head).....	75 ft.*	1 pkt. or 90 plts.†	¼ to ½ in.	1 ½ to 2 ft.	10 to 15 in.	66 to 84 from seed
Lettuce (Leaf).....	50 ft.*	1 pkt. or 60 plts.†	¼ to ½ in.	1 ½ to 2 ft.	10 to 12 in.	46 from seed
Muskmelon.....	50 ft. or 10 hills	1 pkt.	½ to ¾ in.	4 to 5 ft.	24 in. or 4 ft. hills	75 to 95
Mustard.....	40 ft.*	1 pkt.†	¼ to ½ in.	2 ft.	8 to 10 in.	40 to 45
Okra.....	75 ft.	1 oz.	1 to 1 ½ in.	3 ½ to 5 ft.	15 to 20 in.	50 to 60
Onion Seed.....	80 ft.	1 pkt. or 400 plts.	½ in.	18 in.	2 to 4 in.	110 to 150 from seed
Onion Sets.....	40 ft.	1 pint	1 in.	18 in.	1 to 2 in.	30 to 60
Parsley.....	30 ft.	1 pkt.	¼ to ½ in.	15 to 18 in.	10 to 12 in.	90
Parsnip.....	50 ft.	1 pkt.	½ in.	18 to 24 in.	4 in.	120
Peas (English or Garden) ..	100 ft.*	½ lb.†	1 ½ to 2 in.	2 ½ to 3 ft.	1 to 2 in.	50 to 53
Pepper.....	40 ft.	24 plants	½ in.	2 to 3 ft.	18 to 20 in.	60 to 80 from plts.
Potatoes (Irish).....	200 ft.	12 lbs.	1 to 4 in.	2 ½ to 3 ½ ft.	9 to 12 in.	75 to 90
Pumpkin.....	50 ft. or 12 hills	½ oz.	1 in.	6 to 8 ft.	5 ft. hills	100 to 118
Radish.....	25 ft.*	1 pkt.†	½ in.	15 to 18 in.	1 to 2 in.	21 to 25
Rhubarb.....	25 ft.	1 pkt. or 15 plts.	½ to ¾ in.	3 to 4 ft.	18 to 24 in.	90 from plants
Roselle.....	25 ft.	1 pkt.	½ to ¾ in.	5 to 6 ft.	24 to 36 in.	175
Rutabaga.....	50 ft.	1 pkt.	¼ to ½ in.	2 ½ to 3 ft.	5 to 6 in.	90
Salsify.....	25 ft.	1 pkt.	¾ to 1 in.	18 in.	2 to 3 in.	120
Spinach—Savoy and Nobel	50 ft.*	1 pkt.†	½ to ¾ in.	16 to 20 in.	6 in.	40
Spinach—New Zealand.....	25 ft.	1 pkt.	¾ to 1 in.	3 ft.	20 in.	60
Squash (Bush).....	50 ft. or 16 hills	1 pkt.	1 in.	3 to 4 ft.	3 ft. hills	42 to 52
Squash (Running).....	50 ft. or 10 hills	1 pkt.	1 in.	8 to 10 ft.	5 ft. hills	60 to 115
Swiss Chard.....	25 ft.	1 pkt.	½ to 1 in.	2 ft.	12 to 15 in.	58 to 60
Tomato—To grow on ground.....	150 ft.	50 plants	½ in.	3 ½ to 5 ft.	30 to 36 in.	70 to 90 from plts.
Tomato—Staked and Pruned.....	75 ft.	50 plants	½ in.	3 ft.	15 to 18 in.	70 to 90 from plts.
Turnip.....	50 ft.*	1 pkt.†	¼ to ½ in.	15 to 20 in.	4 to 6 in.	35 to 50
Watermelon.....	75 ft. or 10 hills	1 pkt.	½ to 1 in.	8 to 10 ft.	6 to 8 ft hills	88 to 100

\* Make two or more plantings at different times during the season. Number of feet of row indicated is for each planting.  
† Number of feet and amount of seed or number of plants indicated are for each planting.

## THE KILGORE SEED COMPANY—A Florida Institution GENERAL OFFICES AND MAIL ORDER DEPARTMENT, PLANT CITY, FLORIDA

Thirteen Kilgore seed stores serving Florida, located at:

Belle Glade  
Fort Myers  
Gainesville  
Homestead

Miami  
127 N.W. Fifth St.  
Pahokee  
Palmetto

Plant City  
Pompano  
Sanford

Vero Beach  
Wauchula  
West Palm Beach  
910 Belvedere Road



# Location and plan of the home garden

A level, well drained piece of ground, convenient to the house should be selected for the garden. It should be located where it can be irrigated if necessary and away from hedges, large trees or the shade of buildings. On the farm it should be well fenced to protect it from rabbits, chickens and other animals.

After selection of a location, and determining the size of the garden, a list of vegetables should be made. In selecting to plant, primary consideration should be given to the likes of the family, also to the size of the plot available. The use of a large number of vegetables gives variety to the diet.

In order to obtain the maximum yield of vegetables at a minimum expenditure of time and money, a map or plan of the garden should be made, showing the various vegetables to be grown, and their position in the garden, indicating length of rows and the space between rows. In the case of a small, backyard garden, entirely worked by hand, the rows should

be placed as close together as possible, i.e., the smaller figure in column 5 of our chart on page 3, so that large quantities of vegetables may be produced on a limited space. In large farm gardens cultivated by mule drawn tools, or other equipment used in the fields for this purpose, the rows should run the long way of the plot, and all crops should be in wide rows as indicated by the larger figure in the chart on page 3. A Florida farm garden, properly planned, should provide enough fresh vegetables and for canning to supply a medium size family the year around. A small city garden, cropped intensively, may be made to produce enough fresh vegetables for immediate consumption throughout the year for a small-sized family.

The planting data given on page 3 of this catalog will help greatly in preparing a plan since seed requirements, planting depths, planting distances and time of maturity, which are necessary for the design of any garden plan, are given.

## Making a seed bed to start vegetable plants

Small seeds such as lettuce, cabbage, collard, pepper, eggplant, tomato, etc., should be sown in a seed bed and the young plants transplanted to the field or garden. A shallow box or flat may be used for this purpose, or a small plot in the garden may be set aside to use as a seed bed for starting plants for transplanting. The soil in the seed bed or flat must be put in perfectly fine condition, and in the seed bed it should be made into beds four to six inches high, to prevent overflow in case of heavy rains. When the soil in the seed bed is in condition—thoroughly and finely pulverized, fertilized with 2 to 3 pounds per 100 sq. ft. of a commercial fertilizer such as Vigoro or a 5-10-5 fertilizer mixture, applied at least a week or ten days before sowing seed, moist, and made perfectly smooth and level—sow the seed in rows about six inches apart. Very fine seed, like celery, should not be covered with soil, but may be pressed lightly into the soil with a light roller or with a wide board. Larger seeds like tomato, pepper, and cabbage may be covered, not over  $\frac{1}{2}$  inch deep.

We recommend the use of burlap or white muslin as a cover over the seed bed, stretching it on a three or four feet wide tent-shaped or slanting frame built over the seed bed, with the sides about 10 to 12 inches from the ground to provide ample circulation of air under the cover. If plants are being started in late summer for fall planting, the seed bed cover will serve

as a shade to protect seedlings from the hot sun, also to break the force of heavy rains. If plants are started in winter for a spring crop, this seed bed cover will protect seedlings from frost or freezes. It may be also advisable to use ground covers of burlap or old fertilizer bags. When seeds begin to germinate these ground covers should be removed immediately to prevent leggy or spindly plants. After the seed is sown, it is desirable to sprinkle every evening or oftener if necessary with cool water by means of hand sprinkling pots in order to keep the soil cool and moist, which tends to increase germination of seeds during the hot summer months.

Success in getting transplanted plants to grow satisfactorily depends very much upon how the plants are grown in the seed bed. For a week or ten days before transplanting, the plants in seed bed should be gradually hardened. This means leaving the cover off the plants for a week or so before transplanting, and water should be withheld from the plants during this period. When plants in seed bed are about six inches high they are ready to transplant into the field or garden, preferably on a cloudy day or toward evening. Water the plants thoroughly several hours before removing from seed bed, and again immediately after setting. A starter solution is helpful (see page 60). To grow good vegetables, a large supply of moisture and fertilizer is essential until the crop is ready to harvest.

## Preparation and fertilizing of the soil for the home vegetable garden

The soil in the garden should be carefully and well prepared. Bermuda grass and weeds should be removed with all roots. A little extra time spent in preparing the soil for planting will save many hours of hoeing later in the season. It is best to spade or plow, and apply commercial fertilizer to the soil ten days to two weeks before planting in order to avoid burning the seed or young plants. A sample of the soil should be tested, and if found too acid or sour apply Hardwood Ashes or Hydrated Lime; if too alkaline or sweet apply Sulphur and Manganese Sulphate.

Well rotted animal manure may be used as a fertilizer, at the rate of approximately 25 to 30 lbs. of manure, and  $2\frac{1}{2}$  to 3 lbs. of Acid Phosphate for each 100 square feet of garden. If manure is not available, leaf mold or black muck or hammock soil are ideal materials to work into the garden soil. If none of these materials are available, a two or three inch layer of horticultural grade peat moss (page 61) may be worked into the garden soil. This material is clean and easy to handle, and is a wonderfully effective material for breaking up hard soil, making it mellow, or for adding humus to sandy soil, making it more retentive of moisture and fertilizer materials. After this peat moss is worked into the soil, an inch or two

inch layer of Wizard Brand Sheep manure along with a liberal application of a good garden fertilizer such as Vigoro or a 5-10-5 mixture (see page 61) should be used, applying one of these fertilizer materials broadcast at the rate of 4 to 6 lbs per 100 square feet. If this material is raked into the surface soil a week or ten days before planting, and if well watered in case of no rain in order to speed the incorporation and decomposition of the fertilizer or manure, you will have the foundation for an excellent vegetable garden. If the fertilizers are applied just before planting, they are very liable to burn the young seedlings as they emerge from the seed.

After the vegetable plants are well started in the garden, fertilizer should be applied lightly on either side of the row of vegetables, but not in contact with the leaves or stems to avoid burning, every two or three weeks. This will make thrifty plants which produce an abundant supply of high quality vegetables for the home table.

Note:—All materials indicated above, such as Wizard Brand Sheep Manure, Peat Moss, Acid Phosphate, Vigoro, and the "Victory Garden Special" 5-10-5, are available at all Kilgore seed stores, and in our mail order department at Plant City, Florida. (See page 58.)



# What vegetables and When to plant in Florida

**JANUARY AND FEBRUARY**—Bush Beans, Beet, Brussels Sprouts, Cabbage, Chinese Cabbage, Cantaloupe, Carrot, Cauliflower, Celtnce, Collard, Corn—Sweet and Roasting Ear, Cucumbers, Eggplant, Endive, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onion Seed, Onion Sets, Parsley, Parsnip, Peas—English or Garden, Peppers, Potatoes, Radish, Romaine, Rutabaga, Salsify, Spinach, Squash, Swiss Chard, Tomatoes, Turnip, Watermelon.

**MARCH**—Bush, Pole and Lima Beans, Beet, Cabbage, Cantaloupe, Carrot, Collard, Corn—Sweet and Roasting Ear, Cucumbers, Eggplant, Kale, Kohl Rabi, Lettuce, Mustard, Okra, Potatoes, Pumpkin, Radish, Roselle, Spinach—New Zealand, Squash, Swiss Chard, Tomatoes, Turnip, Watermelon.

**APRIL**—Bush and Pole Beans, Cantaloupe, Collard, Mustard, Okra, Pumpkin, Radish, Roselle, Spinach—New Zealand, Turnip, Watermelon.

**MAY**—Pole Beans, Collard, Mustard, Okra, Pumpkin, Spinach—New Zealand.

**JUNE**—Collard, Eggplant, Mustard, Okra, Pepper, Rutabaga, Spinach—New Zealand, Turnip.

**JULY**—Celery, Collard, Eggplant, Mustard, Okra, Pepper, Rutabaga, Spinach—New Zealand, Turnip.

**AUGUST**—Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Cauliflower, Celery, Celtnce, Collard, Cucumber, Eggplant, Endive, Garlic, Kale, Lettuce, Mustard, Okra, Onion Sets, Pepper, Potatoes, Radish, Romaine, Rutabaga, Spinach, Squash, Tomato, Turnip.

**SEPTEMBER**—Bush Beans, Beet, Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Carrot, Cauliflower, Celery, Celtnce, Collard, Cucumber, Endive, Garlic, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Okra, Onion Seed and Sets, Parsley, Parsnip, Peas—English or Garden, Potatoes, Radish, Rhubarb, Romaine, Rutabaga, Spinach, Squash, Swiss Chard, Tomato, Turnip.

**OCTOBER**—Bush Beans, Beet, Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Carrot, Cauliflower, Celery, Celtnce, Collard, Endive, Garlic, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onion Seed and Sets, Parsley, Parsnip, Peas—English or Garden, Potatoes, Radish, Rhubarb, Romaine, Rutabaga, Spinach, Swiss Chard, Turnip.

**NOVEMBER**—Beet, Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Carrot, Cauliflower, Celery, Celtnce, Collard, Eggplant, Endive, Garlic, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onion Seed and Sets, Parsley, Parsnip, Peas—English or Garden, Pepper, Potatoes, Radish, Rhubarb, Romaine, Rutabaga, Spinach, Swiss Chard, Turnip.

**DECEMBER**—Beet, Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Carrot, Cauliflower, Celery, Celtnce, Collard, Eggplant, Endive, Kale, Kohl Rabi, Leek, Lettuce, Mustard, Onion Seed and Sets, Parsley, Parsnip, Peas—English or Garden, Pepper, Potatoes, Radish, Romaine, Rutabaga, Spinach, Swiss Chard, Tomato, Turnip.

## What field crops and when to plant in Florida

**JANUARY AND FEBRUARY**—Grass—Bahia, Oats, Rape, Rye.

**MARCH**—Beans—Velvet, Bene, Corn—Field and Chicken, Cowpeas, Crotalaria, Grasses—Bermuda, Carpet, Italian Rye, Sudan and Bahia, Hegari, Millet, Peanuts, Rape, Rice, Shallu (Egyptian Wheat), Sorghum, Sunflower.

**APRIL**—Beans—Velvet, Beggarweed, Bene, Chufas, Clover—Alyce, Corn—Field and Chicken, Cowpeas, Crotalaria, Grasses—Bermuda, Carpet, Sudan and Bahia, Hegari, Millet, Peanuts, Rice, Shallu (Egyptian Wheat), Sorghum, Sunflower.

**MAY**—Beans—Velvet, Beggarweed, Bene, Chufas, Clover—Alyce, Corn—Field and Chicken, Cowpeas, Crotalaria, Grasses—Bermuda, Carpet, Sudan and Bahia, Hegari, Millet, Peanuts, Sesbania, Shallu (Egyptian Wheat), Sorghum, Sunflower.

**JUNE**—Beans—Velvet, Beggarweed, Bene, Chufas, Clover—Alyce, Corn—Chicken, Cowpeas, Crotalaria, Grasses—Bermuda, Carpet, Sudan and Bahia, Hegari, Millet, Peanuts, Rice, Sesbania, Shallu (Egyptian Wheat), Sorghum, Sunflower.

**JULY**—Beans—Velvet, Beggarweed, Shufas, Corn—Chicken, Cowpeas, Grasses—Bermuda, Sudan and Bahia, Hegari, Millet, Rice, Sesbania, Shallu (Egyptian Wheat), Sorghum, Sunflower.

**AUGUST**—Cowpeas, Grasses—Bermuda, Millet, Sudan and Bahia, Sunflower.

**SEPTEMBER**—Grasses—Bermuda, Bahia and Dallis, Blue Lupine, Rape, Rye.

**OCTOBER**—Grasses—Bermuda, Italian Rye, Carpet, Bahia and Dallis, Blue Lupine, Oats, Rape, Rye.

**NOVEMBER**—Grasses—Bermuda, Italian Rye, Carpet, Bahia and Dallis, Blue Lupine, Oats, Rape, Rye.

**DECEMBER**—Grasses—Italian Rye, Carpet, Bahia and Dallis, Blue Lupine, Oats, Rape, Rye.

See pages 38 to 47 for complete cultural directions on field corn, grasses, clovers and field crops in Florida.

## What flowers and when to plant in Florida

Kind of Flower—When to Plant*	Kind of Flower—When to Plant*	Kind of Flower—When to Plant*
AGERATUM OR FLOSS FLOWER—Sept. through March	CYNOGLOSSUM OR CHINESE FORGET-ME-NOT—Sept. through March	MORNING GLORY—March through June
ALYSSUM—Sept. through Jan.	DAISY—SHASTA—Sept. through May	NASTURTIUM—Sept. through March
ARCTOTIS OR AFRICAN DAISY—Sept. through Jan.	DIANTHUS OR CHINESE PINKS—Sept. through March	PANSY—Sept. through Dec.
ASTER—Sept. through April	GAILLARDIA OR BLANKET FLOWER—Any month of the year	PHLOX—Sept. through Feb.
BABY'S BREATH OR GYPSOPHILA—Sept. through Jan.	GLOBE AMARANTH—Feb. through July	POPPY—CALIFORNIA—Sept. through Jan.
BACHELOR'S BUTTON OR CENTAUREA—Sept. through Jan.	GOURD (ORNAMENTAL)—Feb. through May	PETUNIA—Sept. through June
BALSAM, DOUBLE CAMELLIA-FLOW-ERED—Sept. through March	HELIANTHUS OR ORNAMENTAL SUN-FLOWER—Feb. through Aug.	PORTULACA OR SUN PLANT—Feb. through Aug.
BEAN—SCARLET RUNNER—Feb. through May	HELICHRYSUM OR STRAWFLOWER—Sept. through March	QUEEN ANNE'S LACE—Sept. through Jan.
BLUE LACE FLOWER OR DIDISCUS—Sept. through Jan.	HOLLYHOCK (INDIAN SPRING)—Aug. through Jan.	SALVIA—Sept. through June
CALENDULA—Sept. through Jan.	LARKSPUR—Nov. through Jan.	SCABIOSA OR MOURNING BRIDE—Sept. through Dec.
CALLIOPSIS—Sept. through Feb.	LUPIN—Sept. through Dec.	SNAPDRAGON OR ANTIRRHINUM—Sept. through Dec.
CANDYTUFT—Sept. through Feb.	MARIGOLD—Feb. through May and again in Sept.	SWEET PEA—Sept. through Dec.
CARNATION—Sept. through Dec.		STATICE—Sept. through Jan.
COSMOS—March through May		TITHONIA OR FLORIDA SUNFLOWER—Feb. through June
		VERBENA—Any month of the year
		VINCA OR PERIWINKLE—Any month
		ZINNIA—Feb. through Aug.

See page 48 for complete list of flower varieties for Florida.

\* "Time to plant" indicated is for central and south Florida. In north Florida, many kinds will not withstand the winter cold, and this fact should be taken into consideration with reference to time of planting.

If interested in flowers write for "Kilgore's Flower Guide for Florida"



# BEANS

Our bean seed is high germinating, guaranteed western-grown stock, from the best western growing areas, all carefully milled, hand picked, graded and fitted for the critical grower.

**Be sure to read about our special methods of handling and treatment of seeds on page 34**

**CULTURE OF GREEN AND WAX-PODDED BUSH BEANS.** Beans are grown on all types of soil in Florida, and are not very particular with reference to soil requirements. Beans are a very quick maturing crop, and are usually preceded or followed by other crops.

Spring planting in the southern and central part of the State begins January 1 and continues until April. Fall planting starts in August. For a fall crop, plant from the middle of August until the middle of October; for a main crop on the Florida East Coast plant from October to December. Sow seed in drills, 2 to 2½ feet apart, dropping a bean every 2 to 2½ inches, and cover 1½ to 2 inches deep. Thin plants to stand 3 or 4 inches apart in row. On muck soils apply 300 to 600 pounds of a 3-8-8 fertilizer mixture per acre. On sandy loam apply 1200 to 2000 pounds of a 4-8-4 fertilizer mixture per acre, making one application. Soil should be thoroughly prepared, and fertilizer put out from a week to ten days before planting. There is always a risk of the fertilizer burning and

killing the vitality of the seed when both are put in at the same time.

For the control of insects and diseases of beans see pages 51, 52, 53 and 58. In order to control soil diseases and get a better stand, it is always desirable to treat bean seed with Spergon at the rate of 2 ounces per bushel of seed before planting (see pages 50 and 58). For control of watery soft rot or white mold use Granular Aero Cyanamid (see page 61).

Inoculate bean seed with Nitragin for best results. Hastens maturity, increases yields and enriches the soil. (See page 49.)

The number of days to picking after each variety represents average results secured over a period of years under Florida growing conditions. These figures apply to plantings under normal conditions in Florida, and will vary somewhat in different sections, seasons, and on different soils. However, the number of days indicated will serve to show the relative maturity of different varieties.

## GREEN PODDED BUSH BEANS

Plant 3 pecks (45 lbs.) to 1 bushel (60 lbs.) per acre.

In the garden make four plantings at different times. Plant ½ lb. to 100 feet at each planting for a family of 3 or 4 people.

All prices quoted are postpaid.


Write for special prices on larger quantities.

**LOGAN (new).** (53 days.) This new variety was developed from a cross between Stringless Black Valentine and U. S. No. 5 Refugee, by the U. S. Regional Breeding Laboratory at Charleston, S. C. It will set pods and yield well in hot weather when other varieties fail. It makes a rather dwarf, low spreading bush of vigorous growth with large, dark green leaves, and is very resistant to powdery mildew, rust and common bean mosaic diseases. Because of its resistance to powdery mildew, dusting with sulphur is unnecessary. It also is somewhat more tolerant to bacterial blights than other varieties. It is a continuous producer, prolific and productive of uniformly attractive, long, round, straight, very light green attractively colored pods, averaging 6 inches in length, very thick fleshed and meaty, entirely stringless and of super excellent edible quality, as well as excellent keeping and shipping quality. This new variety is well adapted for the home garden, for local market, for shipment and for canning.

¼ lb. 20c; 1 lb. 60c; 2 lbs. \$1.10, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.75; 60 lbs. (bu.) \$13.95

**STRINGLESS BLACK VALENTINE.** (48 days.) The plant is large, vigorous, erect and very prolific. The oval pods are nearly straight, dark green, strictly stringless, and of fine quality and delicate flavor. They retain their color and texture in shipping long distances. Very attractive in appearance, of high edible quality and a good shipper. Our improved strain of this variety has been developed for a thicker, narrower, trimmer pod, with much more attractive appearance than other strains of this variety, and is entirely free of flat podded beans. This variety is especially suited for quality-minded markets.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60



Typical Pods of Kilgore's Stringless Black Valentine

**FLORIDA BELLE.** (48 days.) Especially well suited to the heavier soils and to muck. On such soils it is an enormous yielder. On sandy land plants have a tendency to grow too small, pods are too short and are inclined to be tough, papery and fibrous. It has been selected for resistance to rust and mildew, and for vigor, tolerance to heat and drought and productivity. It produces a large, vigorous growing bush with dark green foliage. The pods are six to seven inches long, flat to slightly oval, straight, with a very attractive light green color.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.45; 60 lbs. (bu.) \$12.75

**PLENTIFUL.** (50 days.) Plants more spreading in growth than Bountiful, and should be given a little wider spacing in the row. Somewhat more resistant to rust than Bountiful and other varieties. The pods are longer, slightly thicker, and narrower than Bountiful, flat, straight, and of medium deep green color.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60

**TENDERGREEN.** (50 days.) This variety is very popular due to its consistently high productivity and excellent shipping quality. Plants are large, erect, and thick-stemmed. The pods average about five inches in length, are attractive in appearance, being nearly straight, round, fleshy, dark green, absolutely stringless, and of excellent quality.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60

**BOUNTIFUL.** (48 days.) An old favorite on many markets, especially in the east. A vigorous grower, very productive, with large, long, broad, flat, thick pods, slightly curved, of attractive light-green color, stringless when young, tender, and of excellent quality.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60

**GIANT STRINGLESS GREEN POD.** (52 days). A favorite with Florida truck-growers and in great demand on many markets, especially in the Middle West and South. Pods are round, long, meaty, and entirely stringless when young or old, of excellent quality, and a very heavy yielder.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.25; 60 lbs. (bu.) \$12.00

**FULL MEASURE (Long Round Green Pod).** (52 days.) A prolific, entirely stringless, high quality bean. Pods are straight, long, round, and very fleshy. It is an excellent shipper, and of very attractive appearance.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.50; 60 lbs. (bu.) \$12.90



## GREEN PODDED POLE BEANS

Plant 1 peck (15 lbs.) per acre.  
In garden plant  $\frac{1}{4}$  pound to 50 feet for a family of 3 or 4 people.



Kentucky Wonder—a standard variety of Pole Beans

## WAX PODDED BUSH BEANS

Plant 3 pecks (45 lbs.) to 1 bushel (60 lbs.) per acre.  
In the garden make four plantings at different times.  
Plant  $\frac{1}{2}$  lb. to 100 feet at each planting for  
a family of 3 or 4 people.

Prices quoted are postpaid.  
Write for special prices on larger quantities.

**SURE CROP (GOLDEN BOUNTIFUL).** (52 days.) An attractive, bright yellow bean, entirely stringless, early, and exceedingly productive, with very long, thick, semi-flat pods, practically straight and fairly disease resistant. Plants are strong and vigorous, and very hardy. This variety is really a companion of the Green Bountiful, and is similar to it except color of pod. Beautiful, large, straight, golden yellow pods give it a very attractive market appearance, and in edible quality this variety cannot be excelled.

$\frac{1}{4}$  lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60

**U. S. NO. 4 (Rust Resistant).** (63 days.) This green podded pole variety, is entirely rust resistant. The pods are semi-round, very straight, long, ranging from 8 to 9 inches, and exceedingly attractive in appearance. The pods are stringless in the marketable stage, but tend to get stringy when older. This variety is exceedingly productive. Seeds are white in color. A very desirable variety for both market and home use.

$\frac{1}{4}$  lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.50; 60 lbs. (bu.) \$12.90

**CULTURE OF GREEN PODDED POLE BEANS.** Pole beans are later in maturing than bush beans, but bear for a longer season, and are extremely productive, yielding more than bush beans, and also produce bigger pods. They are somewhat more tender than bush beans if harvested young. For best results, pole beans should be supported by wires or by good strong poles to keep them off the ground. Poles should be 8 to 9 feet above ground, and set firmly in the ground, in rows 3 to 4 feet apart, and three feet apart in the row. Plant three to four seeds around each pole. When plants are well established, thin to two or three plants to a pole. A better arrangement would be to place three or four poles tent fashion at 3 ft. spacings in the row, and then thin to one plant at a pole. In order to keep pole beans bearing over a long season, it is important to keep them closely picked. Inoculate bean seed with Nitragin for best results. (See page 50.) In order to control soil diseases and get a better stand, it is always desirable to treat bean seed with Spergon before planting. (See pages 50 and 58.) Pole beans are more susceptible to mildew, rust and other foliage diseases than are bush beans, and therefore should be sprayed with Sulfocide or dusted with sulphur quite often. (See page 58.)

All prices quoted are postpaid.  
Write for special prices on larger quantities.

**KENTUCKY WONDER (Old Homestead).** (65 days.) This is a popular, green podded, climbing or pole bean, early, and very productive over a long season. Pods are very long, ranging from eight to ten inches, curved, nearly round, with undulating surface. Though thick, they appear slender on account of their great length. Pods are meaty, very brittle, and of good quality if harvested young. The pods hang in large clusters from the top to the bottom of the vine, and can be gathered by the handful. Our strain has been selected for resistance to both rust and powdery mildew.

$\frac{1}{4}$  lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60

**McCASLAN.** (65 days.) A prolific, white-seeded pole bean, of Georgia origin. The seeds being white in color may be used as a green shell bean, although this variety is used most extensively as snap beans when young. A very vigorous grower and heavy producer. The pods are dark green, eight inches long, large, flat, slightly curved, very thick and meaty, stringless, brittle and fine grained, and of excellent quality if harvested young. Because of the high yield of large, attractive pods, this makes an excellent shipping bean for the markets. Well adapted for planting in corn during the spring months.

$\frac{1}{4}$  lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60



Typical plant of Sure Crop Wax bean.



# LIMA BEANS

## DWARF OR BUSH LIMA BEANS

**Fordhooks**—Plant 1 bushel (60 lbs.) per acre.  
**Henderson**—Plant 1 to 2 pecks (30 to 45 lbs.) per acre.


In the garden make two plantings at different times. With Fordhook plant 1 pound to 100 feet or with Henderson's plant ½ pound to 100 feet at each planting for a family of 3 or 4 people.

**CULTURE OF BUSH LIMA BEANS.** In general, cultural requirements of Bush Lima Beans are similar to those given for green and wax podded bush beans, but they need more room (see page 6). Lima beans are not as hardy as string beans, and the ground should be warm when planting the seed. Fertilizer should be applied at least ten days before planting. In order to control soil diseases and get a better stand, it is always desirable to treat lima bean seed with Spergon before planting (see pages 50 and 58.) Plant in rows three feet apart, dropping a bean every two or two and one-half inches in the row, covering an inch deep. Thin to stand 4 or 5 inches in the row.

All prices quoted are postpaid.  
 Write for special prices on larger quantities.

**FORDHOOK 242 (new).** (72 days.) This outstanding new strain of the Fordhook variety was developed after many years of hard work by the United States Department of Agriculture, and in 1945 it was a Bronze Medal Winner and the top ranking vegetable in the All-America trials. It is an excellent continuous bearer, producing a very heavy early yield, and is especially suitable to Florida because of its outstanding ability to make a heavy set and yield under high temperature conditions when regular strains of Fordhooks have a tendency to shed their bloom. Numerous tests all over the south have shown that Fordhook 242 outyields regular Fordhooks by an average of from 50 to 85 per cent in different seasons. The plants are as tall as regular Fordhook, grow more erect and have a more open appearance. Pods average 3 to 4 inches long by 1 to 1½ inches wide and about ½ inch thick, and contain 3 to 4 thick beans. Green shell beans are very slightly smaller than regular Fordhooks, have light green seed coats, and are of delicious, finely flavored edible quality. If you have not been successful in growing regular Fordhooks in Florida by all means try Fordhook 242.

¼ lb. 20c; 1 lb. 60c; 2 lbs. \$1.10, Postpaid  
 Not prepaid, 15 lbs. (pk.) \$4.75; 60 lbs. (bu.) \$18.00



Typical pods of Fordhook 242



Fordhook-Concentrated

**FORDHOOK-CONCENTRATED (new).** (75 days.) This highly bred strain has been developed for concentration of pods on the plant, making it easy to harvest, and for concentration in time of reaching maturity, practically all the beans maturing at one time, making successive harvests unnecessary. The plants are stocky, without tendrils and very prolific. Pods are dark green, very large, with thick fibrous walls giving them body for long distance shipments. Pods contain 3 to 4 large, very thick, plump beans of excellent quality.

¼ lb. 20c; 1 lb. 60c; 2 lbs. \$1.10, Postpaid  
 Not prepaid, 15 lbs. (pk.) \$4.75; 60 lbs. (bu.) \$18.00

**HENDERSON'S BUSH LIMA (Baby Lima).** (65 days.) An early variety, hardy and a sure cropper. The plants are small and very productive. The pods are small in size, very short and narrow, thin, flat, straight to slightly curved. The seeds are smaller and not as plump as Fordhooks. This variety matures about ten days earlier than Fordhooks. The plants are more prolific than Fordhooks, but the seeds and pods are smaller.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
 Not prepaid, 15 lbs. (pk.) \$4.00; 60 lbs. (bu.) \$15.00

## BUTTER OR GREEN SHELL BEANS

Used principally as Green Shell Beans, like Lima Beans

**Old Florida Pole**—Plant 1 peck (30 lbs.) per acre.  
**Old Florida Bush**—Plant 1 to 2 pecks per acre.

In the garden plant 1 pound to 100 feet with bush, ½ pound to 100 feet with pole for a family of 3 or 4 people.

Prices quoted are postpaid.  
 Write for special prices on larger quantities.

**OLD FLORIDA POLE.** (75 days.) Culture similar to Green Podded Pole Beans (See page 7). Plant is tall, vigorous, and very prolific over a long bearing season. Pods, borne in clusters, are of medium size, flat, containing an average of 3 medium-sized, flat seeds. Seeds are of buff color spotted with reddish brown. A dependable, prolific variety for Florida.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
 Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60

**OLD FLORIDA BUSH.** (65 days.) Culture similar to Bush Lima Beans. This variety is similar to Old Florida Pole, but produces a bush or dwarf plant. Plant is small to medium in size, spreading, with semi-runners resembling somewhat Henderson's Bush Lima. Pods are flat, containing 3 or 4 beans. The seeds are small, flat, and of light buff color. It is earlier than Old Florida Pole, very prolific, drought-resistant, a sure-cropper, and of good quality.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
 Not prepaid, 15 lbs. (pk.) \$3.40; 60 lbs. (bu.) \$12.60



# BEET

Plant 6 pounds per acre.

In the garden make three plantings at different times. Plant 1 oz. to 100 feet of row at each planting for a family of 3 or 4 people.

**CULTURE.** Successful culture demands good soil, to which has been applied 600 to 1,200 pounds per acre of good standard vegetable fertilizer, 4-7-5 mixture. Plant seeds in rows 1½ to 2 feet apart and when 3 inches high thin to 3 or 4 inches apart in the row. In Florida, sow from latter part of September to March.

Prices quoted are postpaid.

Write for special prices on larger quantities.

Seed supply of all varieties limited.

**EARLY BLOOD-RED MARKET.** (56 days.) One of the earliest and finest beets ever introduced. Uniform in shape, size, and color. Roots very attractive in appearance, slightly flattened, almost globe-shaped, entirely free of fibrous roots or strings, of dark red color outside; flesh of deep purple color with very little zoning.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**CROSBY'S EGYPTIAN.** (60 days.) This standard variety produces beets of uniform flattened globe shape, very much flattened at the top, of deep red color outside, with a deep purple color with little zoning inside. Sweet and tender.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**DETROIT DARK RED.** (68 days.) A very desirable, globe-shape beet, of dark red color, outside as well as inside, without white zoning; sweet and of excellent quality.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

## BRUSSELS SPROUTS

Sow ¼ pound in seed-bed to plant an acre.

In the garden sow 1 packet in seed bed for 15 plants to set 25 feet of row for a family of 3 or 4 people.


**CULTURE.** Sow seed and cultivate exactly the same as cabbage.

**LONG ISLAND IMPROVED.** (90 days from setting out plants.) Plants grow to a height of about two feet. Stems are thickly set with small, firm, cabbage-like heads, 1½ inches in diameter, maturing small heads successively. Cooked and served like cabbage, and are much more delicate in flavor than cabbage.

Pkt. 15c; ½ oz. 35c; oz. 60c; ¼ lb. \$2.00; 1 lb. \$7.50  
5 to 25 lbs. \$7.40 per lb.



A bunch of Green Sprouting Broccoli



Comparison of root characteristics of beet varieties: (1) Early Blood-Red Market; (2) Crosby's Egyptian; (3) Detroit Dark Red.

## SWISS CHARD or SPINACH BEET

Plant 4 pounds per acre.

In the garden plant one packet to 25 feet of row for a family of 3 or 4 people.

**CULTURE.** Plant like beets in the fall, winter, or spring, in rows 2 feet apart, and thin to 12 or 15 inches in the row. Stalks may be cooked and served like asparagus, or the stalks and leaves may be cooked and served as greens like spinach.

**FORDHOOK GIANT.** (58 days.) An outstanding Swiss Chard growing to enormous size. The thick, fleshy, dark green leaves are much crinkled or savoyed, and the pearly white stems are very broad, thick, and fleshy. A very vigorous, hardy grower, producing high yields.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**RHUBARB CHARD.** (60 days.) A Swiss chard that looks like rhubarb. Leaf stalks are of a bright crimson color, which reddish color extends out through the veins into the rich dark green, heavily crumpled leaves.

Pkt. 10c; oz. 40c; ¼ lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

## SUGAR AND STOCK BEET

**CULTURE.** Plant 4 to 6 pounds per acre in rows 2½ to 3 feet apart, and thin to 6 inches apart in the row.

**SUGAR BEET, KLEIN WANZLEBEN.** (85 days.) This variety is the most valuable for sugar making and stock feeding.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 to 25 lbs. \$1.15 per lb.

**STOCK BEET, LONG RED GIANT.** (80 days.) An enormous yielder and one of the very best for dairymen.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 to 25 lbs. \$1.15 per lb.

## BROCCOLI

Sow ¼ to ½ pound in seed-bed to plant an acre.

In the garden plant 1 packet to 40 feet of row, or sow 1 packet in seed-bed for 25 plants to set 40 feet of row for a family of 3 or 4 people.

**GREEN SPROUTING OR CALABRESE.** (60 days from setting out plants to edible stage.) In Florida, seed may be planted in seed-beds from September to January. Plants should be set in rows 3 feet apart, and 1½ to 2 feet apart in the row. When the main head is cut, thick stems form at the base of leaves on the stalk below. At the end of each branch a medium-sized green head develops. These small heads should be cut with 4 to 5 inches of stem, and tied in bunches for market.


Pkt. 10c; ½ oz. 25c; oz. 40c; ¼ lb. 1.15; 1 lb. \$4.00  
5 to 25 lbs. \$3.90 per lb.



# CABBAGE

Sow 6 ounces in seed-bed to plant an acre or plant 12 ounces per acre in field.

For the garden, sow 1 packet in seed-bed for 50 plants to set 60 feet of row for a family of 3 or 4 people.



*We have spent many years developing our stocks of cabbage seed for Florida, until today we have an enviable reputation on the productiveness, purity and uniformity of our cabbage seed stocks.*

Part of a typical row of Copenhagen Market Cabbage (Kilgore's Extra Early Strain No. 86)

**CULTURE.** Cabbage is a heavy feeder and should be grown rapidly. Therefore, for best results, plenty of fertilizer should be used—not less than 1000 pounds per acre, and a ton is better. You cannot grow a big, heavy crop of Cabbage on a starvation ration. Where planted in seed-beds, which is the desirable and common practice, plant seed thin in drills 6 inches apart, cover  $\frac{1}{4}$  to  $\frac{1}{2}$  inch deep, using 6 ounces of seed for an acre of plants, and do not make the soil in seed-beds as rich as soil where plants are to be set. When seed is planted in the field, use 12 ounces of seed per acre. Make rows  $2\frac{1}{2}$  to 3 feet apart and set plants 12 to 18 inches apart in row, depending on variety and size of head you wish to produce. If you desire small heads, crowd the plants; for large heads, place further apart. For the control of cabbage insects and diseases see pages 51, 52, 53, 54 and 58.

Kilgore's Bred-Rite Cabbage seed has been developed and selected for uniformity, high yield, and trueness to type. To control downy mildew disease in cabbage seed-beds use Wetttable Spergon or Copper-A Compound (See page 52).

Although our cabbage seed is grown in disease-free territory in the west, it is a safe precaution, to control black rot, black leg, alternaria leafspot and peppery leafspot on cabbage, to soak the seed in hot water at 122° F. for 25 minutes. With cauliflower, soak the seed for only 15 to 18 minutes. (See page 50).

The number of days in parentheses after each variety named indicates the relative number of days to secure marketable heads from setting out plants in the field or garden. From the time seed is sown until the plants are ready for the field or garden thirty to thirty-five days are usually required.

**Prices quoted are postpaid.**

**EARLY JERSEY WAKEFIELD.** (62 days.) Our stock has been bred and selected especially for earliness. It is a week earlier than the old type Jersey Wakefield and is just as large. Very resistant to cold weather. The small, medium-sized, conical-shaped, pointed heads are very firm, of finest quality, and especially desirable for home use.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**CHARLESTON WAKEFIELD.** (70 days.) The heads are larger and broader at the base, not quite so pointed and later in maturing than Early Jersey Wakefield. Of uniform size, very solid, and of very desirable market quality. Very resistant to cold weather and premature seeding.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**COPENHAGEN MARKET (EXTRA EARLY STRAIN No. 86).** (68 days.) Our extra early strain of Copenhagen Market has become very popular in all the large important cabbage producing sections of Florida. It is short-stemmed, compact with very solid, round, medium-sized heads, having few outer leaves, thus facilitating close planting. Our stock is very uniform in shape, and matures practically all at the same time. This uniform maturity is very desirable from a marketing standpoint.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**GOLDEN ACRE.** (64 days.) An extremely early, small to medium-sized round-head cabbage of the Copenhagen Market type, but considerably earlier than most stocks of Copenhagen Market. Our strain of this variety heads up very uniformly and is exceptionally well bred, with inner leaves shorter than the head, and outer leaves growing horizontally.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**EARLY ROUND DUTCH.** (71 days.) An exceedingly hardy, and dependable variety of round-headed cabbage. Heads are firm and of high quality. Plants vigorous, small, and compact, with erect leaves and short stems. Suitable for close planting, but must be fertilized more heavily if planted close in order to produce size. Very slow to bolt or produce "seeders" and withstands cold weather better than any other early round-headed variety. Especially well suited for muck land production.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**MARION MARKET (Yellows Resistant).** (75 days.) This is a late maturing strain of Copenhagen Market, resistant to cabbage Yellows Disease. Larger and coarser in growth than Copenhagen, but with the round head and good quality of the regular Copenhagen Market, but makes somewhat heavier yields than Copenhagen Market. Will produce a normal crop on Yellows infected soils where non-resistant strains will fail.

Pkt. 10c; oz. 45c;  $\frac{1}{4}$  lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**MIDSEASON MARKET.** (75 days.) As a result of some trial plantings made in the Everglades muck and elsewhere in Florida, this variety shows much promise. Our strain is exceptionally uniform as to type and time of maturity, cutting over 50% perfect heads at the first harvest when seeded in the field. The heads are of medium size, hard, globe-shaped on short stems. Leaves are dark green, thick and leathery, making this variety very hardy and resistant to cold damage, and also making it a good shipper in bags, the heads not being bruised as readily as other varieties. Of crisp texture and good quality.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**GLORY OF ENKHUIZEN.** (78 days.) A splendid medium-early, round-headed type. Somewhat similar to Copenhagen Market, but slightly later, larger, with a darker green color, and a heavier yield. The large heads are protected by large, over-lapping wrapper leaves. Heads are very solid and of excellent shipping and market quality.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.

**ALL HEAD EARLY.** (78 days.) This cabbage is well named, as it is early for a flat-headed variety and has comparatively few outer leaves, being almost all head. It develops a larger-sized plant than the early pointed and round-headed varieties. The large, solid, deep flat heads are uniform in shape, size, and maturity. Withstands heat and drought better than most other varieties, and is a very heavy yielder.

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.



**STEIN'S EARLY FLAT DUTCH.** (90 days.) This is an old standard, hardy, winter variety. It produces a very large-sized plant, spreading in growth, with few large, broad outer leaves. The head is of large size, flat, and very solid.

**Pkt. 10c; oz. 40c; ¼ lb. \$1.25; 1 lb. \$4.50**  
5 to 25 lbs. \$4.40 per lb.

**SAVOY, CHIEFTAIN.** (90 days.) Savoy cabbage is commonly called "curly-leaf" or "curly" cabbage. It has a distinct flavor which is favored by many people. The plant is of large growth. The large, rich, dark green leaves are uniformly wrinkled or savoyed and curled. The heads are medium in size, hard, and stand a long time without bursting. The best variety of the savoy type for Florida.

**Pkt. 10c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00**  
5 to 25 lbs. \$4.90 per lb.

**RED ACRE.** (72 days.) This variety fills a long felt need in being the only red cabbage that matures very early, only a few days later than Extra Early Copenhagen Market. The plant is very small, compact and makes good sized, round, hard, deep red colored heads. Very uniform as to type. Especially desirable for muck land production in Florida.

*Seed supply extremely limited.*

**Pkt. 10c; oz. 55c; ¼ lb. \$1.65; 1 lb. \$6.00**  
5 to 25 lbs. \$5.90 per lb.

**RED DANISH.** (115 days.) This improved strain of Red Danish is the most highly bred, heavy yielding, and uniform strain yet developed. The plants are vigorous, but compact growth, every plant producing a hard, heavy head, with excellent dark red color throughout, free from bursting, and an ideal type for shipment. No more uniform, true to type, heavy yielding variety of red cabbage can be secured anywhere.

**Pkt. 10c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00**  
5 to 25 lbs. \$4.90 per lb.

**RED ROCK.** (98 days.) Plants large and compact. Heads of medium size, very hard, globular in shape, exceedingly attractive in appearance, being of deep purple color throughout. Our stock of this variety has been specially developed for uniformity and high yielding qualities. In our extensive cabbage trials we have found our Bred-Rite strain of Red Rock to be far superior to other strains of this variety in the development of uniform hard heads.

**Pkt. 10c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00**  
5 to 25 lbs. \$4.90 per lb.

## CHINESE CABBAGE

*Also known as Celery Cabbage, although it is not a true cabbage, and grows more like a Cos or Romaine lettuce.*

Plant 1 pound per acre.

In the garden make two plantings at different times. Plant 1 packet to 40 feet of row at each planting for a family of 3 or 4 people.

**CULTURE.** This is distinctly a cool-weather plant and should not be planted for a spring or summer crop, because it quickly bolts to seed in hot weather. It should be planted only for a late fall and winter crop. Seeds should be planted in 2½ to 3 foot rows where the crop is to mature, thinning out as the plants develop to stand 8 to 12 inches in the row. May be started in seed-bed and transplanted like cabbage, but usually does better when started in the field or garden where crop is to mature. If started in seed-bed, only half as much seed is required as for field or garden planting. Chinese Cabbage makes excellent cole slaw. It may also be boiled like ordinary cabbage. It is a very tender, healthful vegetable and very nutritious and digestible.


**CHIHILI (PEKIN CELERY CABBAGE).** (70 days from seed planting in field or garden to edible stage.) This strain surpasses all other varieties of Chinese cabbage. It is sure heading, maturing into long, slender, very firm, well blanched, crisp, tender and sweet heads, readily salable in any market. The heads become 18 to 20 inches tall, 3½ to 4 inches thick, tapered near the tip, solid, sweet and tender.

**Pkt. 10c; oz. 40c; ¼ lb. \$1.25; 1 lb. \$4.50**  
5 to 25 lbs. \$4.40 per lb.

# CAULIFLOWER

Sow 4 ounces in seed-bed to plant an acre

In the garden sow one packet in protected seed-bed for thirty plants to set 50 feet for a family of 3 or 4 people.



**Kilgore's Snowdrift**

No crop is affected more in its behavior by weather and soil conditions than is cauliflower. Because of the frequent spells of hot weather and high humidity during the winter months in Florida, which are not conducive for good cauliflower production, it has been difficult to produce this crop to perfection with ordinary varieties and strains of cauliflower seed. We have been working many years in an endeavor to secure strains of cauliflower which will do well under Florida climatic and soil conditions. As a result, we have found and are now offering strains which are particularly well suited to high temperature and humidity conditions.

**CULTURE.** We recommend starting plants in well prepared seed-beds where conditions provide for continuous rapid growth. A cauliflower plant which has once been checked or stunted in growth will never produce a large, well-formed head. Plant in seed-beds from September to December and cultivate the same as cabbage, spacing 2½ to 3 feet between rows and 18 to 24 inches in the row. Cauliflower needs a very rich soil and plenty of moisture. Just as soon as the head develops to the size of a walnut, it is very important to draw the outer leaves over the head and tie with soft cord to produce attractive, pure white, solid heads.

To control black rot and black leg disease, soak seed for 15 to 18 minutes in hot water at 122° F. (See page 50).

The number of days in parentheses after each variety indicates the number of days to produce edible heads from setting out plants in the field or garden.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**SNOWDRIFT.** (62 days.) This is one of the surest headers known, and is especially well adapted to withstand the hot, humid climatic conditions prevalent in Florida. The vigorous plants grow larger and taller than Snowball, are more compact and upright in growth, with long, tall, rather narrow, elliptical shape, erect, growing, dark green leaves, which protect the head or curd in its early growth. The large, snow-white, attractive heads are very deep, heavy, and firm or solid, even under relatively hot, humid growing conditions, making this an ideal variety for early spring production in Florida. Very free of leafy and ricy heads. This variety should satisfy the most critical growers. A most desirable type for long distance shipment.

**Pkt. 25c; ½ oz. \$1.90; oz. \$2.75; ¼ lb. \$8.25**  
1 lb. \$30.00

**SUPER SNOWBALL.** (55 days.) This is a very early maturing strain of the Snowball type, which, because of the curled formation of the leaves over the head protects it from the sun and from freezing. The dwarf, compact plants are strong, vigorous, with many short, large, round, broad, heavy, spreading, light green leaves, and a short stout stem. The heads are broad, large, smooth, solid, pure white in color, and exceedingly uniform; under proper growing conditions, producing over 90% grade one heads. Highly recommended as an early winter crop, to mature in cold weather.

**Pkt. 25c; ½ oz. \$1.90; oz. \$2.75; ¼ lb. \$8.25**  
1 lb. \$30.00



# CANTALOUPE and MUSKMELON

Plant 1 to 2 pounds per acre.

In the garden plant 1 packet to 50 feet of row for a family of 3 or 4 people.

**CULTURE.** General cultural requirements, diseases and insects and their control, similar to those of cucumber. (See page 16.) Should have rather high, light soil. Plant in hills 4 by 5 feet apart, dropping 5 to 6 seeds to a hill. Place fertilizer around the hill and make second application when the vines start to run. Thin out to two plants to the hill when 4 inches high. May be planted in 5 foot rows, thinning plants to 2 feet between every 2 plants in the row. For an earlier melon crop and to get ahead of the melon worms, use *Hotkaps*. (See page 65.)


The number of days after each variety represents the time from seed planting to first picking under average spring conditions in Florida.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**BANANA.** (95 days.) Grown extensively on the lower east coast of Florida. A vigorous growing, hardy variety, which produces a high yield over a long season. Fruits smooth, slender, averaging 14 inches in length, three to five inches in diameter, weighing about 8 lbs., tapering at both ends, shaped somewhat as the name indicates. Lemon colored skin when mature with salmon colored flesh, of delicious eating quality.

Pkt. 10c; oz. 30c;  $\frac{1}{4}$  lb. 75c; 1 lb. \$2.50  
5 to 25 lbs. \$2.40 per lb.



**Hale's Best Improved, No. 36**  
*An ideal shipping melon*


**HALE'S BEST, Improved No. 36.** (75 days.) An improved strain of Hale's Best, developed for uniformity in shape and complete netting, and with sutures or ribs eliminated. Fruits are round in shape, with very heavy, coarse, attractive netting, and average about three pounds in weight. Flesh exceedingly thick, with small seed cavity, deep salmon in color, very sweet and of exceedingly fine quality. The earliest and best shipping cantaloupe for Florida.

Pkt. 10c; oz. 25c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

**TEXAS RESISTANT NO. 1 (new).** (80 days.) This new variety was developed by the Texas Agricultural Experiment Station from a cross of Hale's Best and an inbred strain of Rocky Dew, which downy mildew resistant variety was first discovered in the West Indies and introduced by us some ten years ago. Texas Number 1 was developed as an early maturing, very productive, small to medium size, round, heavily netted, firm rind melon of good quality, for shipment to northern markets. The vines are very resistant to downy mildew, which is the most serious disease of cantaloupes in Florida and the southeast. They also resist aphids, one of the most serious insect pests of cantaloupes, and are somewhat resistant to melon worms. Spraying or dusting to control these pests is usually too difficult, too expensive or otherwise impractical. The vine is stout and vigorous with tough, thick leaves, making it hold up well for a long season, even under unfavorable weather and growing conditions. The fruits will average 4 to 5 inches x  $3\frac{1}{2}$  to  $4\frac{1}{2}$  inches in diameter, and will weigh two to three pounds each. The flesh is rich salmon color, and of firm texture with a sweet flavor.

*Seed supply extremely limited.*

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.



**Smith's Perfect (Yellow Dew)**

**SMITH'S PERFECT (Yellow Dew).** (90 days.) This melon was originated in the West Indies. It makes a good, strong, vigorous vine growth, with thick, hard, tough up-turned leaves. The tough leaves withstand wind and cold damage. This variety is very resistant to downy mildew disease commonly called blight or rust, and also resists aphids. It is a very good commercial type, making medium size fruits (averaging about 4 lbs. each), very heavy for their size, round in shape but slightly flattened at the stem and blossom ends, covered with a uniform fine netting, free of ribbing, with a thick rind, making it a good shipper and market melon. The fruits have a greenish rind, which upon ripening turns to a beautiful greenish yellow. As the fruits ripen they produce a delicious melon odor. For market, it is best to harvest them a little on the green side just as they begin to turn yellow. The flesh is firm, very thick, with a small seed cavity, of attractive deep orange or salmon color, and has a most delicious flavor. No other cantaloupe or muskmelon can compare with this variety in delicious edible quality. An ideal melon especially for the Florida home garden and for local market. The fact that this variety is highly resistant to downy mildew and to aphids, makes it easier and cheaper to grow, and also makes for higher quality fruit.

*Seed supply extremely limited.*

Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50  
5 to 25 lbs. \$4.40 per lb.



**Texas Resistant Cantaloupe No. 1**



# CARROT

Plant 4 pounds per acre.

In the garden make three plantings at different times. Plant 2 packets to 100 feet of row at each planting for a family of 3 or 4 people.

**CULTURE.** Sow in good, deeply worked, fine, loose soil, enriched with 800 to 1200 pounds per acre of a good vegetable fertilizer, in drills  $1\frac{1}{2}$  to 2 feet apart, and cover seed  $\frac{1}{4}$  to  $\frac{1}{2}$  inch deep. When 2 inches high, thin out to 2 to 3 inches apart. Carrots can be planted in Florida from August to March.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**DANVERS HALF LONG.** (75 days.) Our stock of this variety is half stump or semi-pointed, from 6 to 7 inches in length from the crown to the tip. The shoulder at the crown is from  $1\frac{1}{2}$  to  $1\frac{3}{4}$  inches thick, and tapers uniformly to a thickness of about  $\frac{3}{4}$ -inch just where the root begins to taper to the tip. The tops are a little larger than those of Chantenay, and the crown is flat without a depression. The roots are smooth and attractive in appearance.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**IMPERATOR.** (77 days.) This variety of carrot has been especially bred and developed to meet the increasing demand on the market for a longer carrot. The roots range from 7 to 8 inches in length, with a shoulder diameter of  $1\frac{1}{4}$  to  $1\frac{3}{4}$  inches. The roots are smooth, uniformly tapered to a semi-blunt end, deep rich orange color, both exterior and interior with comparatively inconspicuous core. The flesh is of rich orange color, extending to the center of the root, with an indistinct core; fine grained, tender and of excellent quality. The tops are of medium size, but strong enough for good bunching. For shipping quality, attractiveness and popularity in the market, Kilgore's Bred-Rite strain of Emperor is superior to other long-rooted varieties.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.



Emperor Carrot

*Developed to meet the need for a better market type*



Comparison of root characteristics of carrot varieties. *From left to right:* Emperor, Nantes (Coreless), Danvers Half Long, Red Core Chantenay, Chantenay.

**RED CORE CHANTENAY.** (72 days.) This is an improved type of Chantenay. The roots are tapered, less stump rooted, and slightly longer than the old Chantenay, averaging about 6 inches. The interior is solid orange colored without the usual lemon color in the core. The flesh is very tender and sweet, which with the excellent outside color and shape combines to make this variety exceptionally valuable for the market.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**NANTES (CORELESS, TOUCHON).** (70 days.) We have the true type, which is long and cylindrical, about  $5\frac{1}{2}$  to  $6\frac{1}{2}$  inches long and 1 to  $1\frac{1}{2}$  inches thick, very stump rooted with a small rat tail. The color is clear orange-red and the core is rather undefined, being of the same color as the flesh so that it is called "Coreless." The tops are small and short, but heavier than ordinary stocks of Nantes, and the root is very fine-grained, tender, delicate, sweet, and of highest edible quality. An excellent high quality variety for the home garden and local market.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**LONG ORANGE, IMPROVED.** (86 days.) Our stock is the true thick-shouldered strain of Long Orange,  $1\frac{3}{4}$  to 2 inches thick at the shoulders, 10 to 12 inches long, and pointed or rather tapering in a straight line to the tip. The tops are rather large. A very popular variety in many sections of Florida where a very smooth, attractive, reddish-colored, long rooted carrot is desired.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**YELLOW BELGIAN (STOCK CARROT).** (95 days.) Grown exclusively for stock, very large size, 12 inches long from crown to tip, and  $2\frac{1}{2}$  inches thick at shoulder. The giant among carrots. Pale yellow skin and flesh. Hardy, heavy yielding and very nutritious for stock.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.



# CELERY

Sow  $\frac{1}{2}$  pound in seed-bed to plant an acre.

For the garden sow 1 packet in a well protected seed-bed for 150 plants to set 50 feet of row for a family of 3 or 4 people.



Typical plants of Kilgore's Green Florida Pascal Celery ready for packing in Howard crates.

## CULTURE OF CELERY

First sowings in Florida are made the latter part of June and continue to December. The main sowings for a winter crop are usually made in July or early August, and for the spring crop, grown principally on muck, they are usually made in October and early November. Celery seed is always planted in protected seed-beds. The soil must be put in perfectly fine condition and made into beds 4 to 6 or more inches high, to prevent overflow in case of heavy rains. When in condition—thoroughly and finely pulverized, well fertilized at least 10 days before sowing seed, moist, and made perfectly smooth and level—sow the seed broadcast or in rows 6 inches apart, using 1 pound of seed to from 125 to 150 yards of bed 3 feet wide. The seed should be barely covered with soil.

We recommend use of burlap or white muslin as a cover over the seed-bed, stretching it on a tent-shaped or slanting frame built over the seed-bed, with the sides about 12 inches from the ground to provide ample circulation of air. This seed-bed cover will serve as a shade and also break the force of heavy rains. It is advisable to use ground-covers of burlap or old fertilizer bags, which have been thoroughly washed out to prevent burning of seed sprouts, on the bed when seed is planted, letting them lie flat on the ground until seed begins to germinate. This also prevents heavy rains washing seed off the beds and also keeps the ground cooler during hot months, which insures a better stand. After the seed is sown, it is desirable to sprinkle with cool water by means of hand sprinkling pots with a very fine spray in order to keep the soil cool and moist, which tends to increase the germination of celery seed during the hot summer months. With surface irrigation, fresh cool water should be circulated continuously around the beds. For the control of insects and diseases of celery see pages 51, 52, 54 and 58. For the control of pink rot of celery use Granular Aero Cyanamid. (See page 61.)

When plants in seed-bed are 6 inches high, transplant to the field in double rows 3 to  $3\frac{1}{2}$  feet apart, with 7 inches between the double rows, and set the plants 4 to 5 inches apart in the row. The plants may be set in single rows 3 feet apart, allowing 4 to 5 inches between plants in the row. The Pascal varieties should always be planted at least 5 inches in the row. To grow fine celery, a large supply of moisture and fertilizer is essential from the time the seed is sown in the seed-beds until the crop is ready for harvest.

The number of days in parentheses after each variety named indicates the relative number of days to marketable stage or harvest from setting out plants in the field or garden. It usually requires about seven or eight weeks to grow plants large enough to be set in the field.

In May and June, at the beginning of the celery seed planting season in Florida each year, we test samples of all our celery seed in our laboratory germinator, and also in outdoor seed-beds at Sanford, and the germination is printed on every package of celery seed so our customers will know how much to plant in order to secure a satisfactory stand in the seed-bed.

**KILGORE'S GREEN FLORIDA PASCAL (Volante type).** (125 days.) A very vigorous, compact growing variety, with large, broad, rounded, heavy dark green leaves, and with broad, semi-round, medium long, exceedingly thick, very meaty, solid, smooth, glossy, attractive appearing ribs. The ribs or petioles will average about  $7\frac{1}{2}$  or 8 inches to the first joint, and plants will range from 20 to 23 inches overall. It develops a much better heart than other varieties of the Green Pascal type. The ribs or stalks are of ideal edible quality, being very tender, extremely brittle, and entirely stringless, and exceedingly crisp. Even the outermost stalks possess an unsurpassed flavor and are surprisingly rich and nutty. Our strain of this variety has been developed for smooth ribs, (free of ridging) and for a high rib count per plant, and a somewhat taller growth and better heart formation than other strains of Green Pascal. This stock is not subject to premature seeding, and can be grown at any time during the fall, winter or spring in Florida. It is very important not to cut this variety too soon, as it requires 2 to 3 weeks more time in the field than varieties of the Golden type, but will outyield the Golden type 40 to 50 per cent. The yield and quality are materially cut down if harvested too soon. Set plants of this variety at least 5 to 6 inches apart in row for large sizes and heavy yields.

Pkt. 15c;  $\frac{1}{2}$  oz. \$1.00; 1 oz. \$1.50;  
 $\frac{1}{4}$  lb. \$4.00; 1 lb. \$15.00

**KILGORE'S SHORT TOP PRIDE.** (115 days.) This strain of the Pride type has been selected for a shorter, more compact top growth, with almost as long ribs or petioles as the regular Pride. It has larger, broader leaves than Tall Non-bolting Golden Plume and Regular Pride. It is especially valuable for early fall and late spring production on muck, when the regular Pride may have a tendency to grow too tall and leafy. It is somewhat slower in growth than regular Pride, requiring about ten days more time to make. An exceedingly well selected, uniform, hardy stock, withstanding poor growing conditions somewhat better than other varieties of the "Special" type. Especially valuable for close culture on muck where rows are 20 to 24 inches apart, but requires somewhat heavier fertilization than other varieties of the Golden type.

*Seed supply extremely limited.*

Pkt. 20c;  $\frac{1}{2}$  oz. \$1.10; 1 oz. \$1.75;  $\frac{1}{4}$  lb. \$5.50;  
1 lb. \$20.00



Damping off control in celery seed beds can be effectively accomplished by six or seven sprayings with Wettable Spergon (see Page 58) at 5 to 7 day intervals, using one and one-half pounds of Spergon to 50 gallons of water for the first three applications, and 2 pounds Spergon to 50 gallons of water for the later applications. The spray must be applied heavy enough to reach the surface soil. (See Florida Agricultural Experiment Station Bulletin 397.)

Prices quoted on Celery seed are postpaid.  
Write for special prices on larger quantities.

**SUPREME GOLDEN.** (115 days.) A very vigorous, thrifty grower, with heavy dark green foliage. Makes very large sizes, uniform long ribs, 8 to 10 inches to first joint, with a short, compact top growth, the ribs growing straight up with a full heart. It is somewhat susceptible to cold damage and premature seeding. Under good growing conditions, this variety is an enormous yielder of large sizes, and with its very compact, upright growth, and uniform long rib length, it makes a very attractive appearance when packed for market.

Pkt. 15c; ½ oz. \$1.00; 1 oz. \$1.50; ¼ lb. \$4.00;  
1 lb. \$15.00

**KILGORE'S PRIDE (Regular Strain).** (105 days.) The Kilgore Seed Company has spent a great deal of time, effort and expense in improving this stock of the Special or Golden Plume type of celery. It is very early in maturity, produces a vigorous growth, with very broad, flat to semi-round, thick ribs or petioles, eight to ten inches to the first joint, ranging from 22 to 25 inches over all, making a very attractive pack. Unlike other strains of the Golden Plume or Wonderful type, Kilgore's improved strain of Pride bleaches a little slower and does not go soft as quickly. It develops a good heavy heart, and is an exceedingly heavy yielder of good sizes, with large heavy butts. This is an excellent early winter and spring celery for Florida. One of the finest varieties of celery ever developed for Florida. Has been developed and selected for resistance to premature seed stalk development, and does not go soft or pithy in cold or in hot weather. It is more resistant to blight and withstands poor growing conditions better than other varieties of the Special Type. This variety of celery has more "class" when grown under Florida conditions where it was developed, than have other varieties bred and developed in other sections of the U. S.

Pkt. 20c; ½ oz. \$1.10; 1 oz. \$1.65; ¼ lb. \$5.00;  
1 lb. \$18.00



A typical plant of Kilgore's Pride Celery

**FLORIDA GOLDEN NO. 15 (SCHNECK'S IMPROVED).** (115 days.) After many years of breeding, selecting, and testing by our breeding department, we introduced this improved variety. It is intermediate between the Old Golden and Special or Golden Plume types, possessing the desirable characteristics of both types. It is recommended especially for a Florida mid-winter crop because it withstands cold weather better than most varieties of the Special or Golden Plume type. Our Improved stock has been selected for uniformly long, thick, round ribs, large full hearts of rich golden yellow color, and for heavy yields of good sizes. The ribs average eight to ten inches to the first joint, are not thin and flat, but are rounded and exceptionally thick. The plants range from 21 to 24 inches over all, making a most attractive pack. This is one of the best varieties for a mid-winter crop in Florida, but is not as well suited to hot weather conditions of spring as is Kilgore's Pride.

Pkt. 20c; ½ oz. \$1.10; 1 oz. \$1.65; ¼ lb. \$5.00;  
1 lb. \$18.00

**CORNELL No. 19 WHITE PASCAL. (Ivory)** (120 days.) After several years of testing we have found that this new, heavy yielding variety, developed by the New York (Cornell) Agricultural Experiment Station, is the best strain of the different Cornell White Pascals for Florida growing conditions. It is an easy blanching variety with the thick, fleshy, smooth, glossy rib or petiole, and high edible quality of the green Pascal type. The uniform plants are erect and very compact in growth, with long ribs and short, compact top growth. Plants will range from 20 to 23 inches over all, with ribs or petioles ranging from 7 to 9 inches to the first joint. Stalks bleach readily to a very attractive, waxy white color. Especially well adapted to muckland culture, and for an early and midwinter crop, but not so well suited as a late spring crop in Florida, due to the fact that it is somewhat susceptible to premature seeding in late spring if the young plants in seed-beds or in the field go through a long spell of low temperatures during the late fall or early winter. Must be handled very carefully because it is so brittle, it bruises easily.

Pkt. 20c; ½ oz. \$1.10; 1 oz. \$1.75; ¼ lb. \$5.50;  
1 lb. \$20.00

**TALL NON-BOLTING GOLDEN PLUME (Leinhart Special).** (115 days.) This variety of the special type is extremely resistant to bolting during periods of low temperature. It makes a very short, compact top growth with good average length ribs, 7 to 8 inches to the first joint, with enormous size. An extremely heavy yielder, producing a very high percentage of 2½'s, 3's and 4's when grown on muck. Although our strain of this variety has been selected for more uniform, longer ribs, it is not recommended for a mid-winter crop, but is especially suitable for a spring crop on muck because it resists premature seeding.

Pkt. 15c; ½ oz. \$1.00; 1 oz. \$1.50; ¼ lb. \$4.00;  
1 lb. \$15.00

## CELTUCE

(CHINESE STEM LETTUCE)

Plant 1 packet to 40 feet of row for a family of  
3 or 4 people.

**CELTUCE.** (80 days.) This vegetable originated in faraway western China. It is easy to grow. Plant forms a rosette of light green leaves which may be used when young as a salad or boiling greens. The central stem or stalk is the most valuable, usable part, which may be eaten either raw or cooked. The lower leaves should be removed, and all the tough outer skin should be peeled or cut off before the stalks or hearts are used, either serve raw as a delicious, crisp, brittle, succulent relish like celery or carrots with salt and mayonnaise, or when cooked they have a very pleasing, delicate, mild flavor. Seed may be planted in garden in rich, moist, fertile soil at any time, preferably during the cool weather of fall and winter, thinning plants to stand 12 to 15 inches apart in two foot rows.

Pkt. 25c; ¼ oz. 45c; ½ oz. 75c; 1 oz. \$1.25



# CUCUMBER

Plant 2 pounds per acre.

In the garden plant 1 packet to 50 feet of row for a family of 3 or 4 people.

Kilgore's western-grown cucumber seed stocks have been especially developed for Florida. Our cucumber seed stocks are thoroughly tested each season so we know our stocks are true to type and best suited to Florida conditions.

**CULTURE.** Rich, moist, sandy loam soil is the best for growing cucumbers. The soil should be well fertilized with a good vegetable fertilizer such as a 4-7-5 mixture applied at the rate of 1200 lbs. to a ton per acre a week or ten days before planting. The early "cukes" are the ones that bring the money, and to get them early you must figure on protecting them with troughs, because they are very sensitive to cold, and sometimes the slightest frost will ruin the crop. Fall plantings are made in late August and in September. Spring planting in Florida begins early in January and continues through February. Plant in rows 5 to 6 feet apart, 6 inches apart in the row, and thin to 1 or 2 feet between every two plants in the row. Sometimes it is very difficult to get a stand early if the ground is wet and cold, as the seed will rot before it germinates. Frequently two or three plantings have to be made to get an early stand. In fact, many successful growers make three or four plantings in between hills at intervals of four or five days so that in case of frost or some disaster to the planting that is already up, there is another stand of seed just ready to come out of the ground, which would mean a gain of six to ten days as compared to planting over again. The time gained by several plantings might mean hundreds of dollars in extra profits by securing earlier maturity, as compared to planting over. Eight or ten days' difference in the time of maturity of an early cucumber crop often makes an enormous difference in the price and returns from the crop. A row of oats planted between every two rows of cucumbers makes a good windbreak.

Cucumbers are pollinated by either hived or wild bees. Under unfavorable conditions or in isolated locations it is always desirable to provide a strong hive of bees in cucumber fields in order to insure perfect pollination and a good set of fruits. The bees should not be placed in the field until the cucumbers begin to blossom, in order to provide food for the bees so they

will remain in the cucumber fields. Without proper pollination the cucumbers are deformed, or at least a large percentage of bottlenecks and nubbins are produced, and a small set of fruits develop, due to lack of bees to facilitate proper pollination of the female blossoms with pollen carried by the bees from male blossoms.

For the control of insects and diseases on cucumbers see pages 51, 52, 53 and 58.

For an earlier Cucumber crop and as a protection against beetles, use *Hotkaps*. (See page 65.)

The number of days after each variety represents the time from seed planting to first picking under average spring or fall conditions in Florida.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**EARLY GREEN MARKET (Marketer or New Market).** (50 days.) This variety comes from a cross of Straight 8 and A and C type. It produces a cucumber similar in shape and size to Straight 8, but it holds its dark green color much better, especially in late spring. It averages about 8 inches in length, and is especially desired by the eastern and southern markets where a medium size cucumber is preferred. It is particularly admired for the neat appearance and uniformity of its many fruits, which are of an exceptionally rich, uniform, dark green color down to the blossom end. The vine growth is somewhat more vigorous than Straight 8, making it a better spring variety. It also seems to stand intense heat of late spring better than other varieties. Early Green Market is exceedingly prolific, throwing an exceptionally large number of female blossoms per plant. The fruits are exceptionally uniform in size, shape and color, with practically no jumbos or oversize even when not harvested for several days. It will average over 90 per cent fancies. Buyers invariably pay a premium for this cucumber, when other varieties go begging at lower prices.

Pkt. 10c; oz. 30c;  $\frac{1}{4}$  lb. 75c; 1 lb. \$2.40  
5 to 25 lbs. \$2.30 per lb.



A field and typical fruits of Early Green Market cucumbers.



**A & C (KILGORE'S IMPROVED).** (50 days.) We are offering seed of this popular variety which was produced by us from seed secured from the originator, and on which we have made special selections in an endeavor to improve this splendid strain still further. The vigorous growing vines produce an abundance of uniform, exceedingly dark green cucumbers, averaging 10 inches long. The fruits are of uniform diameter from stem to blossom end, are rather slim, averaging  $1\frac{1}{4}$  to  $1\frac{1}{2}$  inches in diameter, without any bulge in the center, and with a slight taper at the ends. This is one of the best bred and most popular strains of cucumbers in existence. A very heavy yielder of fancy fruits. An ideal variety to grow for mid-western markets where they want a long cucumber.

**Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00**  
5 to 25 lbs. \$1.90 per lb.

**COLORADO.** (50 days.) This outstanding variety is filling a most important place in the growing of cucumbers in Florida for shipment to northern markets. It holds its intense dark green color and firmness for a long time in transit and on the markets. The fruits are of medium length, averaging from 9 to 10 inches, and are slender, averaging about  $1\frac{3}{4}$  inches in diameter, and are well filled at both ends, of exceedingly dark green color. Very attractive and handsome in appearance and an enormous yielder of extra fancy fruits.

**Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00**  
5 to 25 lbs. \$1.90 per lb.

**CUBIT** (42 days.) Cubit is a very promising variety of cucumber which won the All America Bronze medal for 1944 because of its outstanding good qualities. The plants are very prolific, earlier than A and C and Colorado varieties. The smooth fruits are of dark green color, and average about  $8\frac{1}{2}$  inches in length, are cylindrical in shape with blunt ends, without any taper, and with a very small seed cavity making them ideally adapted for slicing. They hold their color, crisp texture and fresh quality well in shipping and on the market. This variety makes the most uniformly beautiful shape cucumber of any variety. This uniformly attractive appearing, high quality, early maturing, and good shipping and keeping variety is bound to become a leader as soon as it becomes better known among commercial cucumber growers of Florida.

**Pkt. 10c; oz. 30c;  $\frac{1}{4}$  lb. 75c; 1 lb. \$2.50**  
5 to 25 lbs. \$2.40 per lb.

**STRAIGHT-8.** (47 days.) The plant is vigorous in growth, very prolific and produces symmetrical, almost cylindrical fruits. As indicated by the name, the fruits are perfectly straight, averaging about eight inches long, well filled at the ends and when ready for harvest are smooth and dark green in color. Our improved strain is darker green in color than other strains and exceedingly uniform in size, shape and color, making it an ideal packing and shipping type. Especially recommended for fall planting in Florida, but should not be planted for a late spring crop because the fruits have a tendency to be very light in color late in the season.

**Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00**  
5 to 25 lbs. \$1.90 per lb.


**BLACK DIAMOND.** (42 days.) This is an extremely early, very prolific variety of the white spine type of cucumber. The fruits average seven inches in length, are perfectly cylindrical in shape, smooth and of handsome appearance. Fruits are very dark green in color, holding this color long after they are harvested and on the market. An ideal type for dill pickles and for long distance shipment.

**Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00**  
5 to 25 lbs. \$1.90 per lb.

**PUERTO RICO NO. 39 (Mildew Resistant) (new).** (45 days.) This new variety was developed by the Puerto Rico Agricultural Experiment station for resistance to downy mildew or blight. In cool, rainy weather, when other varieties go down with mildew disease, this variety continues to grow and produce an abundance of fruits, making it especially valuable as a home garden variety. The vines are rather compact in growth, are hardy and very productive. The fruits are rather short, averaging about  $6\frac{1}{2}$  inches in length, dark green in color, and fairly smooth or free of spines. An ideal cucumber for the Florida home garden and for local markets, although not quite long enough and too smooth for fancy northern markets.

*Seed supply very limited*

**Pkt. 10c; oz. 35c;  $\frac{1}{4}$  lb. \$1.00; 1 lb. \$3.50**  
5 to 25 lbs. \$3.40 per lb.



**A & C (Kilgore's Improved Strain)**  
*One of the best bred and most popular cucumbers in existence.*

## COLLARD

Sow  $\frac{1}{4}$  pound in seed-bed to plant an acre, or plant  $\frac{1}{2}$  pound per acre in field.

For the garden make two sowings at different times. Sow 1 packet in seed-bed for 35 plants for each planting to set 50 feet of row, or plant one packet in 50 feet of row at each planting for a family of 3 or 4 people.

**CULTURE.** Collard is an old standby for winter greens all over the South. May be started in seed-beds or seed may be planted direct in the field, in rows  $2\frac{1}{2}$  to 3 feet apart, with plants 14 to 18 inches apart in the row. If it is hot and dry when setting the plants, a moist soil should be selected. Use about 800 pounds of a 4-7-5 fertilizer per acre before setting plants. Collard can be planted every month of the year in Florida, but it grows best and produces the highest edible quality during cool weather. This vegetable should be included in every Florida family garden, as it is very hardy, easy to grow and will furnish an abundance of greens, high in health-producing vitamins. In harvesting, leaves may be cut from the tall stems, and the plant left to continue to grow and produce more leaves throughout the season. Makes a very healthful dish.

The number of days in parentheses after each variety named indicates the number of days from setting out plants to harvest. It requires about a month in the seed-bed to get plants from seed sowing to transplanting stage.

**Prices quoted are postpaid.**

**Write for special prices on larger quantities.**

**LOUISIANA SWEET (Dark Green Strain).** (50 days.) This is an improved strain of the Old Georgia variety, developed by Dr. Julian C. Miller of the Louisiana Agricultural Station. Unlike other Collards the leaf blades develop from the base up the entire length of the leaf-stem, making a very attractive, heavier-foliaged type. The plant has been bred to develop a deep, compact, rosette center with a large mass of thick, tender, dark green leaves entirely free of purple or red color. This new variety is highly recommended for commercial growers and shippers. The tall growing plant is hardy and slow to go to seed.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 35c; 1 lb. 90c**  
5 to 25 lbs. 80c per lb.

**GEORGIA OR SOUTHERN.** (50 days.) A non-heading type of the cabbage family, very extensively grown for greens in home and commercial gardens in Florida. Plant grows from two to three feet tall, is erect and spreading, with many large, undulated leaves on a white stem. Withstands cold as well as heat, and adverse soil conditions. Adapted to conditions where cabbage will not grow. A high yielding hardy type, of excellent quality when cooked. This is the old standard variety for Florida and the South, and is used more extensively than any other variety.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 25c; 1 lb. 75c**  
5 to 25 lbs. 65c per lb.

**CABBAGE COLLARD.** (52 days.) This collard is claimed to have been developed from a cross between Georgia Collard and Jersey Wakefield Cabbage. It inherits the hardness of the collard, and develops a large, loose cluster of cabbage flavored, tender leaves, which can be left on the plant and picked as needed. Plants are rather compact and grow one and one-half to two feet high. Of Georgia origin and well adapted to Florida.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 25c; 1 lb. 75c**  
5 to 25 lbs. 65c per lb.



# SWEET CORN

(For Field Corn,  
See Pages 38 and 39)

Plant 11 pounds (1 peck) per acre. In the garden make two plantings. Plant  $\frac{1}{4}$  lb. to 200 feet of row at each planting for a family of 3 or 4 people.

This is a crop that never fails to bring profitable returns to Florida truckers when put on the market early.

**CULTURE.** Plant in well fertilized rows  $2\frac{1}{2}$  to 3 feet apart, dropping 2 seeds every 12 to 15 inches in the row, leaving 1 plant in a place. When about knee high, apply 200 pounds per acre of a quick-acting fertilizer high in available nitrogen and the same amount again when the corn begins to silk and tassel. This fertilizer application will greatly increase the yield, and will bring your crop to earlier maturity. Ship in special corn crates, six to eight dozen to the package. Early plantings are made in Florida from January 1 until March.

The number of days indicated for each variety represents the time from seed planting to first harvest under average spring conditions in Florida. For control of corn earworm see page 55.

Write for special prices on larger quantities.

**LONG ISLAND BEAUTY.** (80 days.) This is a late sweet corn especially well adapted to Florida. It produces the largest ears of any variety of true sweet corn, the ears ranging from 11 to 12 inches in length, with eighteen to twenty rows of large glistening white kernels. The husks fit very tightly over the tip, making it difficult for the ear worm to enter. The stalks grow to a height of eight to ten feet. Numerous tests have shown this to be one of the heaviest yielding varieties of true sweet corn for Florida.

$\frac{1}{4}$  lb. 15c; 1 lb. 35c; 2 lbs. 60c; postpaid.

Not prepaid, 11 lbs. (pk.) \$2.65; 44 lbs. (bu.) \$10.00

**STOWELL'S EVERGREEN.** (75 days.) The ears are eight to ten inches long, with fourteen to twenty rows of large, broad, white kernels. Stalks are seven and one-half to eight feet tall. An old standard variety of sugar corn for the Florida home garden and market. Well adapted to Florida growing conditions.

$\frac{1}{4}$  lb. 15c; 1 lb. 35c; 2 lbs. 60c; postpaid.

Not prepaid, 11 lbs. (pk.) \$2.25; 44 lbs. (bu.) \$8.50

**COUNTRY GENTLEMAN.** (70 days.) This is one of the richest flavored of all white-kerneled sweet corns. The ears are eight to ten inches long, thickly covered with long, narrow, white kernels, without row formation, and borne on a small cob. It is sometimes called "Shoe Peg" corn because of its long, deep grains. The stalks grow to a height of about seven feet.

$\frac{1}{4}$  lb. 15c; 1 lb. 35c; 2 lbs. 60c; postpaid.

Not prepaid, 11 lbs. (pk.) \$2.25; 44 lbs. (bu.) \$8.50

**GOLD BOND (Improved Golden Bantam).** (65 days.)

This variety of yellow sweet corn is similar to Golden Bantam, only slightly later, and the plant is taller and more vigorous in growth, making it better adapted to Florida growing conditions. The ears are about seven inches long, with twelve to fourteen rows of large, deep orange-yellow colored kernels. Although the ears are not large, this is more than made up by its deliciously sweet flavor and tenderness. The stalks grow to a height of four to five feet. This is a good, very early, high quality, yellow-kerneled variety for Florida.

$\frac{1}{4}$  lb. 15c; 1 lb. 35c; 2 lbs. 60c; postpaid.

Not prepaid, 11 lbs. (pk.) \$2.25; 44 lbs. (bu.) \$8.50

**IOANA.** (68 days.) This is a very productive, yellow-kerneled, true hybrid sweet corn, which won All America honors. The vigorous plants are highly resistant to drought. Plants are medium tall and sturdy, with large, broad and numerous vigorous, dark green leaves. Ears  $7\frac{1}{2}$  to 8 inches long, 12 to 14 rowed, well filled with medium narrow, attractive yellow kernels. Covered with an exceptionally tough husk, which makes this variety highly resistant to worms. The husk retains its green color for a long time, making for fresh, attractive market appearance. Our strain of this hybrid is very uniform in plant and ear characters, and exceptionally productive. Being a true hybrid it is never advisable to save seed for planting.

$\frac{1}{4}$  lb. 15c; 1 lb. 45c; 2 lbs. 80c; postpaid.

Not prepaid, 11 lbs. (pk.) \$3.75; 44 lbs. (bu.) \$14.50

**GOLDEN CROSS BANTAM.** (65 days.) Golden Cross bantam is a true hybrid sweet corn that has done exceptionally well as an exceedingly high quality, yellow kerneled, early variety in Florida. The small, short stalk is very sturdy and vigorous. Suckers quite badly. The rather small six-inch long ears are 10 to 14 rowed. Kernels are attractive, deeper yellow in color than Golden Bantam. It is more uniform, higher yielding, and far superior to any of the ordinary Bantam varieties. Especially recommended for home use, fancy local markets and for shipping to select markets. This being a hybrid corn, it is never advisable to save seed for planting.

$\frac{1}{4}$  lb. 15c; 1 lb. 45c; 2 lbs. 80c, postpaid.

Not prepaid, 11 lbs. (pk.) \$3.75; 44 lbs. (bu.) \$14.50

## CORN - ROASTING EAR

(For Field Corn,  
See Pages 38 and 39)

Plant 7 pounds ( $\frac{1}{2}$  peck) per acre. In the garden make two plantings at different times. Plant  $\frac{1}{4}$  pound to 200 feet of row at each planting for a family of 3 or 4 people. Write for special prices on larger quantities.

**CULTURE.** Same as for sweet corn except given a little wider spacing—in rows 3 to  $3\frac{1}{2}$  feet apart, and 15 to 18 inches in the row. Grows more vigorously and is a little later in maturing than most varieties of sweet corn. For control of corn earworm see page 55.

The number of days after each variety represents the time from seed planting to first harvest under average conditions.

**OKLAHOMA SILVERMINE.** (82 days.) An exceedingly heavy yielder of very large, heavy ears. The cobs are covered with 14 to 18 rows, and run from 11 to 12 inches in length. Very resistant to worm damage. An excellent variety for shipping, with a heavy dark green husk that holds its color in shipment and on the market. This is the standard roasting ear variety grown in Central Florida for shipment to northern markets.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c. postpaid.

Not prepaid, 14 lbs. (pk.) \$1.75; 56 lbs. (bu.) \$6.50

**IMPROVED WHITE DENT.** (80 days.) An early, heavy yielding variety, producing 1 to 2 large ears per stalk. Ears are 10 to 12 inches long, with 16 to 18 rows of broad kernels. Does exceptionally well in Central and North Florida.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c. postpaid.

Not prepaid, 14 lbs. (pk.) \$1.40; 5 lbs. (bu.) \$5.00

**NORFOLK MARKET (Improved Truckers Favorite).**

(68 days.) An extremely early variety. Ears are medium large, averaging about 10 inches long, with 12 to 14 rows of large, white kernels, very tender, and of splendid eating quality. Especially valuable for planting after winter truck crops.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c, postpaid.

Not prepaid, 14 lbs. (pk.) \$1.65; 56 lbs. (bu.) \$6.00

**SOUTHERN SNOWFLAKE.** (80 days.) The ears are large, 10 to 12 inches long, well filled with 16 rows of large, broad kernels, and of very attractive appearance. The long tight husks protect the ears from worms.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c, postpaid.

Not prepaid, 14 lbs. (pk.) \$1.50; 56 lbs. (bu.) \$5.50

**WHITE TUXPAN AND YELLOW TUXPAN.** (85 days.)

These two varieties are highly recommended for the Everglades muck and South Florida. They grow to a height of 12 to 14 feet. Ears are long, ranging from 12 to 14 inches, large and heavy, with 14 to 16 rows of kernels. Husks are very long and tight, virtually making it impossible for the ear worms to enter.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c. postpaid.

Not prepaid, 14 lbs. (pk.) \$1.75; 56 lbs. (bu.) \$6.50



# EGGPLANT

Sow  $\frac{1}{4}$  pound in seed-bed to plant an acre.

For the garden sow one packet in seed-bed for 17 plants to set 50 feet of row for a family of 3 or 4 people.



A field of Kilgore's Bred-Rite Ft. Myers Market eggplant at harvest time.


We offer the best eggplant seed for Florida. Our northern seed growing fields are thoroughly inspected each season for trueness to type and freedom from mixture and disease.

**CULTURE.** For a spring crop, plant seed in November, December, and January; for the fall crop, plant in June, July, and August, in muslin or burlap-covered seed-beds. When set in the open, the plants may need some protection from the sun. Many growers use palmetto fans, stuck slanting on the south side of the hill, which will keep the sun from striking the newly set plants with full force. Have rows 3 to 4 feet apart and 3 feet between the plants. Use not less than a ton of high grade fertilizer per acre. For the control of insects and diseases of eggplant see pages 51, 52, 54, 55 and 58.

The number of days in parentheses after each variety named indicates the number of days to first marketable fruits, from setting out plants in the yield or garden. It usually requires six to eight weeks to produce plants for field setting.

Prices quoted are postpaid.

Write for special prices on larger quantities.



Ioana Sweet Corn

**FT. MYERS MARKET.** (83 days.) We were the first to introduce this variety, which is today the leading variety grown in Florida, and is gaining in popularity throughout the South, due to the increased demand for this type in Northern markets. Our breeding department has made special selections in order to improve the variety for uniformity in type of plant, size, shape and color of fruit. In numerous tests which we have conducted with our improved strain of this variety in different parts of Florida, we have found it to be superior to others in the fact that it produces immense yields of large sized fancy fruits over a long period. The plants are of the high-bush type, producing a very tall, vigorous growth. The fruits are slightly elongated, cylindrical in shape, never producing a necky stem end, and they possess an intense deep black color so much in demand among buyers and in the markets.

Pkt. 10c; oz. 55c;  $\frac{1}{4}$  lb. \$1.65; 1 lb. \$6.00  
5 lbs. \$5.75 per lb.

**FLORIDA HIGH BUSH.** (85 days.) This is a very heavy-yielding stock. The plants are vigorous, tall and upright in growth, holding all the fruits well off the ground, thus preventing rot. They resist drought and wet weather better than most other varieties. The fruits are elongated, cylindrical in shape, and of a dark purplish color. An excellent shipper and a good keeper.

Pkt. 10c; oz. 50c;  $\frac{1}{4}$  lb. \$1.50; 1 lb. \$5.50  
5 lbs. \$5.25 per lb.

**NEW ORLEANS MARKET.** (85 days.) This special and distinct development of the high-bush type of Eggplant was selected for larger, shorter fruits than are produced by Florida High-Bush. They are dark purple, of better shape and color than other high-bush strains, and of a very attractive market appearance. Bears all its fruits entirely off the ground.

Pkt. 10c; oz. 50c;  $\frac{1}{4}$  lb. \$1.50; 1 lb. \$5.50  
5 lbs. \$5.25 per lb.

**BLACK BEAUTY.** (80 days.) An early variety of the low-bush type, producing a low, bushy plant with large, very beautiful, glossy black fruits, short, thick and oval, or egg-shaped. Desirable sort for market as the fruit holds its attractive black color for a long time, but not well adapted for low, wet lands, because the fruits are not held up off the ground and are subject to rotting, except on high, dry soils.

Pkt. 10c; oz. 50c;  $\frac{1}{4}$  lb. \$1.50; 1 lb. \$5.50  
5 lbs. \$5.25 per lb.





**Escarolle—Improved Florida Deep Heart**

## ENDIVE

Sow  $\frac{1}{2}$  to 1 pound in seed-bed to plant an acre, or plant 1 to  $1\frac{1}{2}$  pounds per acre in the field.

For the garden sow one packet in seed-bed for 50 plants to set 40 feet of row, or plant one packet to 40 feet of row for a family of 3 or 4 people.

**CULTURE.** Plant from August to February in seed-beds or in the fields or garden the same as lettuce. Set in rows  $1\frac{1}{2}$  to 2 feet apart and 9 inches apart in the row. Soil and fertilizer requirements are the same as for lettuce. (See page 21.) The bleached center leaves of Endive make a delicious salad used raw, especially when mixed with lettuce and other green salads. It is also valuable for greens boiled like spinach.

The number of days indicated after each variety is the number of days from seed planting in the field or garden to edible or harvest stage.

**Prices quoted are postpaid.**

**Write for special prices on larger quantities.**

### ESCAROLLE—IMPROVED FLORIDA DEEP HEART.

(90 days.) One of the very best and most profitable types to grow commercially. In great demand on northern markets, and well adapted to Florida soil and climatic conditions. The leaves are large, broad, thick, slightly crumpled, of medium green color, with thick, nearly white midribs. Our improved stock of this variety is of the full-heart type, developing an upright growth, producing a very heavy, thick matted plant with large, deep, well-blanching creamy white hearts. This improved variety has completely replaced the old Broad Leaved Batavian in commercial production.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 45c; 1 lb. \$1.50**  
5 to 25 lbs. \$1.40 per lb.

### GREEN CURLED. (Green Ribbed, Ruffec Strain.)

(95 days.) Sometimes called "Chicory." A hardy vigorous sort, with deep green, curled, finely cut leaves, giving a mossy appearance. The midrib is thick, broad, green, tender and fleshy. A dense mass of deeply divided leaves forms the head which blanches readily to a beautiful creamy white. The plant is hardy and vigorous.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 45c; 1 lb. \$1.50**  
5 to 25 lbs. \$1.40 per lb.

**DEEP HEART FRINGED.** (90 days.) This is a new type of curly-leaved Endive, intermediate between Florida Deep Heart and Green Curled, but somewhat more upright in growth than either, and with broader leaves than Green Curled, and makes a stronger and more robust plant than Green Curled. Outer leaves turn upward, making plants less susceptible to bottom rots than other Endives. The extra deep, well filled hearts, blanch easily and naturally to a clear, creamy yellow; are of the highest, tender quality, and make an attractive, delicious, appetizing salad.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 45c; 1 lb. \$1.50**  
5 to 25 lbs. \$1.40 per lb.

## GARLIC (90 days)

**Plant 1 pound to 30 feet of row for a family of 3 or 4 people.**

Garlic sets come in the form of large garlic bulbs which are divided into so-called sets or cloves, which are planted the same as onion sets, from August to November, in rows 15 to 20 inches apart, setting the cloves about 4 inches apart in the row. Garlic is a southern crop and does exceptionally well in Florida. The bulbs are used for flavoring soups and stews. They should be stored in a dry, airy place until used.

$\frac{1}{2}$  lb. 45c; 1 lb 75c; 5 to 25 lbs 65c per lb.; postpaid.

## KALE

**Plant 1 ounce to 100 feet of row, or 1 packet to 25 feet of row for a family of 3 or 4 people.**

**CULTURE.** Kale is grown for greens. Plant in Florida from August to April, in row  $2\frac{1}{2}$  feet apart, and for large plants thin to 20 to 24 inches apart in the row. The plants are extremely hardy, withstanding the coldest weather in any part of Florida. The plants also stand heat, and can be grown almost the year around in Florida, except in midsummer.

**DWARF BLUE CURLED SCOTCH.** (70 days from seed sowing to edible stage.) This is the most desirable hardy variety for Florida and for the markets. It forms a handsome, dwarf, spreading plant with many long, heavy, finely curled, attractive, blue-green, plumelike leaves. Our stock is exceptionally well-bred, uniform and very attractive. The flavor of the leaves when boiled is delicate making it popular wherever grown. This vegetable ranks highest in vitamin content.

**Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00**  
5 to 25 lbs. \$1.90 per lb.

## KOHL RABI

**For the garden make short row plantings at different times. Plant 1 packet to 25 feet of row at each planting for a family of 3 or 4 people.**

**CULTURE.** Plant in rows  $1\frac{1}{2}$  to 2 feet apart, thinning to from 6 to 8 inches apart in the rows. Planting every ten days will give a succession of tender, fleshy stems until hot weather. Start fall planting in September, and successive plantings can be made until early spring.

**WHITE VIENNA.** (50 days from seed growing to edible stage.) Extremely early, with distinctly small tops. The fleshy stems, or so-called bulbs, are formed above ground and are very light green, very tender and delicate, and of best quality if used when about 2 inches in diameter, before fully grown. Prepare by boiling the same as turnips. They make a delicious and nutritious dish.

**Pkt. 10c; oz. 40c;  $\frac{1}{4}$  lb. \$1.25; 1 lb. \$4.50**  
5 to 25 lbs. \$4.40 per lb.

## LEEK

**Sow  $1\frac{1}{2}$  lbs. in seed-bed to plant an acre, or plant 3 lbs. per acre in the field.**

**For the garden sow 1 pkt. in seed-bed for 120 plants to set 50 feet of row, or plant 1 pkt. to 50 feet of row for a family of 3 or 4 people.**

**CULTURE.** Leek seed may be planted any time during the fall or winter directly in the field, or preferably in seed-beds, in good rich soil. When plants in seed-beds are six to eight inches high, transplant to rows 18 inches apart, and 5 to 6 inches apart in the row, or thin out to this spacing in the field. The long, thick, fleshy blanched stems of Leek when boiled and served with a butter or cream dressing are delicious. They are also used for seasoning and flavoring soups and stews, and in salads, and may be eaten like green onions. The stems are eight to ten inches long and  $1\frac{1}{2}$  inches thick. When marketed they are tied in bunches with twelve Leeks to a bunch.

**LARGE AMERICAN FLAG.** (140 days from seed planting in field or garden to full edible stage.) This is by far the heaviest yielding and the best variety for Florida growing conditions. It makes larger and thicker, more fleshy stems than other varieties.

**Pkt. 10c;  $\frac{1}{2}$  oz. 35c; oz. 60c;  $\frac{1}{4}$  lb. \$1.75; 1 lb. \$6.50**



# LETTUCE

Sow  $\frac{1}{2}$  to 1 pound in seed-bed to plant an acre, or plant 1 to  $1\frac{1}{2}$  pounds per acre in field.

For the garden make two plantings at different times. Sow 1 packet in a protected seed-bed for 60 to 80 plants to set 50 to 75 feet of row at each planting for a family of 3 or 4 people, or plant 1 packet of seed in 50 to 75 feet of row at each planting.

**CULTURE.** First sowings are made in Florida the beginning of September and continue until March. Low, damp soil is best suited for this crop. Lettuce must be grown rapidly in order to give it size, tenderness, crispness, and high edible quality. Therefore, the land must be highly fertilized and moist. In Florida about one ton per acre of 4-5-5 fertilizer is commonly used for this crop, except the Imperial type, where 800 to 1200 pounds per acre of a 3-8-8 fertilizer is recommended. Broadcast the seed on good moist seed-beds that have been thoroughly prepared, or sow in rows six inches apart and use a light roller to press seed into soil. A pound of seed sown broadcast plants a bed three feet by a hundred yards. Place burlap or well-washed old fertilizer sacks over the beds until seeds sprout. Old fertilizer sacks must be thoroughly washed before using to prevent burning of seed sprouts. Be sure seed beds are kept thoroughly moist at all times after the seed is planted. In hot weather germination may be hastened and improved by placing moistened lettuce seed in moist cloth in the ice box for several days before sowing. In level culture, lettuce plants are usually set 15 by 15 inches in the field, or in rows  $1\frac{1}{2}$  to 2 feet apart, and 10 to 15 inches in the row, or in double rows 16 inches apart, with  $3\frac{1}{2}$  to 4 feet from center to center of double rows, and 14 inches in the rows. Plants should be watered as set in field.

Rusting of head lettuce and Romaine is usually due to boron deficiency. To prevent or stop this trouble, it is recommended to spray with 1 lb. borax to 50 gallons of water. This should be applied at the rate of not more than a total of 4 pounds borax per acre in two applications. Too much borax is toxic.

The number of days in parentheses after each variety named represents the time required to develop marketable heads from the planting of seed in seed-bed or in the field or garden under average Florida conditions.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**IMPERIAL NO. 44.** (82 days.) This variety is exceedingly slow to go to seed, even if started in hot weather or early fall, or if grown in very late spring in Florida. It is one of the safest varieties of the Iceberg type from the standpoint of high temperature tolerance. It matures slightly earlier, makes slightly smaller, flatter and broader heads than Great Lakes. To get good size requires somewhat heavier fertilization than Great Lakes. It produces exceedingly solid, hard heads, of high quality over a long season. It is especially well suited for Florida muck-land culture.

Pkt. 10c; oz. 35c;  $\frac{1}{4}$  lb. \$1.00; 1 lb. \$3.50  
5 to 25 lbs. \$3.40 per lb.

**GREAT LAKES.** (83 days.) This variety of the Iceberg type lettuce was introduced by us to Florida growers. As a result of commercial trial plantings in different sections of Florida, this variety shows much promise, especially as a late spring hot weather variety. In our comparative trials it consistently cut a higher percentage of marketable heads than No. 44. The plants of Great Lakes are large, vigorous and have a distinctive, deep grassy-green, attractive appearance. Leaves are large, with rather deeply serrated margins, and very heavy midribs. The heads are relatively large, compact, firm and solid, with abundant wrapper leaves which cover the heads, protecting them from cold and heat injury. Experience indicates that Great Lakes will stand higher temperatures, is much less subject to bottom rot, tip burn and slime rot, and does not bolt as readily as No. 44. It can be planted earlier—before September 25th, and later—after December, than can be No. 44 in Central and South Florida. It offers a splendid possibility for prolonging the Florida lettuce growing season in late spring, and in early fall. Our trials indicate this variety does as well or better than other varieties of this type throughout the entire lettuce planting season in Florida. This variety won a medal in the All-America selections of 1943, which is conclusive evidence of its superior characteristics.

Pkt. 10c; oz. 50c;  $\frac{1}{4}$  lbs. \$1.50; 1 lb. \$5.50  
5 to 25 lbs. \$5.40 per lb.



A typical head of Great Lakes Lettuce

**OCOE WHITE BOSTON.** (75 days.) This strain of White Boston was originated and developed in the Winter Garden section of Florida, and has been selected under Florida conditions for the development of a large framed lettuce similar to Big Boston. It produces larger heads, and bigger yields than any other strain of White Boston.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

**BIG BOSTON.** (75 days.) The heads are of cabbage or butter-head type, large-sized, broad, slightly spreading, globular, with a broad shoulder at the base. The outer leaves are broad, almost smooth, but wavy at the edge, medium light green with a tinge of brown on outer leaf margins.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

**MIGNONETTE.** (67 days.) An early maturing, exceedingly high quality, small, crisp head lettuce, not grown for commercial shipment, but useful for the Florida home gardener and for local markets because of its exceedingly high edible quality, it being deliciously sweet flavored, crisp and tender.

Pkt. 10c; oz. 35c;  $\frac{1}{4}$  lb. \$1.00; 1 lb. \$3.50  
5 to 25 lbs. \$3.40 per lb.

**SIMPSON, BLACK-SEEDED.** (46 days.) The best large, very early, non-heading or leaf variety. The leaves are very broad, much blistered and crumpled, and excessively frilled on the borders, light yellowish green in color, very tender, of fine delicate texture, and of excellent quality.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

**ROMAINE (WHITE PARIS COS OR TRIANON COS).** (66 days.) This variety forms a large, medium green, well-folded head with blunt top, and when properly grown it is very sweet, crisp, mild, and of fine quality.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

**KILGORE'S MAMMOTH ROMAINE.** (73 days.) Our Mammoth Romaine is taller and much more vigorous and makes much larger heads with correspondingly heavier yields compared to other strains of Romaine or Cos lettuce. It can be left in the fields for 10 days to two weeks after it is ready to harvest without danger of bolting to seed. It forms firm, solid heads with the leaves well capped over the top. We have selected and reselected this strain until it is very uniform in all respects. See second paragraph under "Culture" for control of rusting, to which this strain is somewhat susceptible.

Pkt. 10c; oz. 20c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.



# MUSTARD

Plant 4 pounds per acre.

In the garden make two plantings at different times. Plant 1 packet to 40 feet of row at each planting for a family of 3 or 4 people.



## Chinese Smooth Leaved (Elephant's Ear) Mustard

**CULTURE.** General cultural directions similar to those for cabbage (see page 10), except seed is always planted direct in the field or garden. Mustard is one of the quickest growing greens. Sow seed August to March in good, rich garden soil in rows 24 inches apart and thin to 8 to 10 inches in the row. Heavy fertilization with a fertilizer mixture high in nitrogen or ammonia and moist soil are conducive for quick growth, high yield and good edible quality. Does best, and has most agreeable flavor, when grown in cool weather of late fall, winter and early spring. Makes a very healthy, nutritious dish, high in food value, when boiled for greens.

The number of days after each variety indicates the time from seed planting in the field or garden to harvest stage.

Prices quoted are postpaid.

Write for special prices on larger quantities.

## Florida Broad Leaved Mustard

**FLORIDA BROAD LEAVED.** (40 days.) The large, rapidly growing plants are rather tall and upright in growth, with very large, thick, broad, smooth, round or oval, (8 to 10 inches long and 8 inches wide), bright medium green leaves. The leaves have a large, distinct, flattened, whitish stem and midrib. It produces more leaf growth than other varieties. Plants stand a long time without bolting to seed, and do well in hot weather. Of excellent edible quality, the flavor being very mild. Fine for greens and salads.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**CHINESE SMOOTH LEAVED (ELEPHANT'S EAR.)** (40 days.) This is a very popular variety and is a hardy and vigorous grower. It produces large, broad, elongated or oblong-shaped leaves (9 to 10 inches long and 6 inches wide) which are slightly crumpled and of medium dark green color. The leaves have a small, rounded midrib and differ in this respect as well as in shape of leaf from the Florida Broadleaved. Tender and of excellent quality, of mildly pungent flavor, when boiled for greens. Does not shoot to seed quickly.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**FORDHOOK FANCY.** (42 days.) A very hardy, vigorous, upright grower, producing large, beautiful bright green, very deeply fringed leaves, attractive in appearance. A very heavy yielder. The plants stand a long time without bolting to seed, and do well in hot weather. Of good edible quality, crisp and tender in texture, and very mild in flavor. Our stock of this variety is exceptionally well bred and uniformly true to type.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**TENDERGREEN (MUSTARD SPINACH)** (45 days.) Although not a true mustard, it is like a quick growing mild mustard, with a spinach flavor, and remains tender even in dry, hot weather. An all-season plant, as it withstands heat and may be planted throughout the spring and summer. The smooth, oblong leaves are very dark green in color, with small white midribs. Very slow to bolt to seed. It combines the flavor of mustard and spinach.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.



Fordhook Fancy Mustard



# OKRA

Plant 8 pounds per acre.

In the garden plant 1 ounce to 75 feet of row for a family of 3 or 4 people.

Okra does wonderfully well all over Florida where the young seed pods are used in different ways and are highly esteemed. In addition to being served alone, pods are used in soups and stews to which they give body. It is a healthful vegetable, and should be planted in every Florida garden. We have done a great deal of work on our seed stocks of this valuable Florida vegetable.

Each year, we make special selections for stock seed from only the best, earliest-maturing plants. Our seed-growing fields are carefully rogued so as to eliminate any slightly off-type plants. We are confident we have the best strains of okra seed obtainable anywhere.

**CULTURE.** Okra can be planted in Florida any time from February until September, but it is a warm-weather plant and will not do much until the ground becomes warm; in fact, the seeds are hard to germinate when the ground is cold. It can be planted in almost any kind of soil. We consider it one of the easiest and safest money crops that can be planted. Plant in rows  $3\frac{1}{2}$  to 5 feet apart and sow thinly in the drill. When three to four inches high, thin out to one plant every 15 to 20 inches. Okra should be cut every second day. If this is not done some of the pods become too hard and the young plants will stop bearing pods. Plants should bear for several months after harvesting starts. Okra does best on sandy loam soil with a fair amount of fertility. It is quite susceptible to nematodes causing root-knot disease, and therefore it is best to plant okra on land free of root-knot.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**PERKINS' EARLY MAMMOTH (LONG GREEN).** (New improved strain) (50 days.) This is a very heavy producer, and a sure money maker when grown for shipment to distant markets. The pods are long, usually about 7 inches, straight, slender, tapered, ridged, dark green, meaty. They retain their tenderness and green color for a long time in transit and on the markets. Our new improved strain of this variety is very early and extremely productive. The plants will average between  $4\frac{1}{2}$  to 5 ft. in height, and are literally covered with pods from the ground up. This improved strain is much earlier, more productive, and makes shorter, closer jointed plants than the regular old strains of Perkins' Long Green.

Pkt. 10c;  $\frac{1}{4}$  lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**LOUISIANA GREEN VELVET (GREEN LADY FINGER).** (58 days.) The velvet pods are of a bright, light green color, not as dark green as Clemson Spineless and Perkins', but they average much longer, usually about eight or nine inches in length, and straight and more slender and smoother than other green podded varieties. Ribless, tender, and of high edible quality even when of large size. The pods are round, not corrugated or ridged as other green podded varieties. This is a very prolific, heavy producer. The uniform tall plants range from 6 to 7 feet in height. Especially valuable for canning and preserving as the pods, unlike ribbed varieties, retain their color and firmness when processed.

Pkt. 10c;  $\frac{1}{4}$  lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.



Clemson Spineless okra plant and pods

**CLEMSON SPINELESS.** (55 days.) This variety was originated and developed by the South Carolina Agricultural Experiment Station. The plants are semi-dwarf, growing to a height of  $4\frac{1}{2}$  feet on fairly good soil and have less foliage than Perkins'. They produce uniform, straight, large, thick, ridged pods of the Perkins' long green type, of good length, averaging 6 to 7 inches, dark green in color, and entirely free from spines, thus making it easy to pick without discomfort. Pods can be shipped and will go well on any market taking Perkins' Long Green. Pods are thicker than Perkins' and fill the crates quickly. Plants are close jointed, and produce an enormous yield. Our strain of this variety is highly bred, uniform, and one of the purest and best fixed of any okra ever released, the fields showing practically no variation in plant type or pods. Very well adapted for home gardens and local markets, but does not stand long distance shipment as well as Perkins'.

Pkt. 10c;  $\frac{1}{4}$  lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**PERKINS SPINELESS (new).** (53 days.) Developed from a cross of Clemson Spineless and Long Green, and selected for darker green, longer, and more slender pods of the spineless type for shipment to northern markets. Pods are very similar in size, shape and appearance to Perkins' Early Mammoth, but the pods as well as plants are practically spineless. This new strain is very early, extremely productive, and makes a semi-dwarf plant  $4\frac{1}{2}$  to 5 feet in height.

Pkt. 10c;  $\frac{1}{4}$  lb. .40; 1 lb. \$1.25  
5 to 25 lbs. \$1.15 per lb.



# ONION

Sow 1½ lbs. in seed-bed to plant an acre,  
or plant 3 lbs. per acre in field

For the garden sow 1 packet in seed-bed for 350 to 450  
plants to set 80 feet of row or plant 1 packet to 80 feet  
of row for a family of 3 or 4 people.

**CULTURE.** For large mature bulbs in Florida, first plantings are made the end of August and continued until November. September and October are the best months to plant. The seed is generally planted in the open field, where the onions are to grow, in rows 18 inches apart, and when 4 to 5 inches high they are thinned out to from 2 to 4 inches apart in the drill, depending on variety and size of bulbs desired. Those taken out can be used to transplant any possible skips. Onion seed can also be planted in seed-beds and transplanted to the field later. This is a safe and sure method, and is becoming more popular in Florida. Transplanting generally produces less splits and more first grade onions, and requires less seed to plant a given acreage, but transplant when plants are small. The larger the plants when transplanting, the more splits will develop. It is also important to avoid checking plants in growth when transplanting to avoid splits. Onions do best in a sandy loam or muck soil, and require at least a ton of a 4-7-5 fertilizer mixture per acre for sandy soils or 1,000 to 1,200 lbs of 3-8-8 mixture on muck.

In Florida, length of daylight is a very important factor in relation to the time when onions mature bulbs. When the days in early spring become longer, onions will tend to mature bulbs regardless of when they were planted. Late planted onions may bulb when day length in spring becomes long enough, but the bulb size will be small. This is why it is important in Florida to plant early in fall in order to get a heavy yield of large bulbs, especially with late varieties such as Grano and Sweet Spanish.


The number of days in parentheses after each variety indicates the time from planting of seed in the field or garden to large mature bulbs under average Florida conditions.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**EARLY GRANO (BABOSA).** (140 days.) This onion is earlier than the Sweet Spanish, which it somewhat resembles in shape, color and quality. Bulbs have light straw-colored skin, with pure white flesh, globe or mostly top-shaped, slightly tapering toward the root, of large size. Exceedingly mild in flavor with a very sweet taste. Quite resistant to thrips. This is the best yellow onion for Florida and the South, and is more resistant to bolting or premature seeding and splitting than other varieties. In our trials, this variety shows more promise as one especially suited to Florida growing conditions than does any other variety. For best results in Florida, seed should be planted in early fall, preferably the beginning of September.

Pkt. 10c; ½ oz. 40c; oz. 75c; ¼ lb. \$2.25; 1 lb. \$8.00  
5 to 25 lbs. \$7.90 per lb.



Early Grano (Babosa)

**WHITE GRANO (White Babosa) (new).** (140 days.) A new variety similar in all respects to Early Grano except that the shape is somewhat more spherical and the skin color is a clear attractive white. This new variety is especially well suited to Florida growing conditions, resistant to bolting or premature seeding and splitting, of excellent edible quality. Seed supply extremely limited.

Pkt. 10c; ½ oz. 40c; oz. 75c; ¼ lb. \$2.50; 1 lb. \$9.00  
5 to 25 lbs. \$8.90 per lb.

**LARGE YELLOW SWEET SPANISH.** (150 days.) A large, yellow, late maturing variety of Spanish origin. They are perfectly globular in shape, light glossy yellow in color, and are exceedingly attractive in appearance. The bulbs are very mild and sweet, and are of exceptionally fine quality.

Pkt. 10c; ½ oz. 35c; oz. 60c; ¼ lb. \$1.75 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

**YELLOW BERMUDA. (Imported; Teneriffe, Canary Islands Grown.)** (110 days.) Bulbs of light straw-yellow color, of medium size, flat, early in maturity. Flesh is mild and sweet. Grown extensively for early markets.

Pkt. 10c; ½ oz. 25c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**CRYSTAL WAX BERMUDA. (Imported; Teneriffe, Canary Islands Grown.)** (110 days.) Early maturing, flat in shape, of beautiful waxy white color, exceedingly attractive in appearance, of mild, delicate flavor.

Pkt. 10c; ½ oz. 25c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**RED BERMUDA. (Imported; Teneriffe, Canary Islands Grown.)** (115 days.) This variety is a better keeper than other Bermudas and not so subject to splitting. The onions are of medium to large size, flat, with coarse flesh and mild sweet flavor. The color is a yellowish pink.

Pkt. 10c; ½ oz. 25c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**LOUISIANA RED CREOLE.** (150 days.) Well adapted to Florida, very productive, of medium to large size, solid, semi-globe shaped, quite resistant to thrips. Onions of light pink color. Strong in flavor, but one of the very best keepers. Grows slowly and is very late in maturity.

Pkt. 10c; ½ oz. 25c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**AUSTRALIAN BROWN.** (130 days.) Bulbs are of medium size, semi-globe shaped, very firm and solid, and the skin is very tough and thick and chestnut-brown in color with lemon-yellow flesh color. Tough and rather strong in flavor, but a wonderful keeper in warm climates.

Pkt. 10c; ½ oz. 25c; oz. 45c; ¼ lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**LONG WHITE BUNCHING.** (60 days to green onions.) This onion satisfies the demand for a variety that develops long white green onions of attractive appearance when bunched, and of mild sweet quality. This variety makes a very long stem, nearly twice as large as ordinary bunching onions, pure white in color, and without the slightest trace of a bulb. These onions grow in clusters, 3 to 5 onions being on one plant.

Pkt. 10c; ½ oz. 35c; oz. 60c; ¼ lb. \$1.75 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

## ONION SETS

For green onions or early mature bulbs.

For mature bulbs use small sets. The larger the sets the more splits will develop.

Plant 6 to 8 bushels of sets per acre. In the garden plant 1 pint of sets to 40 feet of row for a family of 3 or 4 people. 1 bushel weighs 32 lbs.

Set out in rows 1½ feet apart and 1 to 2 inches apart in rows for green onions. Plant from September to March.

Onion set prices quoted are f.o.b. Plant City except pints and quarts which are postpaid. 1 bushel weighs 32 lbs.

Write for prices on larger quantities.

	Pint	Quart	Peck	Bushel
Yellow Bermuda .....	.25	.45	1.15	4.25
Crystal Wax Bermuda .....	.25	.45	1.25	4.50

Available from September to November.

Yellow Danvers .....	.25	.45	1.15	4.25
White Silverskin .....	.25	.45	1.25	4.50

Available from September to March.



# PARSLEY

Plant 1 packet to 150 feet of row, or 2 pounds per acre. In the garden plant 1 packet to 30 feet of row for a family of 3 or 4 people.

**CULTURE.** Parsley can be planted in the fall or spring, in drills 15 to 18 inches apart, and thin to 10 to 12 inches in the row. Seed is very hard to germinate and it usually takes from two to three weeks to produce a satisfactory stand. Leaves are used to flavor and add color to soups and stews, and to garnish or decorate salads, meats and fish.

**PARAMOUNT (Improved Moss Curled).** (90 days from seed planting to first harvest.) Plant very vigorous in growth, usually 12 inches tall and spreading 20 inches when given sufficient room, with very long, stout stems for bunching. Color is an unusually dark green. This variety has been most highly bred and selected for uniform, attractive, triple curled leaves of very dark green color.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

# PARSNIP

Plant ½ ounce to 150 feet of row.  
In the garden plant 1 packet to 50 feet of row for a family of 3 or 4 people.

**CULTURE.** Parsnips do best on deep, rich, sandy soil. Sow seed in Florida from September to December, in rows 1½ to 2 feet apart; cover with one-half inch of soil. When plants are well up, thin to 4 inches apart in row. Parsnip seed germinates very slowly. The Parsnip is a winter vegetable. It has more starch and sugar than other root crops. To prepare, cook roots one hour in water, scrape off the skin. Slice or chop coarsely or mash, and season with milk, pepper and salt, or slices may be fried after seasoning. A delicious and nutritious dish.

**IMPROVED HOLLOW CROWN.** (120 days from seeding to harvest.)

Pkt. 10c; oz. 20c; ¼ lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

# PEAS

## ENGLISH OR GARDEN

Our pea seed is high germinating, guaranteed western-grown stock, all carefully milled, hand picked and fitted for the critical grower.

Plant 1 bushel (56 lbs.) per acre in single rows; 1½ bushels (84 lbs.) per acre in double rows.

In the garden make three plantings at different times. Plant ½ pound to 100 feet of row at each planting for a family of 3 or 4 people.

Although there are hundreds of distinct varieties of English or Garden Peas, we list only a few which we have found particularly well adapted to Florida growing conditions, and on which few varieties we have concentrated our efforts in an endeavor to maintain stocks second to none for Florida. Our plant breeders are continually improving the varieties we list by using pedigreed stocks in the production of our seed crops.

**CULTURE.** English Peas are very hardy and are not commonly attacked by insects. Frost does not hurt them, except while in blossom, and then only that part of the crop in bloom; they will put on another set immediately. If frost destroys the bloom it is a good idea to give the plants an application of a commercial fertilizer high in available nitrogen, at the rate of 200 pounds per acre. Peas can be grown on almost any kind of soil and with about the same cultivation as beans. Planting in double rows, six to eight inches apart, is a good plan, because this enables the plants to support each other. Single rows should be spaced two and a half feet apart, and double rows three to three and a half feet apart from center of double rows. Drop seed 1 to 2 inches apart in the row, and cover 1½ to 2 inches deep. By working the soil up against the stems of the plants they will bear much longer. Use a high grade fertilizer, such as a 4-7-5 mixture, at the rate of 1,000 to 1,200 pounds per acre. To control soil diseases, and to get bet-



**Little Marvel, a heavy yielding, sure-cropper, especially well adapted to Florida muck.**

ter stands, more vigorous growth and increased yields, treat seed with Spergon at the rate of two and a half ounces per bushel of seed (see pages 50 and 58).

The number of days in parentheses after each variety named indicates the relative time from planting to first picking. This time will vary in different sections and in different seasons.

Our pea seed is strictly first class, high germinating, disease-free, western-grown stock, and our different varieties are absolutely true to type.

Write for special prices on larger quantities.

**LITTLE MARVEL.** (52 days.) By far the most popular and extensively grown pea for Florida, because of its exceptionally high quality, earliness and consistently high yield of well filled pods. The most desirable early variety, especially well adapted to Florida muck soils where it is a sure cropper with well-filled pods, even in warm seasons. The vines are vigorous, stocky, dark green in color, growing about 1½ feet tall, and are literally loaded with single and double, straight, round, blunt, very dark green, plump pods about 3 inches long, well-filled with 7 to 8 tender peas. A heavy yielder and sure-cropper, valuable for home garden and for early shipping.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 14 lbs. (pk.) \$2.65; 56 lbs. (bu.) \$9.50

**KILGORE'S WINNER (Improved Hundredfold).** (53 days.) This variety was introduced by us and it has become very popular. It is one of the finest large early peas for Florida sandy loam soils, and in cool seasons is also adapted to Florida muck soils. As it is a very early, exceedingly large-podded variety, it is in great demand on northern markets. It is a surer cropper and a better yielder than other early large-podded varieties. The plants are vigorous in growth, eighteen to twenty-two inches in height, with heavy, very dark green vine and foliage, producing a great abundance of very large (4 to 4½ inches long) broad, deep green, straight pointed pods containing usually eight large, dark green peas of unsurpassed quality. A very desirable sort for home gardens and for shipping to markets desiring a large podded pea of high quality.

¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 14 lbs. (pk.) \$2.90; 56 lbs. (bu.) \$10.50

**THOMAS LAXTON.** (50 days.) A very popular and profitable variety for sandy loam soils. The vines are of rather vigorous growth reaching a height of 2½ to 3 feet and are very productive. The rich, deep green colored pods are large, averaging three and one-half to three and three-quarter inches long, are straight, nearly round, and square ended, containing usually seven medium dark green peas of superior quality. Our improved, dark podded strain is very early, and has darker colored, more attractive pods than other strains of Thomas Laxton.


¼ lb. 15c; 1 lb. 45c; 2 lbs. 80c, Postpaid  
Not prepaid, 14 lbs. (pk.) \$2.95; 56 lbs. (bu.) \$10.75



# PEPPER

Sow  $\frac{1}{2}$  to 1 pound in seed-bed to plant an acre.

For the garden sow 1 packet in a protected seed-bed for 24 plants to set 40 feet of row for a family of 3 or 4 people.



Typical fruits of Florida Giant pepper

Peppers are among the best-paying Florida truck crops, and the harvest season is so long that even though the crop comes in on a poor market, the chances are that the market will have time to strengthen before they are nearly through fruiting, which certainly gives them more latitude for a paying crop than almost any other vegetable.

**CULTURE.** In Manatee County and other sections of Florida, peppers, like eggplants, are always started in cloth covered seed-beds. For a fall crop in central Florida sow the seed in June, July and August; for a long season winter crop on the east coast plant in August, September and October. For an early spring crop in Manatee County and other Florida west coast sections sow seed in November and in North Florida in December or January.

Peppers are much more hardy than eggplants, however, it takes a very high temperature to germinate either pepper or eggplant seed satisfactorily, and it is usually very difficult to get a good stand when the ground is wet and cold. Hammock land, or rather moist soil, is best suited to this crop, although any medium good sandy loam soil, properly fertilized will grow good peppers. Make rows two to three feet apart and set plants 18 to 20 inches in the row. Inasmuch as this crop is in bearing for a long time, it is most profitable to make several applications of fertilizer, using 400 pounds per acre about every three weeks until at least a ton has been used. A 4-7-5 mixture is recommended.

For the control of insects and diseases see pages 51, 55 and 58.

The number of days in parentheses after each variety indicates the relative time from setting out plants in the field or garden to picking of marketable green peppers. It requires six to eight weeks to produce plants for the field or garden.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**FLORIDA GIANT.** (75 days.) This variety first introduced by us, produces an abundant yield of large, heavy fruits over a long period, but requires heavier and more frequent fertilization, and a richer, moister soil than thin fleshed varieties of the World Beater type. The plants are resistant to disease and, like the fruits, are dark green in color, compact but very vigorous and upright in growth. Although slightly later than World Beater, they are extremely heavy producers, often bearing six to eight large fruits at one time. The fruits are longer than California Wonder and other thick-meated peppers, usually 4 to 4½ inches long, and 3 to 3½ inches in diameter, and unlike most strains of this variety, are smooth and well filled at the blossom end.

This pepper is exactly the type which produce dealers have sought for years. The thick, fleshy walls, large size, heavy weight, dark green color, and smoothness of the fruit will sell it at a premium on any market. The fruits are much heavier than other varieties, and because of the thickness and firmness of the wall, it is the best shipping sort ever introduced. The fruits pack well and do not wilt in long-distance shipment, but hold their smooth, glossy, dark green appearance for a long time. This type carries better than others for long-distance hauling by trucks. We highly recommend this Pepper as one especially suited to Florida growing conditions.

Pkt. 10c; oz. 65c;  $\frac{1}{4}$  lb. \$1.85; 1 lb. \$6.75

5 to 25 lbs. \$6.65 per lb.





Typical plants of Blight Resistant World Beater

**BLIGHT RESISTANT WORLD BEATER.** (70 days.) This strain of World Beater was developed by making individual plant selections in Manatee County, Fla., for many years, to secure a strain of true, heavy yielding World Beater type that would resist bacterial blight, and would not drop its leaves during rainy weather or poor growing conditions when other strains of World Beater, and other varieties, would not survive or would not produce a heavy crop of fruits. This is a very superior, disease-resistant strain of World Beater which is especially well adapted for a fall crop in Florida. It stands poor growing conditions better than any other strain of World Beater and still produces an enormous crop, when other strains are practically a complete failure, especially in late fall and during rainy weather. This is one of the most valuable peppers we have ever developed and introduced to Florida growers. When other varieties fail, due to leaf drop, this disease-resistant strain continues to grow and produce a profitable crop. The plants are rather low growing, vigorous, and exceedingly productive, and early. Fruits are about 4½ inches long and 3½ inches in diameter, broad at the blossom-end, slightly elongated, usually with four lobes. Fruits are large, fairly thick-meated and of very attractive market appearance. Extremely early and an enormous yielder. One of the leading growers of Pompano, Fla., G. B. Hogan, averaged over 1,500 bushels per acre off 33 acres in the 1943-'44 season, and in the 1944-'45 season he got over 1,000 bushels per acre on the first two harvests.

Pkt. 10c; oz. 55c; ¼ lb. \$1.65; 1 lb. \$6.00  
5 to 25 lbs. \$5.90 per lb.

**EARLY CALWONDER.** (65 days.) An early maturing strain of California Wonder, maturing 7 to 10 days ahead of other strains of this type, and according to our Florida tests this strain holds up and produces large size fruits over a long season. The plant is not as tall and erect in growth as regular California Wonder, but is more dwarf and spreading, although very vigorous and prolific. The fruits are three and four-lobed and very attractive in appearance, being smooth, dark green in color, uniform and very thick meated. This extra early strain should be planted by every grower interested in a thick-meated type of pepper. It is rapidly growing in popularity.

Pkt. 10c; oz. 60c; ¼ lb. \$1.75; 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

**NEAPOLITAN (Italian).** (60 days.) This is an extremely early, medium large, prolific variety, growing in popularity on some northern markets where it is in great demand among Italian people. The plant is wonderfully productive, carrying as many as forty fruits on a single plant. The fruits are upright in growth, averaging 4 inches long and 2 inches in diameter, three-lobed, yellowish green in color, becoming bright red when ripe. The flesh is extremely mild and sweet.

Pkt. 10c; oz. 60c; ¼ lb. \$1.75; 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

**RUBY GIANT.** (70 days.) This improved strain of Ruby Giant which we have developed as the result of many years of individual plant selection makes an exceedingly strong, vigorous, upright growing plant, it being more disease resistant and withstanding poor growing conditions, yet producing a good crop, better than other varieties of this type. Dark green fruits are somewhat similar to World Beater in shape, being large, mostly four-lobed, slightly tapering, and very attractive in appearance. The thick flesh is exceedingly sweet, mild, and of excellent quality. Our strain of this variety is extremely productive and bears over a long period, producing very large fancy fruits, uniformly true to type. No better strain of this popular variety can be found anywhere for Florida growing conditions.

Pkt. 10c; oz. 55c; ¼ lb. \$1.65; 1 lb. \$6.00  
5 to 25 lbs. \$5.90 per lb.

**CALIFORNIA WONDER.** (75 days.) An outstanding, medium late variety, gaining in importance. Plant is vigorous, upright, prolific. The thick meated, smooth, large, heavy fruits average about four inches in length and about the same in diameter. We have improved this variety by making our strain more productive and longer bearing than most others. This is an excellent shipping type, holding up well in transit and on the market, and is in great demand for hauling by trucks because of its good holding-up qualities. Solid thick walls and very sweet and mild. Blocky in shape. Color an attractive, glossy dark green. On poor soil, devoid of plant food and moisture, fruits of this variety after the first harvest may tend to "button" or be of small size. For best results, and to produce large, fancy fruits over a long season, this variety requires heavier fertilization and an ample and continuous soil moisture supply.

Pkt. 10c; oz. 60c; ¼ lb. \$1.75; 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

**ANAHEIM CHILI (Hot).** (80 days.) A popular, rather long, hot, pungent variety, but not as hot as the small fruited Long Red Cayenne. The fruits are very meaty, measuring 6 to 7 inches in length and 1 to 1½ inches in diameter at stem end, and are green, ripening to a bright red. Often dried for winter use.

Pkt. 10c; oz. 55c; ¼ lb. \$1.65; 1 lb. \$6.00  
5 to 25 lbs. \$5.90 per lb.

**HUNGARIAN YELLOW WAX (Hot).** (60 days.) A very early, hot sort, valuable for canners. Plants are rather dwarf in growth, and exceedingly prolific. Fruits pendant, medium slender, long, tapering, smooth and very hot or pungent. Color waxy yellow, changing to bright crimson at maturity.

Pkt. 10c; oz. 60c; ¼ lb. \$1.75; 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

**LONG RED CAYENNE (FINGER) (Hot).** (70 days.) This favorite hot variety produces large and productive plants. Fruit, 4 to 5 inches long, ½ inch thick, slender, tapering, pendant, very hot or pungent, deep green in color, ripening to a brilliant red. Used largely for canning and in pickles.

Pkt. 10c; oz. 55c; ¼ lb. \$1.65; 1 lb. \$6.00  
5 to 25 lbs. \$5.90 per lb.



Typical fruits of Early Calwonder



# SEED POTATOES (Western Grown)

Plant 600 to 900 pounds (10 to 15 bu.) per acre in 3 ft. rows.

In the garden plant 12 pounds to 200 feet of row for a family of 3 or 4 people.

Good seed is as important in growing a crop of Irish potatoes as with any other crop. We handle only State Certified seed potatoes. State certification is based on a system of official inspection of seed potato growing fields. Certified potato seed is seed which has been inspected by trained State inspectors at intervals during the growing period in the field, and before shipment, and pronounced true to variety type and reasonably free of tuber transmitted diseases such as mosaic, leaf roll, spindle tuber, blackleg, scab, etc. This insures planting seed potatoes having a high degree of freedom from disease and that are true to name and color, shape and type for the variety, and are produced by vigorous, healthy plants possessing high-yielding qualities, that have been grown under favorable environmental conditions. State Certified seed costs a little more, but growers have found from experience that it pays well to use only State Certified in preference to ordinary seed potatoes of doubtful source, history and quality.

**CULTURE.** Plant in rows 30 to 42 inches apart, dropping a seed piece every nine to twelve inches in the row. If the weather is cool, plant seed one to three inches deep; if warm three to four inches deep. Potatoes are usually planted on ridges, especially in low or poorly drained soil, especially in cool weather. In cutting the seed leave two or three good eyes to each seed piece. The seed piece should be at least one to one and one-half ounces in size. Using a large seed piece insures stronger plants. It is best to cut seed within one day of planting. For early fall planting in Florida during September, it is desirable to use small potatoes about 1½ ounce weight (No. 2 size) and plant whole in order to secure a satisfactory stand. Fertilizer should be put in seven or eight days before planting. Use from 1,500 to 2,000 pounds per acre, depending on type of soil. A 4-7-5 fertilizer mixture is a good standard for potatoes. All the fertilizer may be applied at planting time, or on sandy soils and in rainy seasons it is best to apply about two-thirds at planting time, and the rest as a side application four to six weeks later. On rich Everglades muck from 200 to 500 pounds per acre of a 0-10-12 or 0-8-16 mixture applied in one application at planting time is a common practice. For the control of potato insects and diseases see page 56. To control blight and increase the yield, spray with "Dithane" using 2 quarts Dithane, 1 lb. zinc sulphate, ½ lb. hydrated lime, to 100 gallons water. (See page 58.) For control of insects see pages 51, 52, 54 and 55.

**SEBAGO (State Certified).** (90 days.) Packed in 100-lb. bags. This is a new late variety developed by the U. S. Dept. of Agriculture. Within the last few years it has replaced the Katahdin as the leading commercial variety in the Hastings, Fla., section. It is about ten days to two weeks later in maturity than the Katahdin, but will outyield the Katahdin by 25%. It is highly resistant to mild mosaic, moderately resistant to late blight, and is especially adapted to North Florida growing conditions. The plants are large and erect, tubers are almost round, medium thick, white in color, and smooth with few shallow eyes. Very attractive in appearance.

**PONTIAC (State Certified).** (80 days.) Packed in 100-lb. bags. This new red variety is the result of a cross, Red Bliss and Katahdin, made by the Michigan Experiment Station. In tests at the Subtropical Experiment Station in Homestead and elsewhere in Florida, it has greatly outyielded Red Bliss. It is a little later in maturing than Bliss. The tubers of Pontiac are slightly longer, and have shallower eyes and a lighter, duller red color than tubers of Bliss. Pontiac tubers are tougher, stand shipment better and are better keepers than Bliss. Because of its high yields, and other good qualities of a red potato, Pontiac has become a popular variety in central and south Florida.

**RED BLISS (BLISS TRIUMPH) (State Certified).** (75 days.) Packed in 100-pound bags. This has been and still is the standard variety for central and south Florida, where in the past it has been planted almost to the exclusion of all other varieties by commercial growers. It is grown in by far the largest number of counties in Florida. It is very early, of attractive appearance, with roundish to roundish-flattened tubers, with the stem end usually deeply indented. The tubers are solid red in color, with rather deep and numerous eyes.

**KATAHDIN (State Certified).** (80 days.) Packed in 100-pound bags. This is now a standard variety grown in north Florida, especially in the Hastings section, where it, along with Sebago, has entirely replaced Spaulding Rose No. 4. This is a relatively new variety developed by the U. S. Department of Agriculture. The tubers are round to oblong, and thick, with smooth skin, dark cream-buff in color, although classed as white by the trade. The eyes are few and very shallow and of the same color as the skin. A very high yielding, early variety, well adapted to north Florida growing conditions, and especially well suited to Florida home gardens.

Write Plant City or your nearest Kilgore store for price on seed potatoes stating variety and quantity wanted.

## PUMPKIN

Plant two pounds per acre.

In the garden plant ½ ounce to 50 feet for a family of 3 or 4 people.

**CULTURE.** Plant 4 to 5 seeds in hills 6 to 8 feet apart one way and 5 feet apart the other way, when the weather gets warm. Can be planted in corn. Just before last plowing of corn, go through the field dropping 4 to 5 seeds every eight to ten feet square. Thin to two or three plants after well started. Give shallow and frequent hoeings until vines begin to run. Cut pumpkins when ripe, leaving part of stem attached to fruit. Handle carefully to avoid bruising and store in a dry place.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**ALAGOLD (new).** (See Page 31.)

**KING OF THE MAMMOTHS.** (100 days.) Commonly known as a pumpkin, but is really the very large fruited Mammoth Chili squash, known as the giant among squashes. Fruits are globular, slightly ribbed, light yellow color mottled with orange. Flesh is solid, light yellow-orange, coarse, of fair quality. Grown mainly for stock feed or exhibition purposes. Fruits measure 20 to 22 inches across and weigh 60 to 80 pounds.

Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.

**SMALL SUGAR.** (110 days.) The best variety for general use, and particularly desirable for pies. Fruits are round, flattened at ends. Skin is hard, smooth, somewhat ribbed, of deep orange color. Flesh is thick, sweet and dry, of bright orange color, and very high quality. Very productive. Makes delicious pumpkin pies. Fruits measure eight to ten inches and weigh six to eight pounds.

Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.

**CORNFIELD.** (118 days.) A prolific and vigorous grower, usually planted in corn fields. Extensively grown for making pies, for canning and for stock feed. Fruits are large, round to slightly flattened, with a hard, smooth surface, slightly ribbed, with a deep yellow or orange color. Fruits measure 12 to 14 inches and weigh 15 to 20 pounds.

Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.

**GREEN STRIPED CUSHAW.** (112 days.) A crookneck type of pumpkin, popular in the south. Frequently grown in corn. A heavy yielder, used for pies and baking, as well as for stock feed. Fruits are crooknecked, with a hard, thin, smooth skin, dull white with irregular light green stripes. Flesh is thick, attractive creamy yellow, medium coarse grain and sweet. The fruits measure 18 inches long and ten inches in diameter, and weigh from 14 to 16 pounds.

Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.



# RADISH

Plant 6 to 8 pounds per acre.

In the garden make four plantings at different times. Plant 1 packet in 25 feet of row at each planting for a family of 3 or 4 people.

**CULTURE.** Plant in rows 15 to 18 inches apart and thin to 1 or 2 inches in the row. Successive plantings should be made every few weeks for a continuous supply. For best results, a rich, loose, moist sandy loam or muck soil is best. Radishes must be grown rapidly to be crisp and tender, and of best quality. Our radish seed stocks are produced each year from carefully selected transplanted roots.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**EARLY SCARLET GLOBE.** (21 days.) We have a perfected stock of this superb extra-early variety that was grown from specially selected, transplanted roots. It is the earliest of all varieties; roots are of good size, globe to olive shaped, with a medium top. They are crisp and tender, of uniformly attractive bright, scarlet color. In great demand on all markets.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**SCARLET TURNIP WHITE-TIPPED.** (22 days.) A superior strain of this popular early variety. The roots are nearly round, being slightly flattened on the underside, deep scarlet, shading to a white tip on the bottom. They are very solid, crisp, tender, and sweet. Attractive in appearance.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**LONG SCARLET SHORT-TOP (CINCINNATI MARKET).** (25 days.) An improved strain of Long Scarlet, being large and having a very small top. It is very regular and uniform in size and shape. Roots are 6 to 7 inches long, straight and smooth, scarlet, almost transparent, brittle, and crisp.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**LONG WHITE ICICLE.** (23 days.) This is the earliest and leading long radish. The straight roots are from 5 to 6 inches long, cylindrical, and very smooth and waxy white throughout. The flesh is mild, crisp, tender and of exceptionally fine quality. The highest edible quality of all radishes.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.



Kilgore's Bred-Rite Easy Scarlet Globe Radish  
*Unsurpassed in Color and Uniformity*

## RHUBARB

Sow 3 to 4 pounds in seed-beds for an acre of plants, or plant 5 to 6 pounds per acre in field.

For the garden sow a packet in seed-bed for 15 plants to set 25 feet of row for a family of 3 or 4 people.

**CULTURE.** Plant in the fall in rows 3 to 4 feet apart and thin to about 18 to 24 inches in the row. It is best to plant seed in seed-bed and transplant to the field or garden spacing as indicated. Rhubarb does best in well drained, fertile, moist soil, rich in humus, and is especially well adapted to well drained muck soil. Rhubarb makes the most delicious of all pies, and also is used to make an enticing and appetizing sauce. In Florida it is necessary to plant Rhubarb each season, as it will not carry over during the hot summer months.

**VICTORIA.** (90 days from plants set in field or garden to edible stalks.) This vigorous growing variety produces thick, fleshy stalks of the best quality and flavor, and with attractive red color. It is the best variety for Florida.

Pkt. 10c; oz. 30c; ¼ lb. 85c; 1 lb. \$3.00  
5 to 25 lbs. \$2.90 per lb.

## ROSELLE

*Jamaica Sorrell or Florida Cranberry*  
(175 days from seed planting to ripe fruits.)  
Plant 3 pounds per acre.

In the garden plant one packet to 25 feet of row for a family of 3 or 4 people.

This plant is of great value for Florida, and its cultivation should be extended. The red fruit is used when young for making jelly and jam which is claimed to be superior to Guava jelly. The plant grows well when the ground is warm, resists drouth and is very ornamental and useful. Every Florida garden should have a row of this ornamental and useful plant. It is grown commercially for local markets, fruits being marketed in quart berry baskets.

## Culture of Roselle

**CULTURE.** Plant seed in field in March and April in Florida, when the ground is warm, spacing rows 5 to 6 feet apart and thinning to about 2 or 3 feet apart in the row, leaving one strong plant at a place. Roselle is an all season crop requiring from five to six months from seeding to ripe fruits.

Pkt. 10c; ½ oz. 35c; oz. 60c; ¼ lb. \$1.75; 1 lb. \$6.50  
5 to 25 lbs. \$6.40 per lb.

## SAGE

A very popular garden herb for Florida. It is used in flavoring or seasoning and is said to have medicinal properties. Leaves should be cut as plant blooms, and should be dried quickly in the shade. Grows 12 to 18 inches tall.

**CULTURE.** Sage does well on a sandy soil. Plant seed in rows 15 to 18 inches apart. Thin to six inches in the row. The plant is a hardy perennial, and of easy culture in Florida.

Pkt. 25c; ¼ oz. 75c; 1 oz. \$2.50

## SALSIFY

Plant 1 pkt. to 25 feet for a family of 3 or 4 people.

**CULTURE.** Drill seed in rows 1½ feet apart, and when 4 inches high, thin out, leaving plants 3 inches apart. Salsify succeeds best in rich, deep, sandy loam soil. Plant in Florida from October to March. It does best when grown during the cooler months. Fine for home gardens and for market.

**MAMMOTH SANDWICH ISLAND.** (120 days from seed planting to edible roots.) This is an improved type, producing large, thick, tapering, smooth, white roots, less likely to branch than other sorts. Roots range from 6 to 8 inches in length and 1 to 1½ inches in thickness. This vegetable is sometimes called "vegetable oyster."

Pkt. 10c; oz. 30c



# SQUASH

Squashes exhibit greater variation in plant and fruit character and hybridize or cross and become mixed more readily in seed production than any other vegetable. Consequently squashes are given special care and attention in our breeding grounds and production fields in the north and west. Pedigreed lines are established by covering buds on most desirable plants with bags to control pollination and prevent crossing. Market seed is grown from these pedigreed lines in fields well-isolated from any other squash variety. In this way we are able to supply our customers with uniformly true-to-type strains of squash seed.

**CULTURE FOR BUSH SQUASH.** This is one of the quickest and easiest crops that can be grown, and usually proves very profitable. The earliest varieties begin bearing in six or seven weeks from time of planting the seed. Squashes can be grown on almost any kind of soil. Use from 800 to 1,200 pounds of fertilizer per acre.

For bush varieties, have rows at least 3 to 4 feet apart and hills 3 feet apart in the row. Plant 5 to 6 seeds in each hill, and thin out to two plants when 3 inches high. Bush squash in Florida is a good paying crop for fall or spring. Plant for spring, during January, February and March; for fall, from August until October. The early squash brings the big money. Mosaic disease has become a most serious disease of squash in many sections of Florida. For the control of squash insects and diseases see pages 51, 52, 53, and 58.

The number of days in parentheses after each variety named represents the average time required from seed planting to edible or marketable fruits.

Prices quoted are postpaid.  
Write for special prices on larger quantities.

## Bush Varieties

Plant 2 to 3 pounds per acre.


In the garden plant one packet to 50 feet for a family of 3 or 4 people.

**COCOZELLE (Italian Vegetable Marrow).** (50 days.) This is the true Italian Vegetable Marrow. When ready for market, the fruit is 10 to 12 inches long, slender, 1 to 1½ inches in diameter, cylindrical in shape, straight, smooth, dark green with lighter green stripes. Our stock of this variety produces a small, bushy, open type of plant, with small, deeply cleft leaves, but with an immense yield of uniformly true to type fruits. We have devoted many years to the development of this superior strain, and we can say with full confidence that our Cocozelle is the earliest, most prolific, and uniformly true to type strain you can secure anywhere and at any price.


Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.

**BLACK ZUCCHINI (KILGORE'S IMPROVED SELECTION).** (45 days.) The plant of this improved selection, instead of developing a large, vigorous growing bush like the regular Black Zucchini, forms a short, single semi-runner, and produces an enormous yield of fruit over a long period. The plant is of an open type of growth, with small, deeply cleft leaves, allowing the air and sunlight to circulate and prevent fruit rot. The fruits are dark green in color, six to eight inches long at market stage. An extra early, extremely prolific, improved strain of Black Zucchini.

Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.



Black Zucchini (Kilgore's Improved Selection)



We have worked for many years on our Early Yellow Summer Crookneck, and we are now offering Florida growers in our new crop seed for 1947 planting, a very early and exceedingly prolific, light lemon-yellow color strain with a more open type of plant growth. No better strain of this most popular variety can be secured anywhere for Florida planting.

Early Yellow Summer Crookneck or Baby Crookneck

**EARLY YELLOW SUMMER CROOKNECK (BABY CROOKNECK).** (45 days.) This is the most popular and most extensively grown of any variety of squash in Florida. This variety is similar to Giant Crookneck, except smaller in size, with a thinner, more curved neck, and earlier in maturity. It is also more prolific. Its rich, bright, lemon-yellow color gives it a very good market appearance, and it is in big demand on all southern markets. Our stock of this variety is very early and exceedingly prolific.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 to 25 lbs. \$1.15 per lb.

**EARLY PROLIFIC STRAIGHTNECK.** (42 days.) This development is ten days earlier and more productive than other strains of Summer Straightneck Squash. The plants are less vigorous, and the fruits are smaller, less warted, much more uniform, and of brighter lemon-yellow color than other strains of the Straightneck type. Valuable for both home and market use. Because of its uniformity, earliness, high yield, and attractive appearance, this variety is growing in popularity by leaps and bounds especially on northern markets.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 to 25 lbs. \$1.15 per lb.

**COZINI (new).** (50 days.) This new variety was developed from a cross of Cocozelle and Black Zucchini. It is a little later than our improved selection Black Zucchini, but makes an enormous yield of slightly longer fruits than Black Zucchini. The smooth, straight fruits are very uniform in size, shape and color, the color being a very dark green. The plant is of vigorous growth, holding up and producing fruits over a long period.

Pkt. 10c; oz. 25c; ¼ lb. 75c; 1 lb. \$2.50  
5 to 25 lbs. \$2.40 per lb.

**EARLY WHITE BUSH. (Patty Pan Type.)** (48 days.) This is a popular type of squash for shipment to Northern markets. The smooth fruits are of pale green color when very young, becoming white as they grow, are round and flat but deep, with ridged or scalloped edges, measuring about five to six inches across by three inches thick when ready to market.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 to 25 lbs. \$1.15 per lb.



**MAMMOTH WHITE BUSH.** (Patty Pan Type.) (50 days.) A large strain of the Early White Bush, the fruits being about one-third larger, measuring 6 to 8 inches in diameter. It is slightly later in maturing and not quite as prolific as Early White Bush. White color is retained at later stages. The fruits are thick, tender, and of very good quality.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 lbs. \$1.15 per lb.

**WOOD'S EARLY PROLIFIC** (Patty Pan Type). (42 days.) This is the earliest, meatiest, and most prolific of the patty pan type. It will average seven days earlier than Early White Bush, mature all of its fruits quickly and will be almost half through producing by the time Early White Bush begins making much of a crop when planted at the same time. The plants are extremely prolific, producing round, smooth, deep, thick fruits, very slightly scalloped, and of a creamy white color. The fruits are much deeper and thicker than the White Bush, being bulged at both stem and blossom ends. A very desirable sort to grow where very early squashes of the bush scalloped type are wanted for home use or to ship.

Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25  
5 lbs. \$1.15 per lb.

## RUNNING VARIETIES

Plant one pound per acre of running varieties.

In the garden plant one packet to 50 feet for a family of 3 or 4 people.

**CULTURE.** General cultural requirements similar to bush squash (see page 30), but running varieties require much more room, planting in rows 8 to 10 feet apart and hills at least 5 feet apart. Plant 5 or 6 seeds in each hill, and thin to two plants when 3 inches high. Running varieties are generally grown as a spring crop in Florida.

The running varieties of squash are distinct from the bush varieties—the vines run 10 to 12 feet, and the squashes weigh from 2 to 12 pounds. The fruits are left on the vines until fully grown with a hard rind, and are then harvested by cutting the stem. Running squash may be stored in a cool, dry place until desired for use, but must be handled carefully to avoid bruising. They are claimed to be much richer in flavor and more nutritious than bush squashes. Unlike bush squashes, which are prepared only by boiling or frying, fruits of the running varieties may be stored, and used either boiled, baked or for making delicious squash pies.

**BLUE HUBBARD.** (115 days.) This strain is superior in edible quality to other Hubbards. The blue-gray colored fruits are large, round, pointed at both ends and slightly rough and ridged. Flesh is thick, yellow-orange, of fine flavor. Ideal for baking and for pies. The best keeper of all Hubbards.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**TABLE QUEEN (ACORN).** (60 days.) Although belonging to the running sorts, this squash is almost as early as the bush types and has become very popular in Florida. It seems to be exceptionally well adapted to Florida growing conditions, and makes an enormous yield over a long season. Its very dark green, oval fruit is small, weighing about two pounds, and is about five to six inches long, and four and one-half inches in diameter, with sides deeply ribbed, and with a point at the blossom end. Its light yellow color is very fine grained and sweet when baked like Hubbard squash. It is a very good keeper and desirable for home and market use, also for shipping.

Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75  
5 to 25 lbs. \$1.65 per lb.

**ALAGOLD (Improved African Squash) (new).** (100 days.) Dr. C. L. Isbell of the Alabama Poly. Institute at Auburn, Alabama, has selected and improved the original introduction, which came from Africa, making it more uniform as to fruit shape and size (averaging about 5 lbs.), and thicker fleshed. This improved strain of African squash is known as "Alagold Pumpkin." It is very resistant to all types of insects which commonly attack squash in the south. Furthermore, the vines seem to be resistant to the various diseases to which squash is subject.

## SPINACH

**Virginia Savoy**—Plant 12 to 15 pounds per acre in rows, or 20 or 25 pounds per acre broadcast.

In the garden make two plantings at different times. Plant one packet to 50 feet of row at each planting for a family of 3 or 4 people.

**New Zealand**—Plant 3 to 4 pounds of seed per acre.

In the garden plant one packet to 25 feet of row for a family of 3 or 4 people.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**CULTURAL FOR VIRGINIA SAVOY SPINACH.** Successful for fall and winter planting. Does not grow well in hot weather. Requires a moist, rich soil, the richer the better. Plant seed in rows 16 to 20 inches apart, and thin to 4 or 5 inches apart in the row. May be planted broadcast, thinning plants to stand about 8 by 8 inches apart.

**VIRGINIA SAVOY (Blight Resistant).** (40 days.) Better for market than the smooth leaved varieties, because it does not pack as closely and thus is not as subject to heating as are the smooth leaved varieties, nor does it wilt or turn yellow as quickly before reaching the consumer. Developed for resistance to blight or mosaic disease. The plant is upright and compact in growth, with very thick, curly or savoyed dark green leaves. Best variety to grow for market.

Pkt. 10c; oz. 15c; ¼ lb. 25c; 1 lb. 80c  
5 to 25 lbs. 70c per lb.

**CULTURE FOR NEW ZEALAND.** As seeds are very hard and germinate with difficulty, soak them in warm water for 24 hours to hasten germination. Plant in rows three feet apart, and drop three or four seeds per hill about 20 inches apart. Thin to one plant per hill.

**NEW ZEALAND.** (60 days.) Entirely distinct from the true Spinach. The plant is tall and very spreading, with numerous side shoots. It grows to a height of 1 foot and spreads to a radius of 2 feet. Leaves are very thick, light green, rather small, broad and pointed. It grows well in hot weather, and is sometimes called "Summer" or "Hot-weather Spinach." The leafy tips of the branches are removed and new growth follows, making possible many cuttings. It does best on moist, rich land.

Pkt. 10c; oz. 20c; ¼ lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

The vines are long and very prolific. The solid meated, long-keeping, mature fruits are edible either as baked squash or made into pies. The flesh is very thick and of a cream or salmon color. The fruits are bell shape with a smooth and very tough rind, 8 to 10 inches long and 5 to 6 inches wide at the lower or thickest end. The rind is of a dark green color, maturing to a deep yellow or buff color. Yields of 8 to 10 tons per acre have been reported. Some growers report they have kept unbruised fruits in good condition for as long as a year.

Seed supply very limited.

Pkt. 10c; oz. 20c; ¼ lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.

**BUTTERNUT (new).** (80 days.) This is one of the newest and finest varieties of the small winter squashes. It is early for a winter or running squash. The vines produce an immense number of bottleneck or long pear-shaped yellowish brown or deep buff color fruits. Fruits weigh 2½ to 4 lbs., are 8 to 10 inches long, and 3 to 4 inches in diameter at the largest diameter. The outer shell is smooth and hard, making this squash a wonderful shipper and keeper. The dry flesh is yellow, fine texture, sweet, and of excellent flavor. There is a very small seed cavity in the bulbous end. With our strain of this variety almost the entire fruit is solid, high quality meat. We have worked for a smaller bulb end, and a longer, thicker neck which is solid meat. This new variety is increasing in demand by leaps and bounds on northern markets, where it is commanding premium prices because of its good keeping and high edible quality when used as an individual baker. Also excellent for making pies or boiled.

Seed supply very limited.

Pkt. 10c; oz. 30c; ¼ lb. 85c; 1 lb. \$3.00  
5 to 25 lbs. \$2.90 per lb.



# TOMATO

Sow  $\frac{1}{4}$  pound in seed-bed to plant an acre, or plant  $\frac{1}{2}$  pound per acre in field.

For the garden sow one packet in a seed-bed for 50 plants to set 150 feet of row for a family of 3 or 4 people.

If plants are staked and pruned, which is advisable in the garden, sow one packet in seed-bed for 50 plants to set 75 feet of row for 3 or 4 people.

Tomato seed has been one of our specialties for many years, and our stocks, which are grown for us in disease-free territory in the Middle West, are specially developed and selected for Florida growing conditions. We maintain that our tomato seed cannot be surpassed for Florida conditions, and the reputation we enjoy is ample evidence of that fact. Remember, you cannot make good tomatoes out of poor tomato seeds.

The Kilgore Seed Company has had over 35 years of experience in Florida studying the particular requirements of Florida tomato growers. Selections are made each year for earliness, high yield, adaptability, and uniformity in size, shape, and color.

**CULTURE.** Tomatoes will do well on almost all kinds of soil, from a light sand to a muck. The land should be put in good condition. Lay off rows  $3\frac{1}{2}$  to 5 feet apart, open a furrow, and drill in 1200 pounds per acre of high grade fertilizer such as a 4-7-5, and mix thoroughly with the soil. It is good policy to let this stand for seven to ten days and then plant the seed or set the plants. Seed may be planted direct in the field or preferably in a cloth-covered seed-bed. Plants started in a seed-bed should be 6 to 8 inches high when ready to transplant to the field, in  $3\frac{1}{2}$  to 5 foot rows and  $2\frac{1}{2}$  to 3 feet apart in the row, or if staked, 12 to 18 inches in the row, with rows 3 feet apart.

On the east coast of Florida, first plantings are made during August and continue until in January. North and Central Florida begin planting for a spring crop the middle to the latter part of December and continue to the middle of February. For a fall crop in Central Florida, plantings are made in July and August.

For the control of insects and diseases of Tomatoes see pages 51, 52, 55, and 58.

The number of days indicated after each variety named represents the time required from setting of plants in the field or garden to produce marketable fruits. It usually takes four or five weeks to produce plants for field setting.

All prices quoted are postpaid.

Write for special prices on larger quantities.

**IMPROVED RUTGERS.** (82 days.) Our improved strain of this important variety is exceedingly uniform in plant growth and produces more uniform, smoother, thick walled, firmer, deeper globe-shaped fruits than other strains of this variety. The plant is a very vigorous grower, hardy, and heavy producer of firm green tomatoes which ripen to a bright red, producing an enormous yield of large, deep globe-shaped fruits over a long season. The large fruits are very firm, free of puffs, with thick outer and inner walls. The fruits of our improved strain size up well clear out to the end of the vine, and are smoother and freer of cracks at the stem end than other strains. This variety is especially recommended for a spring crop in Florida and is well suited for light sandy soils and also for shallow dry pine land on the lower east coast of Florida. Not suitable for deep wet glade lands where it makes too much vegetative growth. This variety stands more rain as well as more drought than other varieties. Many growers have told us that our Improved Rutgers makes the smoothest as well as the fanciest fruits of any strain of seed of this variety on the market today.

Pkt. 10c;  $\frac{1}{2}$  oz. 35c; oz. 60c;  $\frac{1}{4}$  lb. \$1.75; 1 lb. 6.50  
5 to 25 lbs. \$6.40 per lb.

**PEARSON (Improved shipping strain) (new).** (78 days.) We have improved the canning strain of this variety for shipping, until our special shipping strain, like the canning strain, is not only enormously productive, but produces more uniform, medium sized, smooth, globe-shaped fruits, dark green in color which ripen to a good uniform red color. The fruits have a very tough, thick skin and seldom crack even when ripe on the plant, making them ideal for long distance shipment. The plants are short and compact, and of vigorous growth. An enormous yielder of smooth, firm, uniform, medium sized fruits.

*Seed Supply very limited.*

Pkt. 15c;  $\frac{1}{2}$  oz. 55c; oz. \$1.00;  $\frac{1}{4}$  lb. \$3.25; 1 lb. \$12.00  
5 to 25 lbs. \$11.90 per lb.



Pearson (Improved shipping strain). Foliage removed to show heavy set.





A typical field of staked and pruned Grothen's Red Globe Tomatoes, Manatee County, Florida.

**GROTHEN'S RED GLOBE.** (70 days.) This is a very early maturing, high yielding variety especially well adapted for fall planting in Florida. The plants are of open growth with rather small foliage requiring rich, deep, moist land for best results, maturing fruits about 12 days earlier than Rutgers, and ripening to a beautiful red color. A very heavy producer of smooth, deep globe-shaped, large fruits, sizing up well clear to the top of the plants, producing a very high percentage of fancies. The fruits are firm and solid, and the interior ripens up slowly, making this variety an exceptionally good shipper. Extreme earliness and exceedingly high yields of large fruits, of excellent shipping quality, are the main factors recommending this variety. This variety does not do so well on light sandy soils, but is especially recommended for a fall, winter and early spring crop in Florida and is well suited to deep, wet glades, hammock, and rich sandy loam soils.

Pkt. 10c;  $\frac{1}{2}$  oz. 35c; oz. 60c;  $\frac{1}{4}$  lb. \$2.00; 1 lb. \$7.50  
5 to 25 lbs. \$7.40 per lb.

**PRITCHARD (SCARLET TOPPER).** (75 days.) The Pritchard was developed by crossing Marglobe with Cooper's Special Self-Topper. It combines the good qualities of both parent varieties. Vines medium dense, compact, erect, self-topping. Fruits mature very early, several days earlier than Marglobe, are large, smooth, meaty, globular in shape and ripen uniformly to a very deep attractive red color, both exterior and interior. This variety is an enormous producer and therefore requires rich or liberally fertilized moist soil. Does especially well on Everglades muck.

Pkt. 10c;  $\frac{1}{2}$  oz. 30c; oz. 55c;  $\frac{1}{4}$  lb. \$1.65; 1 lb. \$6.00  
5 to 25 lbs. \$5.90 per lb.

**LIVINGSTON'S GLOBE.** (80 days.) An improved strain of the old Livingston's Globe variety, popular in the Gulf States for many years. Our improved strain is very productive of fancy, perfectly globe-shaped fruits, holding their large size and shape until the last pickings. Ripens to a beautiful deep pink.

Pkt. 10c;  $\frac{1}{2}$  oz. 40c; oz. 75c;  $\frac{1}{4}$  lb. \$2.50; 1 lb. \$9.00  
5 to 25 lbs. \$8.90 per lb.

**MARGLOBE.** (77 days.) This is an excellent strain of the old standard type of Marglobe. It produces a heavy, vigorous plant growth, resistant to nailhead rust, Fusarium wilt and other diseases. The deep globe-shaped, smooth fruits are heavy, thick walled, firm or solid, and are free of navel and blossom-end scars. The ridging at stem end has been practically eliminated. We have made selections for larger fruit size. Fruit ripens to a beautiful deep scarlet-red color. Our Bred-Rite strain consistently produces a very high percentage of fancy fruits which results in fancy prices. Especially well adapted to and recommended for north Florida.

Pkt. 10c;  $\frac{1}{2}$  oz. 25c; oz. 45c;  $\frac{1}{4}$  lb. \$1.40; 1 lb. \$5.00  
5 to 25 lbs. \$4.90 per lb.

**EXTRA SELECTED GLOBE.** (80 days.) This extra selected strain is one of the strongest and most vigorous growers, and because of this vigor the plants stay green and in bearing condition, producing marketable fruits longer than most other strains of the pink globe variety. The plant has an open, spreading habit of growth, and is ideally suited for staking and pruning. Its smooth, perfectly globe shape fruits do not crack, and ripen to a beautiful deep pink color. This extra selected strain produces a very high percentage of large, smooth, uniformly deep globe-shaped fancy fruits even on the top hands. No finer strain of this standard variety for Florida growing conditions can be found anywhere.

Pkt. 10c;  $\frac{1}{2}$  oz. 40c; oz. 75c;  $\frac{1}{4}$  lb. \$2.50; 1 lb. \$9.00  
5 to 25 lbs. \$8.90 per lb.

**OXHEART.** (90 days.) A smooth, thick, tender and almost seedless pink-fruited tomato of delicious flavor. Rich soil adds greatly to its productiveness. This is an ideal variety for the home garden and for the local market.

Pkt. 15c;  $\frac{1}{2}$  oz. 55c; oz. \$1.00;  $\frac{1}{4}$  lb. \$3.25; 1 lb. \$12.00  
5 to 25 lbs. \$11.90 per lb.

**PONDEROSA. (Brimmer.)** (88 days.) A very large, pink-fruited variety. The fruits are more or less flattened, very solid and meaty with few seeds, and of splendid edible quality. Recommended only for home gardens because its unusual size and weight are disadvantages in shipping.

Pkt. 10c;  $\frac{1}{2}$  oz. 40c; oz. 75c;  $\frac{1}{4}$  lb. \$2.50; 1 lb. \$9.00  
5 to 25 lbs. \$8.90 per lb.



# What Will Your Harvest Be?

*The answer to that question depends principally on  
the kind of seeds you plant.*

**Kilgore's Bred-Rite Seeds Are Bred and Developed in Florida for Florida.**



**Partial view of Kilgore's Experimental Farm at Palmetto, Florida, showing single plant selections of pepper plants in cloth covered cages to produce pure line stock seed.**

Samples of different stocks of Kilgore seeds are planted from time to time on the Kilgore Experimental Farm, at Palmetto, Fla. In addition, there also are included in our trials, samples from other seed dealers and seed growers to compare with Kilgore stocks. This shows just how Kilgore's strains and varieties compare in earliness, yield, uniformity, trueness to type and adaptability with others growing side by side under identically the same conditions in Florida. It also enables the company to discover and develop new or improved stocks and varieties of distinct merit for Florida conditions, which we offer

to our customers as soon as a supply of seeds can be produced. Modern, scientific breeding methods are employed both in maintaining and improving seed stocks. New products of our breeding program are carefully tested under Florida conditions, and superior stocks are then sent to our seed production fields in the north and west. Careful notes are kept of all our experimental farm results which enable us to check up with the constant improvements which are being made in standard varieties of vegetables. Our principal objective in all of this work is to breed, develop or select strains and varieties of vegetable seeds in Florida in order that we may offer our customers seeds adapted to Florida growing conditions, which conditions differ materially from those found elsewhere in the United States. The company has employed the services of a well trained and experienced plant breeder who supervises all of this work.

In addition, the Kilgore Seed Company maintains a modern seed testing laboratory at Plant City, Fla. where a sample of every stock of vegetable, flower and field crop seed Kilgore sells is tested at frequent intervals in a germinating apparatus, and the number of seeds which germinate out of 100 seeds tested is recorded. Any stock of seed which is found to be low in germination is immediately withdrawn from sale from all of Kilgore's thirteen Florida stores and mail order department, and is discarded.

What more could be done to provide good seeds for the Florida grower? We know what our seeds will do under Florida conditions because we develop and prove them in Florida.

You have a cordial invitation to inspect Kilgore's seed testing laboratory at Plant City, and Kilgore's experimental farm at Palmetto, Florida. Just call at the Kilgore Seed Company's store in Palmetto, and a Kilgore employee will guide you over the farm, and explain what is being done by this pioneer Florida Seed Company to provide Florida growers with better seeds.

## High Vitality Seed Must Be Planted To Secure A Good Stand

**Kilgore's vegetable seeds are now air-conditioned, tested, and treated with Spergon.  
This means higher vitality, better germination and stronger plants.**

The Kilgore Seed Company, the leader in all new things pertaining to seeds, has installed in its central warehouse at Plant City, Florida, the most up-to-date dehumidifying machinery in order to maintain high vitality in all Kilgore Seeds.

In addition to keeping our seeds in artificially dried store-rooms, we have one of the most up-to-date seed testing laboratories, where samples of all of our seed stocks are tested at regular intervals to further insure our customers against planting low vitality seeds. In our laboratory, tests are made every six weeks of all seed stocks in our warehouse, mail order department and thirteen Florida stores. We know at all times the correct germination of all seed stocks we have on hand. Seed stocks that are found to be falling in germination and will soon be too low to give a good stand, are immediately removed from our warehouse and stores and are destroyed.

In addition to all this, Kilgore's vegetable seeds, with the exception of beans, peas, corn, beets, carrots, and spinach, are now treated with Spergon, and every package of Kilgore's vegetable seeds, with the exception of the above, is now labeled "*treated with Spergon*." This means better stands and increased yields. When Spergon is applied to seed it helps prevent seed decay and damping-off disease, thus increasing the stand and improving the crop. Spergon treated seed is safe to use, because Spergon is a non-poisonous organic chemical.

Spergon treatment is beneficial for all vegetable seeds, except beets, carrots and spinach. Although we do not treat beans, peas and corn seed, we strongly advise all our customers to treat these seeds before planting. It is particularly valuable for beans, both snap and lima, as well as peas, both English and cowpeas. It is also especially valuable when seeds are planted in cold ground, when germination is normally very slow. Under such conditions it increases germination very markedly, especially with warm crop seeds like beans, tomato, pepper, cucumber, okra, etc.

We are taking all these precautions and giving our customers this extra service without any additional cost, in order to provide in Kilgore's Bred-Rite seeds the best that money can buy. By treating our high vitality, tested seeds with Spergon, we give you further crop insurance to protect the seed from soil decay and harmful fungi, and to assure a good stand of strong, healthy plants, which means increased yields.

**THIS IS WHY WE SAY—FOR BEST RESULTS PLANT  
KILGORE'S BRED-RITE SEEDS**



# TURNIP

Plant 2 to 3 pounds per acre.

In the garden make three plantings at different times. Plant 1 packet of turnip seed to 50 feet of row at each planting for a family of 3 or 4 people.

We list only the varieties that are best suited to Florida growing conditions. All our turnip seed is grown from special hand-selected and transplanted roots.

**CULTURE.** Plant in rows 15 to 20 inches apart. Thin early to one inch, because any overcrowding will result in misshapen, slow-growing, poor quality roots. Final thinning should be 4 to 6 inches apart. Thinnings may be used for turnip greens. For best quality, turnips should be grown rapidly in rich, moist soil. Turnips can be planted every month in the year in Florida.

The number of days after each variety is the time required to produce edible roots from seed plantings.

Prices quoted are postpaid.

Write for special prices on larger quantities.

**EXTRA EARLY PURPLE TOP MILAN (EARLY FLORIDA).** (35 days.) We have an exceptionally fine stock of this early variety. Our seed is grown from special hand-selected and transplanted roots. The roots are of medium size, smooth, flat, and white, with a bright purple top, and extremely early. Recommended as an extra early home garden and local market variety.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.

**WHITE GLOBE.** (44 days.) A handsome, pure white, very large, perfectly round Turnip of fine quality. It has small tops, grows rapidly, and gets very large, producing a heavy yield per acre. Closely resembles Purple-Top White Globe except for color.


Pkt. 10c; oz. 15c; ¼ lb. 25c; 1 lb. 75c  
5 to 25 lbs. 65c per lb.

**EARLY WHITE EGG.** (45 days.) An early, oval or egg-shaped variety with clear white roots of medium size. The flesh is white, firm, fine-grained and sweet.

Pkt. 10c; oz. 15c; ¼ lb. 25; 1 lb. 75c  
5 to 25 lbs. 65c per lb.

**SHOGGIN (FOLIAGE) TURNIP.** (50 days.) A louse-resistant foliage turnip which resists the hot, scorching sun, dry weather, and lice. It produces an immense yield of upright growing foliage, which is always in good demand during late spring and summer in Florida. The roots are white, semi-globe shaped, but more largely planted for the tops which are large, thick, succulent, tender, and of finest mild flavor.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.



A typical root of Purple Top White Globe

**PURPLE TOP WHITE GLOBE.** (50 days.) Roots are almost perfect globe-shaped, and the flesh and skin are pure white, with a beautiful purple or red at the stem end above ground. Very fine-grained and sweet, of superior quality. Grown most extensively in Florida for shipment to northern markets.

Pkt. 10c; oz. 15c; ¼ lb. 25c; 1 lb. 75c  
5 to 25 lbs. 65c per lb.

## RUTABAGA


Plant 1 pound per acre.

In the garden plant one packet to 100 feet of row.

**CULTURE.** Rutabaga is best grown as a late fall and winter crop. Seed should be planted in rows 2½ to 3 feet apart, and the plants should be thinned early to about eight inches in the row.

**AMERICAN IMPROVED.** (90 days.) The smooth roots attain a much larger size than turnips, are almost globular, being slightly oblong, pale yellow with a purple top, and with a very small neck. Flesh is yellow, solid, tender, not woody and stringy.

Pkt. 10c; oz. 15c; ¼ lb. 35c; 1 lb. \$1.00  
5 to 25 lbs. 90c per lb.



Shogoin (Foliage) Turnip



# WATERMELON

**Plant 1 pound per acre.**

**In the garden plant 1 packet to 75 feet of row for a family of 3 or 4 people.**

Our Bred-Rite watermelon seeds come only from melons specially grown for seed, in isolated fields to prevent cross pollination by other varieties. Not a single melon is sold or shipped from our Bred-Rite seed growing fields. Our Bred-Rite melon seed is the finest and best that can be secured anywhere. In selecting our stock seed, we save true-to-type melons from only the most vigorous growing, prolific vines, which produce melons of uniform color, shape and size, and of uniform high edible quality.

**CULTURE.** Watermelons may be grown on nearly all kinds of Florida soils that have good drainage, but rolling, sandy pine land is preferred. In general, new land is best for this crop in order to avoid diseases. The field should be checked off, planting the seed in hills 8 feet apart each way or 7 by 9 feet. Seed should be planted  $\frac{1}{2}$  to 1 inch deep, and plants should be thinned to 2 or 3 plants per hill when they are still small and when all danger of frost is past, later thinning to 1 plant per hill for best results. The most successful growers apply a 4-7-5 fertilizer mixture about a week before planting the seed. A second application may be made if necessary when the vines begin to run. The fertilizer should be worked into the hills before planting at the rate of two pounds per hill, or 800 pounds per acre. The first planting of watermelons for an early crop in Florida should be made about January 1st and successive plantings may be made up to about the middle of February in Central and South Florida. Plantings in North Florida are made 2 or 3 weeks later. For earlier melons use *Hotkaps*. (See page 65.)

The number of days after each variety named indicates the time from seed planting to ripe fruit.

**Prices quoted are postpaid.**

**Write for special prices on larger quantities.**

**DIXIE QUEEN (White Seeded).** (90 days.) This variety possesses all the good qualities demanded by commercial growers, namely, size, color, flavor, shipping quality and high yield. The almost round fruits average 32 pounds. The flesh is of a most attractive, rich, bright-red color. It is solid, with very few small white seeds. The outer skin is light green, striped and blotched with dark green. The rind, although thin, is tough and does not bruise easily, making it an ideal shipping melon. It is one of the sweetest-flavored and highest quality melons grown. This variety is sometimes, but quite erroneously called "White Seeded Cuban Queen." Because of its many desirable features, Dixie Queen has become one of the leading, standard commercial varieties of Florida, and because of its high edible quality it is also grown extensively for home use.

**Seed supply extremely limited.**

**Pkt. 10c; oz. 30c;  $\frac{1}{4}$  lb. 85; 1 lb. \$3.00  
5 to 25 lbs. \$2.90 per lb.**

**STONE MOUNTAIN (Improved Light Green Rind Strain).** (92 days.) This is an early melon and has become very popular in all the large watermelon-growing districts. It is a large, round melon with deep red flesh that has a very delicious flavor. The medium hard, green rind makes it an excellent shipper. Vines are very prolific and the fruit has very few seeds, being almost all good, crisp, red meat clear to the rind, of delicious flavor and sweetness. Ours is the genuine, true to type, mingled light green color Stone Mountain. This strain has been developed and selected for uniformity and for high yields of true light green rind melons, free of white heart and solid meated throughout with few pure white seeds having a dark ring around the edge. There is a strain of large dark green rind Stone Mountain which has not been satisfactory. We have bred away from this type.

**Pkt. 10c; oz. 15c;  $\frac{1}{4}$  lb. 45c; 1 lb. \$1.50  
5 to 25 lbs. \$1.40 per lb.**

**BLACKLEE (Wilt-Resistant).** (105 days.) This wilt-resistant variety was originated, developed and released by the Florida Agricultural Experiment Station. Blacklee was developed by Dr. M. N. Walker from a cross of Leesburg and Hawkesbury. This variety grows vigorously, is very resistant to Fusarium Wilt disease, and produces a very abundant crop of uniform, medium size, elongated, blocky, very symmetrical and smooth, attractive appearing melons with a dark rich green colored rind, which rind is very thin but hard, tough and of good carrying quality, making it a good long distance shipper and good keeper. The flesh, which runs within one-half inch of the outside of the melon, is an attractive bright red with medium size black seed, of excellent flavor and fine texture and delicious, crisp, sweet eating quality. The melons cut solid, are free from stringiness, and have a delicate, distinctive flavor. The melons will, under good growing conditions, average 34 pounds, an ideal size for shipping. They run very uniform and are exceptionally heavy for their size. By pruning to two melons per vine, the size can be somewhat increased, and the melons will ripen several days earlier. In addition to disease resistance, this variety possesses about all the desirable characteristics one could wish for in an ideal shipping, local market and home garden variety. Sometimes, but wrongfully so, called Improved Wilt-Resistant Watson.

**Pkt. 10c; oz. 25c;  $\frac{1}{4}$  lb. 60c; 1 lb. \$2.00  
5 to 25 lbs. \$1.90 per lb.**



**Blacklee (wilt-resistant) watermelon**





**Florida Giant (Cannon Ball).** A most promising, high yielding variety for Florida.

**FLORIDA GIANT (CANNON BALL or BLACK DIAMOND).** (92 days.) Our trials have indicated that this medium early variety is a valuable addition for Florida melon growers. The vines are of a very vigorous growth and exceedingly heavy producer of very large, nearly round, solid dark-green skin melons, with thick rind and firm, rather coarse grained and fibrous, sweet, deep red, attractive flesh, with small black seeds. Very hardy, and withstands poor growing conditions better than other varieties. This variety is sometimes called black seeded Stone Mountain. It resembles Stone Mountain in form, but has a much darker green rind and grows to much larger size. Because of the dark green rind, it is in great demand, always having a fresh appearance. Growing in favor by leaps and bounds among commercial melon growers in Florida. Also a desirable home garden variety.

**Pkt. 10c; oz. 20c; ¼ lb. 50c; 1 lb. \$1.75**  
5 to 25 lbs. \$1.65 per lb.

**KLECKLEY'S SWEET (WONDERMELON).** (95 days.) This is an early melon for the local market and home garden. The vines are sturdy and prolific and the green rind fruit is long, slightly constricted toward the stem end, with a very crisp, sweet and fine flesh. The rind is too thin to make a good shipper, but because of its high edible quality it is very popular for home use and for local market.

**Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25**  
5 to 25 lbs. \$1.15 per lb.

**FLORIDA FAVORITE.** (90 days.) An early, long, medium-sized melon, irregularly striped with lighter green. The flesh is a deep red and very delicious. This melon does not ship very well, but it is a desirable variety for the garden and home market because of its very high edible quality and uniformly high yield.

**Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25**  
5 to 25 lbs. \$1.15 per lb.

**WATSON (IMPROVED).** (100 days.) This is the most popular of all shipping melons. Cylindrical in shape, with medium dark green, thick, tough rind. The flesh is very firm, sweet, and has been bred especially for solid, deep red meat, entirely free of hard, white center, commonly called white heart. Our stock of this variety is absolutely pure and has been developed for high yielding qualities of uniformly true-to-type melons.

**Pkt. 10c; oz. 15c; ¼ lb. 40c; 1 lb. \$1.25**  
5 to 25 lbs. \$1.15 per lb.


**DUDE CREEK.** (95 days.) This variety is very similar to the famous Garrison and Darlington in general shape, color and appearance of the fruits, but the fruits will average slightly smaller in size, have a thicker, tougher rind and stand shipment better than Garrison or Darlington. The plants of Dude Creek are tougher, stand drought and hardships better, making them more productive, and the fruits are not so subject to blossom end rot as Garrison. The flavor and edible quality of Dude Creek is not quite as good, and the flesh is somewhat coarser than that of Garrison or Darlington. Dude Creek is an excellent shipping melon of the Garrison type.

**Pkt. 10c; oz. 15c; ¼ lb. 45c; 1 lb. \$1.50**  
5 to 25 lbs. \$1.40 per lb.

**GENUINE GARRISON (Darlington).** (95 days.) We offer the genuine strain of this prized variety. Fruits are uniformly cylindrical in shape, very large, long, with a thin, tender rind. The color is white and green striped, the green stripes usually being broken. The shape and stripings are similar to those of the Georgia Rattlesnake variety, but it is an entirely different melon. It has a very delicate flavor, sweet and tender meat, and grows to weigh 40 to 50 pounds, if the vines are pruned to one or two good shaped melons per plant, pulling off all other melons at least twice a week. Because of its high edible quality and large size it is rapidly gaining popularity and commanding premium prices. It is not, however, a shipping melon because of the brittle, easily broken rind, but is grown extensively for local markets.

*Seed supply extremely limited.*

**Pkt. 10c; oz. 30c; ¼ lb. 85c; 1 lb. \$3.00**  
5 to 25 lbs. \$2.90 per lb.




A typical fruit of Garrison (Darlington) Watermelon



# FIELD CORN (For Roasting Ear and Sweet Corn. See Page 18)

Plant 7 pounds ( $\frac{1}{2}$  peck) per acre or 56 pounds (1 bushel) to 8 acres.



Kilgore's field corn seed is grown in isolated fields from the highest yielding pedigree strains. The most perfect ears are selected, carefully dried and run over a long conveyor table, where expert corn pickers throw out every ear that is unsound, diseased or off-type. Only large ears with deep grain, straight rows and good tip and butt are saved. Each ear is hand tipped and butted, shelled and carefully graded to remove cracked, oversized and undersized grains.

Treat corn seed with Pyrox and keep the birds away. Pyrox also aids germination and helps secure a better stand. (See page 58.)

The number of days indicated after each variety name represents the time from seed planting to harvest under average spring conditions in Florida.

**Write for special prices on larger quantities.**

**All prices quoted are subject to change without notice.**

**CUBAN YELLOW FLINT.** (96 days.) Our special strain of this variety was developed from a cross of the regular old type Cuban or Havana Flint and Red Dent, and our seed stock has been selected each year from only the largest and best ears produced on strongest and most vigorous growing plants. This special strain is deep rooted, therefore can be given closer spacing than other varieties. If given close spacing it will yield as much as any prolific corn. From 20 to 25% of the plants will produce two ears. Produces larger ears, longer grains, and heavier yields than other strains of this variety. More weevil resistant than any other variety, due to the long, tight, heavy and very tough husks. Seed is lemon to orange yellow in color, with about 95% white cobs, 5% red cobs. Produces well in extremely wet or dry seasons, and is recommended in all parts of Florida where extreme resistance to weevil damage is desired. Aside from weevil resistance, it is especially recommended for southern Florida, especially on muck lands.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.40; 56 lbs. (bu.) \$5.00

**FLORIDENT WHITE.** (95 days.) This variety was bred and developed by the Florida Agricultural Experiment Station by selection from their pedigreed Florida 686, which was developed from a cross of Whatley Prolific and Cuban Yellow Flint. The variety contains about 78% high yield Whatley blood. Florident White is considered to be one of the best prolific field corns for Florida. Our stock seed is selected each year from the most prolific plants. Plants have a very strong root system and stalk, and are very resistant to lodging. The large ears are covered with hard, white, semi-flint kernels mostly on a red cob, protected by a long, tight, tough husk, 20% two-eared, 80% one-eared. Very resistant to weevils, with more flinty kernels and better husk covering than other common whitekerneled varieties.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.50; 56 lbs. (bu.) \$5.50

**FLORIDENT YELLOW.** (95 days.) A sister to Florident white, having been selected, bred and developed for strong yellow kernels by the Florida Agricultural Experiment Station from the Experiment Station's pedigreed corn Florida 686. Stock seed is selected each year from the strongest and most productive plants. Plants have a very strong root system and stalk. Least lodging of any variety in tests at the Florida Experiment Station. A heavy yielder of large ears covered with hard, yellow, semi-flint kernels, protected by long, tight, tough husks. Much more weevil resistant than most varieties. 85% red cobs, 15% white cobs. The best and by far the heaviest yielding yellow field corn for Florida.

$\frac{1}{4}$  lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.50; 56 lbs. (bu.) \$5.50

## Florident Corn

*Developed by the Florida Experiment Station especially for Florida.*



Write for special prices on larger quantities.  
All prices quoted are subject to change without notice.

**HICKORY KING.** (91 days.) A very desirable, early, heavy-yielding white Corn, with very large, deep, broad grain and small cob. Will do well on thin Florida soil and is popular as a fine roasting-ear Corn. Hickory King is a standard and exceedingly popular variety in Florida as an early field Corn.

¼ lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.40; 56 lbs. (bu.) \$5.00

**WHATLEY'S RED COB PROLIFIC.** (98 days.) An early, very prolific, high yielding, two-eared, white seeded, red cob corn. Especially well suited to Florida. Long husk covers the tip of ears fairly well, making it quite resistant to worm and wet weather damage and bird attacks. Ears are large and heavy, small cob, deep white grain, which is rather hard and keeps well. Provides quality and quantity for roasting ears and for feed. One of the best, high yielding varieties for Florida.

¼ lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.35; 56 lbs. (bu.) \$4.75

**STRAWBERRY CORN.** (90 days.) This variety produces a short, stocky plant, resistant to heat and drouth. The ears are protected from weevils and ear worms by the long, tight husk or shuck. The large, deep grains are copper colored on the outside but are white inside. Valuable for early feed and for roasting ears. A very heavy yielder for an early corn.

¼ lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.40; 56 lbs. (bu.) \$5.00

**HASTINGS' PROLIFIC.** (100 days.) This variety is of vigorous growth, rather late in maturity, but an immense yielder. Ears are medium size, usually two per stalk. Cob is small, covered with deep, white, hard kernels. Good for grain and for roasting ears.

¼ lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.35; 56 lbs. (bu.) \$4.75

**IMPROVED GOLDEN DENT.** (86 days.) A wonderful yielder, and does splendidly here in Florida. It is planted extensively for early use, but is too soft for a general crop. Has large, deep, broad grains, and is desirable for early feed.

¼ lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.40; 56 lbs. (bu.) \$5.00

**MEXICAN JUNE.** (89 days.) A splendid variety to plant in case your vegetable crop is a little late coming off the ground on which you desire to plant corn. It is a drought and heat-resistant variety. This variety is very popular and a good yielder. May be used for roasting ears.

¼ lb. 10c; 1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 14 lbs. (pk.) \$1.40; 56 lbs. (bu.) \$5.00

## POP CORN

Plant 10 pounds per acre.

**SOUTH AMERICAN GIANT YELLOW.** (100 days.) Ears are large, round, from six to seven inches long, with 12 to 16 rows of kernels, and the kernels are of the pearl type, being broad and smooth. It is a very heavy yielder. Extremely white when popped.

¼ lb. 10c; 1 lb. 30c; 2 lbs. 55c; postpaid

Not prepaid, 10 lbs. \$2.10; 25 lbs. \$4.75;  
100 lbs. \$18.00

## INFORMATION ABOUT HYBRID SEED CORN

Hybrid corn is the result of crossing certain inbred, or self-pollinated, lines of corn in various combinations. Maximum benefits are derived from the first planting of hybrid seed. Later generations are less vigorous and uniform. Hybrid corn seed should be obtained each year from producers who are specialists in hybrid seed corn production. Farmer's crop hybrid corn should never be planted. Seed saved from a field of hybrid corn will always produce disappointing results.

Hybrid seed corn necessarily is expensive, because of the time, labor and expense involved in producing it, but remember the seed cost per acre of corn is always small, because a bushel of seed will plant on an average about eight acres. Planting hybrid seed corn is the cheapest method known of increasing your corn yield by an average of 40%.

### LOUISIANA YELLOW HYBRID FLINT No. 2909.

(95 days.) This hybrid flint corn is a double cross of four inbred lines, developed by the U. S. D. A. cooperating with the Louisiana Experiment Station. This hybrid has given the highest yields of any flint corn in tests in Florida. The variety is very prolific, with most stalks producing two uniform ears, and many producing three or more ears. The ears are rather long and slender with a long, tight husk, giving excellent protection against weevils and wet weather. Stalks are strong and heavy, standing up well under adverse weather conditions. The medium depth kernels are a deep yellow color, and are of true, hard, flint character. This is the highest yielding, most uniform, true flint corn we have ever seen. Give it a trial planting this season and you will plant more next season. Especially well adapted for planting on Florida muck and sandy loam soils, where for high yields of 100 or more bushels per acre, it should be planted not over 12 inches in the row.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c; postpaid

Not prepaid, 14 lbs. (pk.) \$2.75; 56 lbs. (bu.) \$10.00

**FLORIDA W-1 HYBRID.** (95 days.) A first generation cross hybrid of four inbred lines of corn developed by the Florida Experiment Station. This new variety is exceedingly prolific, with two ears on nearly every stalk, up to 20 per cent three-eared in tests at Gainesville. It was the highest yielding corn in variety tests at Gainesville, yielding an average of 43 per cent over the average yield of all ordinary varieties grown on farms in the northern half of Florida. This hybrid variety is especially recommended for north and central Florida, but not for Everglades muck. Ears have exceptionally long, tight husks making the variety very resistant to insect damage, smooth dent kernel type, highly resistant to weevils. Plant grows tall, with a slender stalk, and with a very strong root system. Seed is white, deep, with a very small cob; 50 per cent red cobs, 50 per cent white cobs.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c; postpaid

Not prepaid, 14 lbs. (pk.) \$2.75; 56 lbs. (bu.) \$10.00



Typical ears of Florida W-1 Hybrid corn

Sample of 10 ears slip-shucked. Note long, tight husk protection against insect damage.



# GRASSES—for lawns and pastures

Good winter pastures in Florida will be more important in 1947 than in many years because of the large number of live stock and the limited feed supplies.

*We recommend that you order as early as possible. Our grass seeds are recleaned, well-bagged, and of highest quality stocks. Due to present uncertain conditions, all grass and field seed prices quoted are subject to change without notice.*

## PROTECT YOUR LAWN

Use Saba-Chinch to completely and definitely eradicate Chinch-Bugs in your lawn (See pages 51 and 57)



## BEAUTIFUL LAWNS CAN BE GROWN IN FLORIDA

### BERMUDA GRASS (Unhulled)

Sow 25 to 100 pounds per acre or  
2 to 4 pounds per 1000 square feet.

Seed can be sown from March to November, and should be mixed with fine soil when sowing to get a good even distribution. For pasture, use 25 pounds per acre; for lawns or golf courses, where a heavy thick sod is desired, use  $\frac{1}{4}$  pound per 100 square feet or 100 pounds per acre. Bermuda Grass makes a beautiful velvety, permanent lawn where plenty of water is available and proper care given. It prefers a loam or clay loam soil, and grows well on sand or muck, but requires an ample moisture supply. It will not grow well in the shade. It spreads by surface runners, also by underground root-stocks. A Bermuda lawn can be started by setting out the plants or by sowing seed. When Bermuda Grass turns brown in late fall and winter, give it a good application of sheep manure at the rate of 5 pounds per 100 square feet, or 1 ton per acre, and  $\frac{1}{2}$  pound Italian Rye Grass per 100 square feet, or 200 pounds to acre, broadcasting both seed and sheep manure right on top of Bermuda Grass, with no cultivation, but plenty of water. This will give a beautiful green lawn throughout winter and spring.  
1 lb. 60c, postpaid. Write for prices on larger quantities.

### HULLED BERMUDA GRASS

Sow 1 to 2 pounds to each 1,000 square feet of lawn.

This is the highest grade Bermuda grass seed. Formerly thought impossible, the hard, almost water-tight hulls of the seed are removed. This revolutionizes Bermuda lawn planting because of the quick, sure results it produces, the seed germinating in a week with proper moisture conditions.

1 lb. 85c, postpaid. Write for prices on larger quantities.

### ITALIAN RYE GRASS

Sow 50 to 200 pounds per acre or  
4 to 6 pounds per 1,000 square feet.

This is a very valuable and desirable fall and winter grass for Florida, but it does not make a permanent lawn. It dies out as soon as warm weather of late spring or early summer comes on. However, for quick covering of lawns and golf courses in late fall and winter, it is unsurpassed. Planted in October and November it will be ready for the mower in three to four weeks, and will make vigorous, luxuriant growth throughout fall and winter and well up into late spring. Do not plant before October 1 and later than January 1. For lawn or golf-course work, plant  $\frac{1}{2}$  pound seed per 100 square feet, or 200 pounds per acre. This will give good, heavy, thick sod. A common practice in Florida is to seed Italian Rye Grass on other lawns in the fall and winter for a velvety green all-winter lawn. For grazing or hay, plant 50 pounds per acre. Requires lots of moisture. Useless on dry, sandy soils.

1 lb. 25c, postpaid. Write for prices on larger quantities.

### CARPET GRASS

Sow 25 to 100 pounds per acre or  
2 to 4 pounds per 1000 square feet.

Plant in fall from October to December, and in spring from March to June. For pasture use 25 pounds of seed per acre broadcast. Carpet Grass is desirable for lawns and golf courses, and for this purpose use  $\frac{1}{4}$  pound for 100 square feet, or 100 pounds per acre. Carpet Grass, like practically all other grasses, thrives best where plenty of moisture is available, but it will grow at a low fertility level on most any soil. This grass is not well suited to droughty conditions. It is usually grown in mixtures with other grasses and with clovers.

1 lb. 40c, postpaid. Write for prices on larger quantities.

### SUDAN GRASS

Sow 10 to 20 pounds per acre.

**Tift.** Developed to secure a Sudan grass that will resist the numerous foliage diseases causing "firing" to which common Sudan is susceptible in Florida. Tift Sudan tends to tiller and develop side branches from each stem to a much greater degree than common Sudan. Planted the same as common Sudan.

1 lb. 30c, postpaid. Write for prices on larger quantities.

**Sweet.** (New). A new and distinct grass sorghum developed by the Texas Agricultural Experiment Station. Resembles common Sudan in plant habit and yield, but is sweet and juicy, and resistant to several foliage diseases which attack common Sudan. Grazing tests have indicated that cattle prefer sweet Sudan to common Sudan. Much more productive than common.

1 lb. 30c, postpaid. Write for prices on larger quantities.

### BAHIA GRASS

Sow 15 to 20 pounds per acre for pasture.

Can be planted any month in the year. Seed should be planted broadcast on well prepared ground. The grass has short, thick stolons, and spreads slowly, but the root system is large and once a sod is formed few other plants are able to encroach on it. It does best on well drained soils. Bahia grass is one of Florida's best permanent pasture grasses.

1 lb. 40c, postpaid. Write for prices on larger quantities.

### DALLIS GRASS

Sow 10 to 20 pounds per acre.

Dallis Grass is a large perennial, erect, bunch grass, which stands heavy grazing. Dallis grass is best suited to muck lands, heavy clay soils of a rather moist nature and low flat woods land. Dallis grass is very suitable to winter grazing because it is hardy. Plant from September to January. Not adapted to sandy soils.

1 lb. 50c, postpaid. Write for prices on larger quantities.



# CLOVER AND FIELD SEED

## FIELD SEED PLANTING CALENDAR FOR FLORIDA

Crop	Weight Per Bu.	Seed Per Acre	Time to Plant
Beans, Velvet.....	60 lbs.....	30 lbs.....	Mar.-Aug.
Beggarweed .....	10 lbs.....	10 lbs.....	Apr.-Aug.
Bene (Sesame).....	3-5 lbs.....	3-5 lbs.....	Mar.-July
Cane, Sorghum.....	50 lbs.....	15-50 lbs.....	Mar.-Aug.
Chufas .....	40 lbs.....	11-16 lbs.....	Apr.-Aug.
Clover, Alyce.....	10-15 lbs.....	10-15 lbs.....	Apr.-July
Corn, Field.....	56 lbs.....	7 lbs.....	Mar.-June
Corn, Chicken.....	50 lbs.....	8-10 lbs.....	Mar.-Aug.
Crotalaria .....	10-20 lbs.....	10-20 lbs.....	Mar.-June
Grass, Bermuda.....	25-100 lbs.....	25-100 lbs.....	Mar.-Nov.
Grass, Carpet.....	25-100 lbs.....	25-100 lbs.....	Oct.-Dec., Mar.-June
Grass, Italian Rye.....	50-200 lbs.....	50-200 lbs.....	Oct.-Mar.
Grass, Bahia .....	15-20 lbs.....	15-20 lbs.....	Any Time
Grass, Dallis.....	10-20 lbs.....	10-20 lbs.....	Mar.-Aug.
Grass Sudan.....	10-20 lbs.....	10-20 lbs.....	Sept.-Jan.

Crop	Weight Per Bu.	Seed Per Acre	Time to Plant
Hegari (Sorghum).....	50 lbs.....	10 lbs.....	Mar.-Aug.
Millet, Cattail or Pearl.....	50 lbs.....	8-10 lbs.....	Mar.-Sept.
Millet, Golden.....	50 lbs.....	50 lbs.....	Mar.-Sept.
Lupine, Blue .....	50 lbs.....	50 lbs.....	Sept.-Jan.
Oats .....	32 lbs.....	40 lbs.....	Oct.-Jan.
Peas, Cowpeas.....	60 lbs.....	60 lbs.....	Mar.-Sept.
Peanuts, Dixie Runner.....	25 lbs.....	25 lbs.....	Mar.-July
Peanuts, Spanish Improved.....	25 lbs.....	25 lbs.....	Mar.-July
Peanuts, Valencia.....	22 lbs.....	22 lbs.....	Mar.-July
Rape .....	4-8 lbs.....	4-8 lbs.....	Sept.-Mar.
Rice .....	44 lbs.....	22 lbs.....	Mar.-July
Rye .....	56 lbs.....	14-56 lbs.....	Sept.-Jan.
Sesbania .....	30-40 lbs.....	30-40 lbs.....	May-Aug.
Shallu (Egyptian Wheat).....	50 lbs.....	8-10 lbs.....	Mar.-Aug.
Sorghum .....	50 lbs.....	5-50 lbs.....	Mar.-Aug.
Sunflower .....	6 lbs.....	6 lbs.....	Mar.-Sept.

Due to present uncertain conditions, all prices quoted are subject to change without notice.

### ALYCE CLOVER

Sow 10 to 15 pounds per acre.

Used as a cover crop, soil builder, for hay, and as a pasture plant. It has shown great promise especially in Central and North Central Florida. Experimental data shows that the best time for planting Alyce clover in Florida is during spring, preferably April, May and June. It must be planted on well-drained soil. This plant cannot survive on water-logged soils. Soil should be free of contamination with rootknot. Seed should be planted on well prepared ground and covered very lightly, from ¼ to 1 inch; deeper plantings result in failure. Pack the soil after seeding, if possible. The crop is similar to alfalfa in chemical composition and in nutritive value. It makes a palatable hay. Cut for hay when it begins to flower. It is a good soil builder, and does well on most types of soil. The most economical fertilizer application is 200 to 400 pounds per acre of 0-16-16 mixture. Lime soil and inoculate seed with Nitragin before planting. (See page 50).

1 lb. 40c, postpaid.

Write for prices on larger quantities.

### BEGGARWEED (Florida Clover)

Sow 10 pounds per acre.

Perfectly adapted to Florida sandy soil, and makes one of the finest pastures. A splendid quality of most nutritious hay.

Where the land is once well seeded with Beggarweed, you do not have to plant it any more, as it will come up year after year. If cut for hay at the time the first flowers appear, the roots will send up a second crop which may be saved for seed and from which enough seed will scatter to insure a crop for next season.

The seed may also be scattered in the corn rows at the time of the last cultivation. For the best quality of hay, the crop should be cut when 3 to 4 feet high, or at the beginning of the blooming period. Plant the seed from April to August, at the rate of 10 pounds per acre. Cover seed lightly, as it is small, and if put in the ground too deep it cannot germinate. Inoculate seed with Nitragin. (See page 50.)

1 lb. 75c, postpaid.

Write for prices on larger quantities.



BEGGARWEED (Florida Clover)

### BENE (SESAME)

Sow 3 to 5 pounds per acre drilled.

A tall growing annual herb, grows 3 to 5 feet, producing flowers followed by seed pods, which shatter the oily seeds in great profusion. These seeds are relished by poultry and a great use at present is a crop to attract and feed wild birds, especially quail and partridge. This is one of the best plants that can be grown for poultry feed. Plant from March to July, drilling seed thinly in rows three to four feet apart. Cultivate the same as corn. Bene matures in about four weeks and seeds will continue to develop for about three months after it begins to ripen. Bene will do well on any soil suitable for corn. We have only the native giant or tall variety.

¼ lb. 20c; 1 lb. 50c, postpaid.

Write for prices on larger quantities.



A Field of Chufas

### CHUFAS

Plant 1 to 1½ pecks (10 to 15 lbs.) per acre.

A bushel weighs 40 pounds.

(90 days.) This is a species of ground nut, easily grown, and a wonderful hog fattening crop. Plant from April to August. Cultivation is the same as for bunch peanuts. Can be left in the ground until time to turn the hogs in, the hogs doing the harvesting. Make rows 2½ to 3 feet apart, dropping 3 to 5 Chufas together, 15 to 18 inches apart in the row, and covering about two inches. Especially suitable for light sandy and loamy soils.

1 lb. 40c; 2 lbs. 75c, postpaid.

Write for prices on larger quantities.



# FIELD SEED

All prices quoted are subject to change without notice.

## COWPEAS

### COWPEAS

Sow 1 to 1½ bushels per acre broadcast with field varieties. A bushel weighs 60 lbs.

Sow 20 to 45 lbs. per acre in drills with table varieties.

In the garden, make four plantings at different times.

Plant ½ to ¾ lbs. to 150 feet at each planting for a family of 3 or 4 people.



California Blackeye Cowpeas

Cowpeas may be sown any time from March to September. Field varieties are always sown broadcast. Table varieties are always sown in drills three to four feet apart. The amount of seed per acre required depends upon the size of seed, which varies with varieties. Large seeded varieties like Blue Goose, Dixie Queen Purple Hull, California Blackeye, Sugar Crowder and the Ramshorns should be planted at the rate of from 30 to 45 lbs. per acre, small seeded varieties like the Conchs—about 20 to 25 lbs. per acre. Inoculate seed with Nitrugin. (See page 50.) It is very important to treat Cowpea seed, especially Blackeyes, with Spergon at the rate of 2 oz. per bushel when planted before the ground gets warm in spring. (See pages 50 and 58.)

### Field Varieties of Cowpeas

*Due to the unstable condition of the market, we were unable to make price quotations on field varieties of Cowpeas when this catalog went to press.*

Write for prices, indicating variety and quantity desired.

**Brabham.** The Brabham Cowpea is absolutely immune from wilt and root-knot which attack some other varieties, makes fine, vigorous growth of vines, is early, and, where planted in March, April, or May, good cuttings of hay can be made. Also a very good soil builder.

**Whippoorwill.** Very early, prolific, makes good growth of vines, and is a good variety for general purposes.

**Mixed.** The advantage claimed for sowing Mixed Cowpeas is that they produce an exceedingly heavy growth of vines for forage or soil improvement.

### Table Varieties of Cowpeas

**Improved Bush Conch.** (70 days.) This variety of Conch peas is very early. The peas grow in what might be classified as a bunch type, the stocky, vigorous, upright growing plants making a bush about 24 inches tall. Some short runners or tendrils may develop which is characteristic of most table peas, however, the amount of runner growth is dependent largely upon the amount of moisture available. Pods are oval, medium green, straight, and closely filled with light green, tender peas. Seeds are small, smooth, ivory white.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

**California Blackeye No. 5 (new).** (75 days.) This strain most closely resembles the old California Blackeye in its small, erect, early maturing vines and quality of seed. It is resistant to nematodes (root knot) and cowpea wilt. Very early and very prolific. Length of pod is 10 to 12 inches. Our seed of this variety is California State Certified or "Calaproved," which means it is at least 98 per cent pure and free of noxious weed seeds and mixture, and of high germination.

### Crop failure.

No seed available until fall 1947.

**Two Crop Running Conch.** (80 days.) This variety makes a long spreading vine, matures relatively early for a running variety, and has an exceedingly long bearing period, bearing an immense crop, from which it gets the name of Two Crop. It does well for late planting, and makes a good, late summer crop.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

**Brown or Sugar Crowder.** (85 days.) An early, edible podded variety, used also for green shelled peas and for dried peas. Plant dark green, thick stemmed and branching. The large pods are round, plump, blunt, medium green, filled with brownish peas, crowded tightly together. Seeds smooth, buff-brown with darker colored brown eye. Used also as a forage crop and for soil improvement. Our special strain of this variety has been especially selected for broader, flatter, thicker pods which do not fit too tightly around the seeds and shell out easier than the regular narrow type pods.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

**Thin Shelled Purple Hull (Dixie Queen).** (80 days.) Vines make a very vigorous branching growth, and do best when planted in three foot rows. Very productive. Pods ripen to a deep purple color, are very large, long, slightly curved, well filled with large seeds of high edible quality.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

**Blue Goose.** (75 days.) This is an early Pea. A fine table Pea as well as a soil-improver and stock Pea. Pods are long, and the seed is very large.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

**Alabama Crowder.** (80 days.) A very early, prolific edible pea. The very vigorous bush is of the semi-runner type. The large, straight pods average about 8 to 9 inches in length and are of very attractive appearance, which has created a demand on the market for this variety, it selling for higher prices than other Crowder peas. A sure cropper, and is very well adapted to Florida growing conditions.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

(Continued on next page)



# FIELD SEED

All prices quoted are subject to change without notice.

## COWPEAS (Continued)

**Early Wilt-Resistant Ramshorn Blackeyes.** (68 days.) Extremely prolific. It makes a tremendous number of long pods on an upright vine. It is uniform in size, growth and maturity. They have a very delicious flavor.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.

**Giant Wilt-Resistant Ramshorn Blackeyes.** (75 days.) A vigorous heavy yielding pea. About 10 days later than the Early Wilt-Resistant Ramshorn Blackeyes. The peas are much larger than the regular Blackeyes and can be used for both green and dried peas.

¼ lb. 15c; 1 lb. 35c; 2 lbs. 60c, postpaid.

Write for prices on larger quantities.



Brown or Sugar Crowder Cowpeas

## CHICKEN CORN (Shallu or Egyptian Wheat)

Sow 8 to 10 pounds per acre.

This is a sorghum with extra large, loose, bushy heads, covered thickly with small grains. If left standing, the grains drop off in a scattering manner, and the chickens gather them. If grown on a large scale, the large, well filled heads can be cut at maturity and fed to the poultry as desired. It is best to sow the seed thinly in three to four foot rows, leaving two to three plants to every three feet of row. If planted in small batches it is best to plant near the chicken houses so chickens can feed on the seeds as they fall. Chicken Corn, with ease of growth, resistance to most foliage diseases, a sure cropper and heavy yielder, will go a long way towards solving the poultry feed problem. The cheapest and best chicken feed you can grow. Plant from March to August. It is used successfully in some sections as a green manure crop. It is not a legume. For a green manure crop plant 25 to 30 lbs. per acre.

1 lb. 25c, postpaid.

Write for prices on larger quantities.



*Crotalaria Spectabilis*

*Valuable for Adding Organic Matter and Nitrogen to the Soil*

## CROTALARIA

Sow 10 to 20 pounds per acre.

Crotalaria is particularly desirable as a cover-crop for groves, truck and farm-lands, and does well on all kinds of soil except muck. It is a legume, thus adding a large amount of nitrogen to the soil. It is especially valuable because it is immune to nematodes causing root knot disease. It makes a very profuse growth, furnishing an abundance of green material for humus.

Crotalaria should be sown broadcast from March to June, on well-prepared land, at the rate of 10 to 20 pounds of Spectabilis seed per acre, depending on how thick the coverage is desired, and harrowed lightly.

It is desirable to inoculate Crotalaria seed with Nitragin before planting. By so doing you will not only have the assurance of a surer stand, but a better crop, and the succeeding crop will have the benefit of a larger amount of nitrogen stored in the Crotalaria roots. (See page 50.)

**Crotalaria Spectabilis.** This vigorous growing, long-leaved variety is not as fibrous as others, the growth is much heavier, and the stems are hollow. As a result, it can be plowed under easier and it rots much quicker. The seed matures early and uniformly, making it a sure and heavy seeder. Spectabilis does well on high ground, but is best adapted to the better grades of sandy soils. Leaves, stems and seed of this Crotalaria plant, green or dry, are poisonous to poultry and livestock.

1 lb. 35c, postpaid.

Write for prices on larger quantities.

HEGARI (Hy-gear)—See Sorghum, page 46

## BITTER BLUE LUPINE (new).

Sow 50 pounds per acre broadcast.

This winter legume is adapted to north and central Florida where it is gaining in popularity as an ideal soil builder. As much as 50,000 lbs. of green weight has been produced to the acre. It is not affected by cold and makes an ideal winter cover crop. Plant from late September to January in well prepared soil, and cover with a plank drag. Corn yields following Blue Lupine have been increased 100 to 200%.

1 lb. 25c postpaid

Not prepaid, 10 lbs. \$1.30; 25 lbs. \$2.75; 100 lbs \$10.00



# FIELD SEED

All prices quoted are subject to change without notice.



Florida 167 Oats

## OATS

Sow 5 pecks (40 lbs.) per acre in drills; broadcast 2 to 2½ bu. per acre.

A bushel weighs 32 pounds.

Plant in drills 1½ feet apart and cover seed 2 to 3 inches deep. If the seed is broadcast, use tooth harrow. The best time to plant oats in Florida is October and November, but can be planted to January. Land should receive 200 to 300 lbs. per acre of complete fertilizer, such as 3-8-5 at planting.

**Florida 167 (new).** (115 days.) Originated and developed by the Florida Agricultural Experiment Station from a cross of Fulghum with Bond, which was introduced from Australia by the U. S. D. A. in 1929, for early maturity and rust resistance. The grains are plump, heavy and of high feeding value. Makes stiff, storm resistant straw. An outstandingly profitable, high yielding, early grain oat for the light sandy soils of central and south Florida, where spring droughts are common. It matures before spring droughts become too severe on such lands. In the Gainesville, Fla., section this oat has done exceptionally well in producing a high yield, when other varieties in adjoining plots have failed. As a result of years of breeding and selection this oat is remarkably uniform in type.

1 lb. 25c; 2 lbs. 45c; postpaid.

Not prepaid, 8 lbs. (pk.) 85c; 32 lbs. (bu.) \$3.00

**Florilee.** (130 days.) This variety, developed at the North Florida Experiment Station, is a red oat, highly resistant to rust and immune to smut, and has very full, plump, heavy kernels. It is rather late in maturity, which is a serious disadvantage as a grain crop on sandy land, due to spring drought cutting the grain yield in central and south Florida, where, because of its leafy early growth it is principally used as a winter grazing oat.

1 lb. 20c; 2 lbs. 35c; postpaid.

Not prepaid, 8 lbs. (pk.) 70c; 32 lbs. (bu.) \$2.40

**Quincy No. 1** (130 days.) Sold out. No seed available until fall 1947.

## CATTAIL OR PEARL MILLET

Sow 8 to 10 pounds per acre.

This is one of the best yielders of green forage and hay, and continues to grow and produce through the entire season if cut frequently enough for hay to prevent its going to seed. A tropical plant making an enormous growth. Relished by all kinds of stock, and they eat it greedily. No plant will go further towards solving the forage problem in Florida. Plant in early spring as soon as frost danger is past in March, and can be planted from then on until September 1. Sow thinly in rows three feet apart.

1 lb. 25c, postpaid.

Write for prices on larger quantities.

## GOLDEN MILLET (Formerly called German Millet)

Sow 1 bushel (50 lbs.) per acre.

Golden Millet is an important hay crop, relished by horses and cattle. Seed thickly, not less than one bushel per acre. For an early hay crop plant in March and April. For a second crop plant in July and August. It matures in from six to eight weeks after seeding. Cut while in bloom, before the seed hardens in the head, because after that the hay quality decreases. For a large yielding, nutritious, quick growing hay crop there is nothing better than Golden Millet.

1 lb. 25c, postpaid.

Write for prices on larger quantities.

## PEANUTS

Plant 1 bushel per acre.

A bushel weighs 25 lbs., except Valencia 22 lbs. per bu. In addition to the crop of nuts for hogs, peanuts yield a large quantity of nutritious dry forage. Florida Runner Peanuts are by far the best when grown to fatten hogs, as they can be left in the ground until eaten.

It is better to shell the seed that is to be planted. If planted in corn, a bushel will plant 4 acres, but where planted solid it requires a bushel of seed per acre, in 3-foot rows, dropping seeds in hills a foot apart. Plant from March to July. For best results inoculate peanuts with Nitragin. (See page 50.)

**Valencia.** (100 days.) This variety is adapted for growing in light sandy soils. It fills the demand for a peanut that is large and contains more nuts than the common varieties. Pods are large, well-filled, usually containing 3 or 4 nuts.

1 lb. 40c, postpaid.

Write for prices on larger quantities.

**Improved Spanish.** (95 days.) This variety can be planted closer than others, is more easily cultivated and gathered because the nuts cling firmly to the roots. Not as large as some other kinds, but the nuts entirely fill the pod and are very sweet and delicious in flavor. Very easily cured.

1 lb. 35c, postpaid.

Write for prices on larger quantities.

(Continued on Next Page)



# FIELD SEED

All prices quoted are subject to change without notice.

## PEANUTS (Continued)



**Dixie Runner Peanuts**

**Dixie Runner (new).** (120 days.) A new variety developed by the Florida Agricultural Experiment Station after eleven years of work, yielding much better and of higher quality than commonly grown Florida Runner. This new variety produces high yields like Spanish peanuts, in four years' tests averaging 53 per cent higher yields than the Florida Runner, and yet remains dormant after maturity like the regular Runners, thus being especially suited to "hogging off." Hog raisers have long wanted a variety of this type. It is a vigorous grower with more prostrate branches, and therefore is more apt to fill the spaces left by skips in the stand. Kernels are very much like the standard Florida Runner in size, shape, markings, and color. The pods are somewhat lighter and brighter in color, shorter, thicker at the waist and more cylindrical in shape. In addition to high yield and dormancy characters, this variety possesses a most valuable quality for shellers, it showing less than 1 per cent of concealed damage, or decay of the interior of the kernels, which is a serious disadvantage of some varieties going to the shelling plants, which average as high as 20 per cent concealed damage.

**1 lb. 35c, postpaid.**

**Write for prices on larger quantities.**

## DWARF ESSEX RAPE

**Sow 4 pounds in drills or 8 to 10 pounds broadcast per acre.**

For early Spring, Fall or Winter planting for quick green forage or grazing for hogs and poultry, there is nothing equal to Dwarf Essex Rape. While mostly planted in Fall and early winter, it may be planted in early Spring, but it will not stand much warm weather. It makes a quick succulent growth. It may be used as a substitute for turnip greens. It can be planted in rows like turnips, or broadcast covering by a light harrowing. It is ready for grazing in eight to ten weeks after planting. After cutting, or grazing, it keeps coming out again. Rape can be sown with fine results any month from September to March. It is a splendid green feed and forage crop relished by all kinds of stock and is relished especially by milk cows and increases the production of milk.

**¼ lb. 15c; 1 lb. 35c, postpaid.**

**Not prepaid, 10 lbs. \$2.75; 25 lbs. \$6.50; 100 lbs. \$25.00**

## RYE

**Sow 2 pecks in drills; broadcast 1 bushel per acre.**

**A bushel weighs 56 pounds.**

*Rye is perhaps the most valuable and leading fall and winter forage crop for Florida. Absolutely dependable and will yield an enormous amount of grazing throughout the fall and winter seasons. Relished by live stock and poultry.*

Rye can be planted from September to January but October, November, and December are the best months in which to plant. Fertilization is the same as for oats. (See page 44.) If you wish to cut and feed green instead of grazing it, plant in drills, 3 feet apart, using two pecks of seed per acre, but where planted broadcast, for pasture, it will take 1 bushel to seed an acre. Florida Black and Abruzzi are the best varieties of Rye for pasture plantings in Florida.

**Florida Black.** A standard upright, tall-growing variety and a type that always gives satisfactory results in Florida. Florida Black and Abruzzi are tall, upright growing varieties and both are ready for grazing in about 7 weeks.

**No seed available until September, 1947.**

**Abruzzi.** Best tall-growing variety, producing a heavier tonnage of green feed and grain than any other type. Tall and upright, early and heavy yielder.

**1 lb. 25c; 2 lbs. 45c, postpaid.**

**Not prepaid, 14 lbs. (pk.) \$1.25; 56 lbs. (bu.) \$4.50**



**Abruzzi Rye**

## RICE

**Sow ½ bushel (22 lbs.) per acre.**

Rice makes fine feed for both stock and poultry. Prepare the ground thoroughly and drill ½ bushel per acre in 2½-foot rows and cultivate a few times. Should be planted in March or April in order that it may mature at a time to miss the rice-bird season. If planted in June and July it will also miss the bird season.

**Gopher.** This is a very popular variety for Florida, and is generally known as Upland Rice. Grains heavy, broad, and flat.

**1 lb. 25c; 2 lbs. 45c, postpaid.**

**Not prepaid, 11 lbs. (pk.) \$1.40; 44 lbs. (bu.) \$5.00**

**Pearl (White).** This variety is used very extensively in Florida. It produces a heavier, taller, more vigorous stalk with heavier heads than other varieties of this type. Does not shatter as badly as other varieties. Produces long, slender grains. Best adapted for low wet land.

**1 lb. 25c; 2 lbs. 45c, postpaid.**

**Not prepaid, 11 lbs. (pk.) \$1.40; 44 lbs. (bu.) \$5.00**



# FIELD SEED

All prices quoted are subject to change without notice.



**Sorghum—Texas Seeded Ribbon Cane**

## SORGHUM

**Amount of seed needed per acre depends upon the purpose for which planted as indicated below.**  
**Sow 5 pounds to 1 bushel (50 lbs.) per acre.**

The uses of Sorghum are many, such as grain, green feed, hay, pasturage, silage, syrup, etc.

It is a common practice to sow Sorghum and cowpeas together for hay and pasturage purposes, which is excellent for either. Where sown together use about  $\frac{1}{2}$  bushel Sorghum and 1 bushel of cowpeas per acre, sown broadcast. Planted in drills alone in 3-foot rows use 1 peck per acre; where planted for making syrup, use only 5 pounds of seed; or where sown broadcast for forage use 1 bushel of seed per acre, Hegari for grain 10 lbs. per acre. Plant from March to August.

**Early Amber.** (For Forage.) (65 days.) This is the earliest and by far the most popular of all varieties. Grown almost exclusively for a forage crop, either alone or broadcast with peas. Not good for syrup.

**1 lb. 25c, postpaid.**

**Write for prices on larger quantities.**

**Texas Seeded Ribbon Cane.** (For Syrup.) This is the standard cane for syrup making in Florida. The stalks are ten to twelve feet tall, and contain an abundance of juice and also produce plenty of leaves for fodder. Not only valuable for syrup making, but will make a large amount of forage and green feed for livestock.

**1 lb. 25c, postpaid.**

**Write for prices on larger quantities.**

**Hegari (Hy-gear).** (For grain and forage.) (100 days.) This crop, which is quite similar to Kaffir corn, has become very popular in the southeast because of its quick growth and enormous yield of grain, sometimes running over a ton to the acre. In addition, it makes better forage and silage than Kaffir. Unlike Kaffir, the stalks are very sweet and juicy. Makes dwarf growth (two feet) with large heads of white grains which do not shatter. Stands dry weather exceptionally well. Sow ten pounds per acre for grain, one bushel (50 lbs.) per acre broadcast for forage.

**1 lb. 25c, postpaid.**

**Write for prices on larger quantities.**

**Shallu or Egyptian Wheat.** See "Chicken Corn"—page 43. *A Good Soil Improving Crop and Also Good for Forage.*

## SESBANIA

**Sow 30 to 40 pounds per acre.**

Sesbania is a most valuable summer cover crop to grow on land that is more or less covered with water. Unlike other cover crops, Sesbania will grow in water, and will grow ideally well in the hot weather of midsummer on low, wet land. Sesbania is valuable not only as a green manure cover crop, but also as a means of killing out Bermuda Grass, nut grass and other weeds. Because of the fact that Sesbania grows so rapidly, and makes such a heavy dense growth quickly, it smothers out all weed growth. In addition to all this, it being a leguminous crop, forming nodules on the roots, it fixes atmospheric nitrogen. For best results use Nitragin. (See page 50.)

We recommend scarified Sesbania seed for quicker and higher germination. It is generally recommended to plant seed broadcast at the rate of thirty to forty pounds per acre, even a little heavier if weeds are bad. It is usually planted in late May, June and July, and a dense tall growth is obtained in about two months, at which time, just before blooming, the crop may be plowed under with a disk plow, and the stalks will rot or decay rapidly.

**1 lb. 35c, postpaid.**

**Write for prices on larger quantities.**

## SUNFLOWER

**Sow 6 pounds per acre.**

**Mammoth Russian.** The Mammoth Russian makes three to four times as much seed as ordinary varieties. It is also used extensively as a windbreak for beans. Plant from March to September. Plant seed in drills three feet apart, and hills one foot apart in the drill, thinning out to one stalk in the hill when four to six inches high.

**1 lb. 35c; postpaid.**

**Not prepaid, 10 lbs. \$2.80; 25 lbs. \$6.50; 100 lbs. \$25.00**

## VELVET BEANS

**Sow 2 pecks (30 lbs.) per acre.**

Velvet Beans are good for groves and truck lands in building up the humus; good pasturage for cattle and hogs; and fine land renovators. They are specially valuable because they are resistant or practically immune to nematodes causing root knot disease. Plant from March to August. Use Nitragin.

**Osceola.** (140 days.) A splendid producer of both seed and vine. This is one of the most popular varieties for Florida.

**90-Day.** (90 to 100 days.) This variety makes a very luxuriant growth and an abundant amount of foliage for pasturage and soil improvement. It matures quicker than other varieties.

**Write for prices on Velvet Beans, indicating variety and quantity desired.**



**Velvet Beans**



# STRAWBERRY PLANTS

All prices quoted are subject to change without notice.

We supply Maryland, Delaware and Arkansas grown strawberry stock plants direct from nurseries in those states. These northern grown stock plants are set out in multiplication beds in Florida from January through March. The young plants are usually set in the permanent field from September through November or early December, depending on weather conditions. The northern grown plants are usually available about November 1st and when Florida grown plants are not available are used by commercial growers for November setting and are also used to a great extent for home gardens. Care should be exercised never to allow the roots to dry out.

Strawberry plants may be planted in rows three feet apart for single rows, or 4 to 5 feet apart for double rows, allowing 16 inches between double rows on each bed. Allow 12 to 14 inches between plants in the row.

In setting strawberry plants, holes should be made deep enough to set the roots straight. Plants should be set so that

the surface soil comes just to the crown. Soil should be well firmed around the roots, and during dry weather each plant should be watered daily for several days after setting, preferably in the late afternoon.

If the land to be set to berries is very sour or acid, apply 500 lbs. lime or 1200 lbs. hardwood ashes per acre before setting plants (see page 61. For control of insects see pages 52 and 54. After the plants are well established, 3 or 4 successive applications of high grade commercial fertilizer (4-7-5) should be given the plants at about monthly intervals, being sure to make one heavy application of 3-8-8 when the plants begin to set fruit.

	100 plants	250 plants	500 plants	1000 plants
	Postpaid	Postpaid	F.O.B. Nursery	F.O.B. Nursery
Maryland plants	\$1.75	\$2.85	\$4.25	\$7.50
Delaware plants	1.75	3.25	3.50	6.50
Arkansas plants	1.50	3.00	3.50	6.50

## ROSE BUSHES

Plant any time after October 1 to the end of March.

### Planting and Care of Rose Bushes

Locate the rose garden in a well drained spot where it receives at least five hours of sunlight each day, and avoid the vicinity of trees and large shrubs. Plant bushes 2 to 3 feet apart each way. When planting, prune the bushes back to about 10". Dig holes sufficiently deep and wide to permit roots of plants to be set in natural position and not doubled up. Put two to three pounds of Wizard Brand Sheep manure in each hole and mix well with a half pound of 3-8-5 fertilizer. Then pour in a liberal supply of water, set bush, press the soil tightly around the roots, leaving no air spaces. Do not set plant any deeper than it originally grew, as indicated by soil mark on stem. All the first buds should be pulled off so as to increase the vigor and growth of the plant. Roses need lots of water, and should be fertilized every six to eight weeks with Vigoro or a 3-8-5 fertilizer mixture, using about one-half pound per plant, and an occasional application of sheep manure will help. During the summer, mulch with leaves, decomposed lawn clippings, rotted stable or cow manure. Spray or dust thoroughly with Nicotine Pyrox, or Kryocide-Copotox Dust (see page 53) at least once every week or as soon as diseases or insects appear. On sweet soils, spray with manganese sulphate (see page 58).

We carry a large assortment of different colors and varieties, acclimated and adapted especially to Florida growing conditions. Our rose bushes are Texas grown and are budded on Rosa Multiflora.

All orders will be shipped direct from the nursery.

It requires from 12 to 15 days after receipt of order to get the rose bushes to you from the nursery.

Extra strong, No. 1 grade bushes, any variety—bloom approximately 2 months after setting out.

Postpaid to any point in Florida.

1	2	3	5	10	25	50	100
75c	\$1.50	\$2.25	\$3.75	\$7.50	\$17.25	\$31.25	\$62.50

### VARIETIES OF BUSH ROSES

- RED—**  
Red Radiance, Etoile de Holland, Rouge Mallern, E. G. Hill, Ami Quinard.
- PINK—**  
Pink Radiance, Editor McFarland, Columbia, Mrs. Charles Bell (Shell-Pink Radiance).
- WHITE—**  
White Radiance, Kaiserin Augusta Victoria, White American Beauty.
- YELLOW—**  
Golden Dawn, Luxembourg, Golden Ophelia.
- TWO-TONE—**  
Talisman—Rich scarlet and gold to deep rose and pale yellow. President Hoover—Cerulean pink, flame scarlet and yellow.
- CLIMBING—**  
Talisman—Like bush type. Paul's Scarlet—Vivid scarlet. Chaplin Pink—Clear brilliant pink. Frau Karl Druschki—White, large flowers. Marechal Neil—Yellow.

## THE KILGORE SEED COMPANY

General Offices and Mail Order Dept.

PLANT CITY, FLORIDA

THIRTEEN KILGORE SEED STORES SERVING FLORIDA

A Florida Institution Maintained for Service to Florida Growers

With over 35 years experience specializing in vegetable, flower and field crop seeds and growers' supplies for Florida, and with thirteen Kilgore seed stores located as shown on map, we are best qualified to serve Florida growers.

"Everything for the Florida Grower" is a Kilgore motto. A full line of seeds, insecticides, fungicides, sprays, dusts, spraying and dusting equipment, fertilizers, cans and canning equipment as well as poultry and bee-keepers' supplies, are always carried in stock in Kilgore's Plant City warehouses and thirteen Florida stores.

High quality with prompt and efficient service at reasonable prices are foundation stones on which this pioneer Florida seed company has been built.

FOR BEST RESULTS PLANT

**KILGORE'S  
BRED-RITE  
SEEDS**

TRADE MARK








Crown o' Gold Marigolds

*Keep Up The  
Home Front  
With Flowers*



Send for your free copy today.



Kilgore's Superb Mixture Petunias

## FLOWER SEEDS FOR FLORIDA

Spread happiness everywhere with lots of flowers

Many Florida people for the first time this season will experience the thrill of an old fashioned flower garden. Florida people should spend more and more of their leisure time at home, and find pleasure, recreation, and enjoyment in the home surroundings. Nothing will contribute more to the enhancement of these objectives than the home flower garden.

All flower seeds priced at 10c per packet. Postpaid.

If larger amounts are desired, write us giving quantity wanted, and we will quote special prices.

We recommend the following varieties for Florida as the result of many years of experimental work and testing under Florida conditions.

- |                              |                              |                              |                               |
|------------------------------|------------------------------|------------------------------|-------------------------------|
| Ageratum or Floss Flower     | Daisy—Shasta, Single and     | Crown o' Gold (Collarette    | Salvia—Bonfire                |
| Purple Perfection, Dwarf     | Semi-Double Giants           | Type), Dwarf Gigantea Pot    | Scabiosa (Mourning Bride)—    |
| Blue Cap Improved            | Daisy—Blue-eyed African      | o' Gold                      | Sunrise Mixture               |
| African Daisy, Arctotis      | Dianthus—Sweet Wivelsfield,  | Morning Glory — Scarlett     | Snapdragon — Rust Resistant   |
| Grandis                      | Medal mixture                | O'Hara (Red), Pearly         | Giant mixture, Finest Half-   |
| Alyssum—White Gem, Violet    | Gaillardia or Blanket Flower | Gates (White), Heavenly      | tall mixture (rust resistant) |
| Queen Improved               | —Lorenziana                  | Blue Improved (Blue)         | Statice—Assorted colors       |
| Aster—Imperial mixture, Cre- | Globe Amaranth—Assorted      | Nasturtium—Double Golden     | Sweet Peas (early-flowering   |
| go assorted colors           | colors                       | Gleam, Double Scarlet        | Spencer) —Mrs. Herbert        |
| Baby's Breath—White          | Gourds (Ornamental)—Small    | Gleam, Double Gleam Hy-      | Hoover, Mars, Shirley Tem-    |
| Balsam—Double Selected       | varieties mixed              | brids, Dwarf Gem mixture     | ple, Hope, Lavanda, Ball's    |
| mixture                      | Helianthus or Ornamental     | Pansy—Engelmann's Giant      | Orange Improved, Rainbow      |
| Bean—Scarlet Runner          | Sunflower—Sunshine mix-      | mixture                      | mixture                       |
| Blue Lace Flower—Heavenly    | ture                         | Petunia—Rosy Morn, Heav-     | Tithonia or Florida Sunflow-  |
| Blue                         | Helichrysum or Strawflower   | enly Blue, Howard Star       | er—Orange-scarlet             |
| Bachelor's Button—Sky Blue,  | —many colors                 | Improved, Elk's Pride,       | Verbena—Master mixture        |
| Dainty mixture               | Hollyhock—Indian Spring      | Flaming Velvet, Balcony      | Vinca or Periwinkle—Pink      |
| Calendula—Campfire Im-       | (annual) — Semi-double—      | White, Superb mixture,       | and White mixed               |
| proved, Sulphur Queen, Ex-   | Rose and pink shades         | Fluffy Ruffles mixture       | Zinnia—Special Crown o'       |
| cellent mixture              | Larkspur — Stock-flowered    | Phlox—Peninsular mixture     | Gold mixture, Fantasy mix-    |
| Calliopsis—Choice Mixture    | mixture, Giant Imperial      | Poppy, California—Gorgeous   | ture, Giants of California    |
| Candytuft—White Hyacinth-    | mixture                      | mixture. (Single flowering)  | special mixture, Pompon or    |
| Flowered, Border Group       | Lupin—Assorted colors        | Portulaca or Sun Plant—Dou-  | Lilliput mixture, Dwarf       |
| Carnation—Charm mixture      | Marigold—Gigantea Sunset     | ble mixed                    | Mexican Hybrid mixture,       |
| Cosmos—Orange Flare and      | Giants mixture, Yellow Su-   | Queen Anne's Lace            | Crimson Monarch, Wonder       |
| Choice mixture               | preme, Dwarf French Dou-     | Rose Bushes—different colors | Rose, Polar Bear, Sunburst    |
| Cynoglossom or Chinese For-  | ble Harmony, Guinea Gold,    | and varieties. (See page 47) | mixture                       |
| get-Me-Not—Sky Blue          |                              |                              |                               |

If interested in flowers write for free copy of "Kilgore's Flower Guide for Florida"



# INSECTICIDES AND FUNGICIDES

This section of the catalog is divided into three parts. The first part contains information of general interest to all truck crop growers. The second portion is designed to aid growers with the identification of insect pests commonly found on principal truck crops grown in Florida. Suggestions for the control of such insects are also included. An attempt has been made to recommend only dusts or sprays, which have definitely proved their worth effectively and economically during the past few years. The third part of the section describes the various insecticides, fungicides, fumigants, spreaders and stickers, vermicides, weed-control materials, etc., which The Kilgore Seed Co. carries in stock, whenever such items are available.

## SANITATION

The practice of sanitation is of such vital importance, that no grower can afford to ignore the subject. Yet, in many cases, serious losses result from a complete neglect of a few simple rules. Diseases will spread readily from sick to healthy plants by various means, depending upon the nature of the disease. Spores of many species of fungi are air or wind borne, while others may be scattered over fields in water, due to rain or irrigation. Insects play an important part in the dissemination of diseases, particularly those of the sucking type, such as aphids, thrips, etc. Certain cultural operations, as pruning, picking, transplanting, etc., are greatly responsible for the scattering of diseases, especially those caused by bacteria and viruses, mosaic being a specific example of the latter.

Considering the methods of dissemination mentioned, it becomes obvious that the source of the disease should be destroyed, if at all possible. Affected plants, as well as dropped, decaying fruit, should be removed from the field and burned. Cultivation should be clean and frequent. Mechanical injury of plants by plowing, spraying or picking operations should be avoided as much as possible. Crop rotation is essential, provided that no other crop affected by the responsible disease is grown for several years. This method often proves cheaper than an attempt to control the disease chemically. As weeds serve as host plants to many insects, which may be carriers of fungi, viruses, etc., the necessity of their eradication certainly becomes evident. Whenever practical, soil moisture should be kept fairly constant. Corrective measures should be adopted where soils are either too acid or too alkaline.

## POISONOUS INSECTICIDES

Great care should be exercised in the handling and storing of poisonous materials commonly used for spraying and dusting. Some of these compounds are not only highly toxic when taken internally, but also dangerous because of their power of skin penetration, by their effect upon the respiratory system due to inhalation of poisonous vapors as well as dust particles.

Poisonous compounds or portions of such compounds contained in mixtures listed or recommended in this catalog are:

**Arsenicals**, such as arsenate of lead, calcium arsenate and paris green are highly poisonous. These materials should be stored in tight containers and plainly labeled and marked "Poison". None of the arsenicals should be inhaled. Open wounds should be protected when working with Paris green or Paris green mixtures, to avoid contamination.

**Fluorine Compounds** vary in toxicity to man and warm-blooded animals. In general, it can be said all fluocides (a) and fluosilicates (b) are extremely poisonous, while some of the fluoaluminates (c) are only mildly so. Examples of these three types of fluorine salts are: (a) sodium fluoride, (b) sodium fluosilicate and barium fluosilicate, and (c) sodium fluoaluminate (cryolites, including natural cryolite bearing the trade name of "Kryocide").

**Nicotine and Its Compounds** are all violent poisons and they should be handled with great caution. Concentrated liquid nicotine solutions are particularly dangerous, when accidentally coming in contact with the skin, the nicotine being readily absorbed through the skin and causing acute illness. Solutions spilled on skin should be immediately washed off with water and clothing that has become wet from nicotine spraying should be removed.


**Copper Compounds**, such as Bordeaux, Copotox, Copper-A Compound, Pyrox and Tri-Basic Copper, are all to be considered poisonous, as they may disturb the function of gastric juices, when taken internally.

**Carbon Disulfide** is not only poisonous but is also highly inflammable. It should be kept away from fire, hot pipes and lighted cigarets and should be stored in tightly closed containers. If inhaled in large amounts, it will produce death. Inhalation of smaller amounts may cause dizziness and nausea.

**Cyanogas (calcium cyanide)**, when coming in contact with air, liberates the deadly hydrocyanic acid gas. The use of the gas outside in the open air is a relatively safe procedure if necessary precautions are taken. However, the fumigation of dwellings and other enclosures should never be undertaken by persons who are not thoroughly familiar with the poisonous nature of the gas.

**DDT.** The latest information available is that DDT is definitely less toxic than Paris green or sodium fluoride. Nevertheless, DDT has toxic properties which require certain precautions in its use. Write for a free copy of "DDT—Facts and Fiction," recently published by The Kilgore Seed Co. Pages 19, 20, 41, 46 and 47 of this booklet contain cautions which should be observed when handling the various types of compositions containing DDT.

### Effect of Treatment of Soil with D-D Mixture on Growth of Bean Roots



Untreated

Treated

**D-D. (A chlorinated hydrocarbon).** Every chlorinated hydrocarbon is toxic to human beings in some degree, and unnecessary exposure to any compounds of this class is undesirable. The vapors of D-D, while not very irritating, have sufficient odor to give warning of their presence, and breathing of noticeable concentrations should be avoided. The product is toxic if absorbed into the blood stream. It also may cause severe inflammation if allowed to remain in contact with the skin. Experience shows that prompt washing reduces its effect. Petroleum ether or soap and water are most effective in removing the material from the skin, but even washing with water alone is beneficial. Immediate washing is essential and large amounts of water should be used, particularly if soap is not available. Under no circumstances should the risk be taken of getting D-D into the eyes or mouth. No attempt should ever be made to siphon it by mouth suction as swallowing the material may have the most serious consequences. If the liquid is swallowed, a practical first-aid measure is to drink soapy water in sufficient quantity to produce vomiting. Clothing on which D-D has been spilled must be thoroughly cleaned before being worn again. It is tenaciously retained by leather and rubber, and gloves and shoes which have been wet with the material should not be reworn so long as the odor of the product is noticeable.



## RESIDUES FROM POISONOUS INSECTICIDES ON PLANTS

U. S. D. A. Miscellaneous Publication No. 526 entitled "Insecticides and Equipment for Controlling Insects" adequately treats the poisonous residue problem as follows:

Residues of insecticides on the harvested product may endanger the consumer's well-being and must be guarded against. The recommendations that follow are given as a guide in avoiding such risks.

Insecticidal residues cannot be removed satisfactorily from cabbage, lettuce, celery, spinach, cauliflower, turnip greens, kale, broccoli, or other greens by a superficial washing of the head or leaves. Such a washing may remove the residues from the outside smooth surfaces of the leaves or fruit, but the innermost parts among the folds or ribs will not be affected materially.

**Cabbage.** Such materials as paris green, cryolite, D.D.T., and calcium arsenate should not be applied to any portion of the cabbage plant that is to be marketed. This means that cabbage intended for marketing as U. S. Grade No. 1 (which allows four loose outer leaves) should not be sprayed with these materials after the head has begun to form. If the marketed product is to bear a greater number of loose outer leaves than those allowed in U. S. Grade No. 1, these materials should not be used after the plants have been thinned or transplanted. If all the outer leaves of headed cabbage have been removed, the remainder should be free of harmful residues.

**Celery.** Arsenicals and fluorine compounds and D.D.T., are not recommended for use on celery because of harmful residue.

**Tomatoes.** Residues may occur on tomatoes treated with calcium arsenate, cryolite, or D.D.T., but the washing process in the canneries and wiping the fruit for market with a cloth will practically eliminate these residues.

**Beans.** For green and snap beans, sprays or dusts containing cryolite, arsenicals, or D.D.T. should not be applied after the pods have begun to form. If treatment is made after this period of growth, two or three washings of the harvested beans in water should remove any harmful residues.

**Peppers.** All peppers that have been treated with an arsenical (calcium arsenate), cryolite, or D.D.T. must be washed before they are marketed or processed.

## Seed Inoculants

All Prices Quoted Are Postpaid.



When planting a legume feed or cover crop, such as clovers, cowpeas, beggarweed, crotalaria, soy beans and velvet beans, first inoculate the seed with *Nitragin*. This helps the crop to add the maximum amount of valuable Nitrogen plant food material from the air to your soil. A good leguminous cover crop can take 50 to 150 pounds of nitrogen per acre from the air—if inoculated with *Nitragin*. For your soil's sake, inoculate all legume seed with *Nitragin*.

GROUP A—Black Medic	{ 1 bu. 50c; 2½ bu. \$1.00
Clover	
GROUP B—White Dutch and Persian Clovers	{ 1 bu. 50c; 2½ bu. \$1.00
GROUP C—Garden and Sweet Peas	{ 100 lb. 50c; 1200 lb. \$5.70
GROUP D—String and Snap Beans	{ 1 bu. 50c
GROUP E—Peanuts, Cowpeas, Lima and Velvet Beans, Crotalaria, Beggarweed and Alyce Clover	{ Small size 30c; 5 bu. 55c; 25 bu. \$2.50; 30 bu. \$3.25
GROUP L—Lespedeza	{ Large size 50c
GROUP S—Soy Beans	{ Small size 30c; 5 bu. 55c; 25 bu. \$2.50; 30 bu. \$3.25
SPECIAL for Sesbania	{ Small size 30c; 5 bu. 55c; 25 bu. \$2.50; 30 bu. \$3.25
SPECIAL for Lupines	{ 100 lb. size 50c
GARDEN SIZE, for Garden Peas, Sweet Peas, All Beans, Soy Beans and Lupines.	{ Each package will inoculate 8 lbs. seed—10c

## SEED TREATMENT (For Disease Control)

The following recommendations are suggested:

### Treatment for the prevention of Damping Off fungi:

		Oz. per Bu.	Teaspoons per Lb.
Beans, Lima	Spergon	2	1/3
Beans, Snap and Pole	Spergon	2	1/3
Peas, English	Spergon	2	1/3
Cowpeas	Spergon	2	1/3
Sweet Corn	Spergon	1½	1/3
Broccoli	Spergon		1/2
Cantaloupe	Spergon or Semesan		1
Carrot	Spergon		3/4
Celery	Spergon or Semesan		3/4
Cabbage, Cauliflower, etc.	Spergon or Semesan		1/2
Cucumber	Spergon or Semesan		1
Eggplant	Spergon or Semesan		3/4
Escarolle	Spergon or Semesan		1
Lettuce	Spergon		2
Pepper	Spergon or Semesan		1¼
Spinach	Spergon		1¼
Tomato	Spergon or Semesan		1
Watermelon	Spergon or Semesan		1

The seed and seed treatment material should be thoroughly mixed together in a rotary drum mixer until all the seed are uniformly coated with the treatment material. In most cases this will take from three to five minutes at a speed of forty revolutions per minute. Screen off excess dust.

### Bichloride of Mercury (Corrosive sublimate) treatment affecting organisms on surface of seeds:

Cucumbers: Dilute 1:1000, immersing seed for 10 minutes.

Less hardy seeds: Dilute 1:1000, immersing seeds for 5 minutes.

For small quantities of seed dissolve 1 tablet in 1 pint of water.

For larger quantities dissolve 1 oz. of the powder form in 7½ gallons of water. It is advisable to dissolve the powder in a small quantity (a pint or quart) of boiling water first.

Place seed in loosely woven cloth bags (about one half full). Submerge bags in solution and stir with a stick to loosen adhering bubbles. After soaking the proper length of time, remove bags and drain thoroughly. Seed should be washed for 15 minutes in several changes of water. Then spread in thin layers to allow to dry.

Do not prepare solution of Bichloride of Mercury in metal containers. Only glass, earthenware or wooden vessels should be used. In working with the compound, the greatest caution should be exercised, as it is extremely poisonous.

## DILUTION TABLE FOR INSECTICIDES AND FUNGICIDES

Average amounts needed to make spray of

Material	50 gals.	4 gallons	1 gallon
Arsenate of Lead	1½ lbs.	2 oz.	1 tablesp'n
Black Leaf 40	½ pt.	4 teasps'n	1 teasps'n
Ceresan	1 lb.	1 l-3 oz.	2 teasps'n
(Add Dupont Spreader-Sticker)	10 tablesp'ns	2½ teasps'n	½ teasps'n
DDT 50% Wettable (For truck crops)	1¼ lbs.	1½ oz.	2 teasps'n
Fish Oil Soap (as spreader)	1½ lbs.	2 oz.	1 tablesp'n
Garden Volck Spray	2 qts.	5 oz.	2½ tablesp'ns
Kryocide	1½ lbs.	2 oz.	1 tablesp'n
Manganese Sulphate	3 lbs.	4 oz.	2 tablesp'ns
Nicotrol	1 qt.	5 tablesp'ns	4 teasps'n
Oil Emulsion (Fico)	1 gal.	10½ oz.	2½ oz.
Orthex Spreader—			
Adhesive	½ pt.	4 teasps'n	1 teasps'n
Paris Green	1 lb.	1¼ oz.	2 teasps'n
Penetrol	1 qt.	5 tablesp'ns	4 teasps'n
Nicotine Pyrox	13 lbs.	20 oz.	3 tablesp'ns
Red Arrow Insect Spray	1 pt.	2½ tablesp'ns	½ teasps'n
Spergon Wettable	1½ lbs.	2 oz.	1 tablesp'n
Sulfocide	1 qt.	5 tablesp'ns	4 teasps'n
Scalecide	3 l-3 gal.	2 pts.	½ pt.
Triton B-1956	1½ oz.	¾ teasps'n	
Zinc Sulphate	1½ lbs.	2 oz.	1 tablesp'n

Note: One acre requires 75 to 200 gallons of liquid spray, depending upon nature of crop and size of plants.



# Insects of Commercial Importance in Florida— 'Their Identification and Control

Insecticidal dusts or sprays marked \* should be used with caution because of possible residue problems involved. See page 50 for a guide in applying such materials. Bars accompanying each illustration indicate approximate sizes of insects.



Winged Adult



Wingless Adult

**APHID.** The most common species are usually colored green, powdery gray, brown or black. The size of the different species vary, the pea aphid being the largest of the group. Aphids attack all important vegetable crops in Florida.

## DUST RECOMMENDATIONS

For the control of pea aphids:

Rotenone Dust—1%.

For the control of aphids on other crops:

Nicotine Dusts—3 or 4% Activated.

Black Leaf 10—Nicotine Dust..

Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS

For the control of aphids on potatoes:


50% wettable DDT powder—2 pounds per 100 gallons.

For the control of aphids on other crops:

Black Leaf 40—1:400.



Adult



Nymph

**BEAN LEAF HOPPER.** Both adults and nymphs are pale green in color. The adults, when flying, appear to be whitish. In Florida, these insects confine their feeding almost entirely to snap, lima and pole beans.

## DUST RECOMMENDATIONS


Kilcide 3—Sulphur Dust (Contains 3% DDT).\*

Pyrocide Dust No. 5-A.

Pyrocide Dust No. 7½.



Adult



Nymph

**THRIPS.** The adults are usually yellowish, brown or black. Crops frequently attacked include tomatoes, peppers, egg plant, beans, peas, onions, celery, and occasionally all cole crops. In some varieties of beans, their feeding is largely responsible for the premature dropping or shedding of blooms.

## DUST RECOMMENDATIONS


Kilcide 3 Dust (Contains 3% DDT).\*

Black Leaf 10—Nicotine Dust.

Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.\*



Adult



Nymph

**CHINCH BUG.** The body of the adult is black or dark gray. The wings are white and therefore conspicuous. Each wing has a single black spot. There are two forms of adults, one having full-sized wings, while the other has short wings, which do not cover the lower portion of the abdomen. The tiny, newly-hatched nymphs are bright pink, later changing to a dark, dirty red.

## DUST RECOMMENDATIONS

For the control of chinch bugs in lawns:

Saba-Chinch.

Treat infested spots only at the rate of 4 pounds per 100 square feet. Sprinkling or rain following an application will not affect control.



# INSECTS OF COMMERCIAL IMPORTANCE IN FLORIDA— THEIR IDENTIFICATION AND CONTROL (Continued)



Adult

**HARLEQUIN CABBAGE BUG.** These bugs are colored black or dark blue with gaudy red or orange marks. In the northern section of Florida they frequently attack cabbage, mustard, turnips and radish.

## DUST RECOMMENDATIONS

Sabadilla Dust.



Adult

**GREEN PUMPKIN BUG (SOUTHERN STINK BUG).** The adults are light green, while the nymphs are dark bluish with pronounced red markings. In South Florida, particularly in the Homestead area, they occasionally become a major pest on potatoes, tomatoes, some sub-tropical fruits, and tangerines. During the last several years, North Florida truck crop growers also have reported heavy infestations of pumpkin bugs.

## DUST RECOMMENDATIONS

Sabadilla Dust.



Adult



Nymph

**SQUASH BUG.** The adult is dark brown, in some cases finely mottled with lighter brown or gray. The newly-hatched nymphs are reddish but change quickly to green and black, the green gradually changing into gray. Although these bugs can be found in all vine crops, they prefer squash and pumpkin.

## DUST RECOMMENDATIONS

Sabadilla Dust.

Pyrocide Dust No. 7½.



Adult

**LEAF-FOOTED PLANT BUG.** The adults are reddish brown or dark brown. One important species has a narrow transverse band of light yellow or white across the middle of the back. In the Homestead area, these bugs at times are a serious menace to tangerines and other citrus crops.

## DUST RECOMMENDATIONS

Sabadilla Dust.



Adult



Nymph

**FLEA HOPPER.** Both adults and nymphs are black. Flea Hoppers attack most principal truck crops, but in Florida, only celery is affected seriously at times.


## DUST RECOMMENDATIONS

Kilcide 3 Dust (Contains 3% DDT).\*

Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.\*



Adult

**RED SPIDER.** They are usually pale yellowish or greenish, with or without dark spots. Principal truck crops in Florida subject to red spider infestations are eggplant and strawberries. Spotty infestations are occasionally found in bean fields.

## DUST RECOMMENDATIONS

Dusting Sulphur.

Thrip and Mite Dust (for strawberries).

## SPRAY RECOMMENDATIONS

Sulfocide—2 quarts per 100 gallons.



# INSECTS OF COMMERCIAL IMPORTANCE IN FLORIDA— THEIR IDENTIFICATION AND CONTROL (Continued)



Adult



Larva

**CABBAGE LOOPER.** The front wings of the moth are brownish, showing a silvery spot near the middle of each wing, roughly resembling the figure 8. The hind wings are pale brown or bronzy. The larvae are greenish, bearing a conspicuous white line on each side of the caterpillar. When resting or moving, the median part of the body, which is without legs, is usually humped up in the form of a loop, hence the name "cabbage looper." The larvae attack all members of the cabbage family. Occasionally, they are also found on lettuce, beans, peas, spinach, and tomatoes.

## DUST RECOMMENDATIONS

Kilcide 3 Dust (Contains 3% DDT).\*  
Kryocide Dust 30-70.\*  
Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.\*  
Kryocide—4 pounds per 100 gallons.\*

almost completely without hairs. Some species confine their feeding activities within the soil, while others climb up into plants, feeding on foliage and fruit. Practically all truck crops are subjected to cutworm injury.

## DUST RECOMMENDATIONS (Climbing Cutworms)

Kilcide 3 Dust (Contains 3% DDT Dust).\*

## SPRAY RECOMMENDATIONS (Climbing Cutworms)

50% wettable DDT powder—2 pounds per 100 gallons.\*

## POISON BAIT RECOMMENDATIONS

(For Subterranean Cutworms)

Poison Bait No. 4 (Contains Kryocide).\*



Adult



Larva


**STRIPED CUCUMBER BEETLE.** The beetles are yellow with three black stripes, the head being entirely black. The larvae are whitish and resemble slender maggots. The adults feed on all vine crops, especially cucumbers and squash. The larvae confine their feeding to roots and stems. The Spotted and Banded Cucumber Beetles (not illustrated here) are similar in appearance, except for the difference in their markings.

## DUST RECOMMENDATIONS

Kryocide Dust 30-70.\*  
Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS

Kryocide—4 pounds per 100 gallons.\*



Adult




Larva

**IMPORTED CABBAGE WORM.** The wings of the butterflies are white with several small black spots. The tips of the front wings are grayish. The caterpillars, when first hatched, are pale green, later changing to a soft, velvety green. Eggs of the adult females are deposited on all members of the cole crop family. The feeding damage of the larvae is frequently extremely heavy.

For control of the Imported Cabbage Worm see "Cabbage Looper" above.



Adult




Larva

**CUTWORM.** The moths are gray, brown or blackish, more or less mottled. The forewings are usually banded or streaked. The hind wings are nearly white and unmarked. The larvae are dull-colored, usually brownish with faint spots and lines, and



Adult



Larva


**MEXICAN BEAN BEETLE.** The beetles are yellow to coppery brown with eight small black spots on each wing cover. The larvae are yellow, bearing six rows of long branching black-tipped spines. Both the adults and larvae are destructive to bean foliage as well as pods.

## DUST RECOMMENDATIONS


Kryocide-Sulphur Dust 30-70.\*  
Rotenone Dust 1%.



# INSECTS OF COMMERCIAL IMPORTANCE IN FLORIDA— THEIR IDENTIFICATION AND CONTROL (Continued)



**LADY BEETLE.** The adults of some species are red with black spots, some black with red spots, others reddish yellow, and a few are entirely black. All of them have short, club-like antennae (feelers). The larvae are dark-colored, often showing a few spots of yellow or blue on the side of the body. Their shape reminds one of a tiny alligator. With the exception of the Mexican Bean Beetle, the entire family is entirely beneficial to man, as its members (both adults and larvae) feed on small insects, particularly aphids. No attempt should be made to destroy either the beetles or the larvae.




**CELERY LEAF-TIER.** The moths are of a brownish color. The front wings are crossed with dark lines forming a characteristic pattern, as indicated in the drawing. The caterpillars are pale-green, slender and very active. They have a tendency to cover the leaves with a light web, often tying several leaves together. Their feeding is confined to celery.

## DUST RECOMMENDATIONS

Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS


Red Arrow—1:400.



**WIRE WORM.** The hard-shelled beetles are usually brownish or black in color. The beetles are most generally known by the name of snapping beetles, click-beetles, or skipjacks, because of their habit of flipping themselves up in the air several inches when they happen to fall on their backs. When held close to one's ear, a clicking noise is audible. The larvae are

mostly hard, dark-brown, smooth, wire-like worms. While the beetles are relatively unimportant, the larvae of many species attack the roots and stems of grains, corn, cotton, potatoes, sugar beets, celery, and many other crops. As wire worms (those injurious to crops) spend their larval stage in the ground, control in the past has proved difficult.

D-D, a new soil fumigant, can now be used in the control of wire worms. D-D also controls root-knot. (See page 59 for further details).



**SQUASH VINE BORER.** The moth is wasp-like of appearance. It is colored beautifully by having the front wings covered with metallic-shining green and olive-brown scales. The hind wings are transparent. The abdomen is ringed with red, black and copper. The body of the larva is white, the head being brown. Immediately upon hatching, the young larvae bore into the vines of squash and other cucurbits, although certain varieties of squash are very much preferred by them.

Chemical dusts and sprays are not sufficiently satisfactory to warrant the time and cost of application. When a vine is found to be infested, a sharp knife should be used to split the vine lengthwise to remove and destroy the larva. The injured areas of the vines should be covered with moist earth immediately.



**FLEA BEETLE.** The adults are mostly black or steel-blue. When disturbed, they jump away quickly. The larvae are small cylindrical worms of a whitish color. Flea beetles attack various vegetable crops, such as potatoes, eggplant, spinach, cabbage, strawberries, etc. In some species, the larvae confine themselves to root-feeding, while in others they may attack leaves and stems of plants as well by tunneling into them. The injury of the adults consists of tiny, shot-like holes or indentations, creating an opportunity for the entrance of destructive plant diseases. It is therefore extremely important to control this insect.

## DUST RECOMMENDATIONS

Kilcide 3 Dust (Contains 3% DDT).\*

Kryocide Dust 30-70.\*

Pyrocide Dust No. 7½.

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.\*

Kryocide—4 pounds per 100 gallons.\*



# INSECTS OF COMMERCIAL IMPORTANCE IN FLORIDA— THEIR IDENTIFICATION AND CONTROL (Continued)



Adult



Larva

**COLORADO POTATO BEETLE.** The yellow and black striped "potato bug" as well as the soft brick-red and black-spotted humpback larva is too well known to farmers throughout the United States to require any further description.

## DUST RECOMMENDATIONS

Kilcide 3 Dust (Contains 3% DDT).\*

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.



Adult

**PEPPER WEEVIL.** The adult is shining, brownish black in color. Except for the snout, the body is covered with gray or yellowish scale-like hairs. The whitish larvae resemble grubs in appearance. The pepper weevil is most abundant in Manatee and Hillsborough counties, but has also been of some concern to growers in other portions of the State. Complete destruction of heavily infested fields immediately after picking is of the utmost importance.

## DUST RECOMMENDATIONS


Kilcide 3 Dust (Contains 3% DDT).\*

Kryocide Dust 30-70.\*

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.\*

Kryocide—4 pounds per 100 gallons.\*



Adult



Larva

**TOMATO PINWORM.** The moth resembles the clothes moth in color and appearance. When extremely young, the larvae are light-colored, the head being dark brown. Later they develop a dark-colored pattern, ranging from light orange to brownish, gradually darkening to dark gray or purplish black. At this stage, the background becomes greenish or green-blue. The larvae are a serious pest to tomatoes and eggplant in the field as well as in seedbeds.

## DUST RECOMMENDATIONS

Kilcide 3 Dust (Contains 3% DDT).\*

Kryocide Dust 30-70.\*

## SPRAY RECOMMENDATIONS

50% wettable DDT powder—2 pounds per 100 gallons.\*

Kryocide—4 pounds per 100 gallons.\*



Adult



Larva

**CORN EARWORM (TOMATO FRUITWORM).** The moth is colored with shades of cream, or light brown, and with olive-green tints, sometimes with black dots. The larva, when first hatched is creamy white with a black head. The older larvae are variously colored, some being solidly green, cream or yellow. They are usually marked with stripes and dots of two or more colors. The corn earworm prefers corn to other crops, but it is often a very serious pest in tomatoes. When corn is not available, they will readily attack peppers, eggplant and the pods of beans.

## RECOMMENDATIONS (For Corn)

Dusting or spraying for the control of the corn earworm is of very little or no value. The U. S. Department of Agriculture (U. S. Dept. Agr. Bureau Entomology and Plant Quarantine, E-497, Feb. 1940) recommends the use of a solution of pyrethrins in highly refined mineral oil as the most effective method of control. For the treatment of sweet corn in Florida, such solutions should not contain pine oil. The most effective and economical method of applying this solution is by means of a pressure oiler equipped with a long spout and connected to a knapsack tank by an oil resistant hose. The solution should not be applied until the ears have been fertilized, that is, as soon as the silks become wilted but not earlier than the third day after silk exposure. Applications are usually most successful when made between the time when the silks have wilted and the time when their tips have turned brown. Write us for further information regarding this type of material.

## RECOMMENDATIONS (For Tomatoes)

### DUSTS

Kilcide 3 Dust (Contains 3% DDT).\*

Kryocide Dust 30-70.\*

### SPRAYS

50% wettable DDT powder—2 pounds per 100 gallons.\*

Kryocide—4 pounds per 100 gallons.\*



Adult

**MOLE CRICKET.** Every grower is thoroughly familiar with these brown, flat insects. Their greatly enlarged front legs are fitted for burrowing in the soil. In seedbeds and small gardens they are particularly destructive as they feed on roots and destroy young plants while digging their runways.

## RECOMMENDATIONS (For Seedbeds)

Spray or sprinkle seedbeds with a solution consisting of ½ gallon of an emulsion containing 25% DDT and 100 gallons of water. Apply to seedbeds several days before planting at the rate of one gallon to every 10 square feet. Beds should be sprayed both lengthwise and crosswise to insure even distribution.

## RECOMMENDATIONS (For Fields)

Broadcast Poison Bait No. 3-S (Contains sodium-fluosilicate). Caution should be observed to prevent the bait in coming in contact with plants.




# INSECTICIDES AND FUNGICIDES

When ordering insecticides or fungicides, please allow enough extra for postage because all prices quoted are f.o.b. Plant City or any Kilgore store unless otherwise specified. Inquire of your postmaster for proper parcel post rates.

Prices subject to change without notice.


## INSECTICIDES



**ARSENATE LEAD-LIME DUST 30-70.** Recommended for the control of cabbage worms and loopers before plants are heading. 9c per lb.; 25 lbs. \$1.95; 50 lbs. \$2.90; 100 lbs. \$5.80.

**ARSENATE OF LEAD POWDER (BOWKER'S).** Backed by over 40 years' manufacturing experience. A stomach poison of high quality. Uniform particle size. A dependable product used as a spray or as a dust for control of chewing insects. Pound canister 35c; 4-lb. bag 60c.

**ARSENATE OF LEAD-SULPHUR DUST 20-80.** A good dust for the combined control of certain worms and red spider on eggplant. 9c per lb.; 25 lbs. \$2.10; 50 lbs. \$3.25; 100 lbs. \$6.45.



**BLACK LEAF 40.** For the control of aphids, thrips, leaf hoppers, and other soft bodied sucking insects. Useful for all vegetables, citrus and ornamentals. Also valuable painted undiluted on top of poultry roosts. Will control body lice, and effective as a spray against poultry lice. 1 oz. 35c; 5 oz. \$1.05; 1 lb. \$2.40; 2 lbs. \$3.50; 5 lbs. \$6.60; 10 lbs. \$11.65. Prices quoted are prepaid.

**CALCIUM ARSENATE POWDER.** Mostly used on more resistant plants and vegetables such as potatoes, truck crops and cotton. It is used as a dust or as a spray for control of chewing insects. Pound canister 30c; 4 lb. bag 50c; case 12 4-lb. pkgs. \$4.32.

**CALCIUM ARSENATE DUST 25-75 (Contains lime).** A dust ready to use on the more resistant truck crops and cotton for the control of chewing insects. 7c per lb.; 25 lbs. \$1.50; 50 lbs. \$2.05; 100 lbs. \$4.05.

**EVER GREEN GARDEN SPRAY.** Ever Green kills both the chewing and sucking insects. Can be used with other insecticides and fungicides. 1 oz. 35c; 6 oz. \$1.15; 1 pt. \$2.45; 1 qt. \$4.10; 1 gal. \$12.00.

**DDT PREPARATIONS.** Inasmuch as The Kilgore Seed Co. has recently published a 50-page booklet containing comprehensive information regarding the use of DDT in the various phases of insect control, such as truck crops, nurseries, ferneries, estates, dairies, hotels, restaurants, households, etc., no specific recommendations are indicated in this catalog. Please write for a free copy of "DDT—FACTS AND FICTION." A complete line of dusts containing DDT in varying percents as well as combinations with sulphur and fungicides are available as follows:

**KILCIDE 3 DUST.** (Contains 3% DDT). 8c per lb.; 25 lbs. \$1.80; 50 lbs. \$2.60.

**KILCIDE 3—SULPHUR DUST.** (Contains 3% DDT). 9c per lb.; 25 lbs. \$2.05; 50 lbs. \$3.15; 100 lbs. \$6.25.

**KILCIDE 5—DUST.** (Contains 5% DDT). 11c per lb.; 25 lbs. \$2.40; 50 lbs. \$3.85.

**KILCIDE 5—SULPHUR DUST.** (Contains 5% DDT). 12c per lb.; 25 lbs. \$2.65; 50 lbs. \$4.30; 100 lbs. \$8.55.

**KILCIDE 10 POWDER.** (Contains 10% DDT). 16c per lb.; 25 lbs. \$3.80; 50 lbs. \$6.60.

**KILCIDE 3—COMPOUND A DUST.** (Contains 3% DDT). 12c per lb.; 25 lbs. \$2.65; 50 lbs. \$4.30.

**KILCIDE 3—COPPER-SULPHUR DUST.** (Contains 3% DDT). 13c per lb.; 25 lbs. \$2.90; 50 lbs. \$4.75; 100 lbs. \$9.50.

**KILCIDE-MANGANESE 3-10 DUST.** (Contains 3% DDT). 10c per lb.; 25 lbs. \$2.35; 50 lbs. \$3.70; 100 lbs. \$7.40.

**KILCIDE-FERMATE DUST 3-15.** (Contains 3% DDT). 20c per lb.; 25 lbs. \$4.80; 50 lbs. \$8.60.

**50% WETTABLE DDT POWDER.** 200 lb. drum 46c lb.; less than drum lots 50c per lb.

Because of the uncertainty of availability of DDT concentrates, such as wettable powders and emulsions, no specific products of this nature are listed at present. However, stocks of concentrated powders and emulsions produced by the leading manufacturers will be carried whenever possible. For complete information, please write our Plant City Office at any time.


For DDT in household sprays, refer to listing under "Household Sprays."

### HOUSEHOLD SPRAYS

**Pyrocode.** (Contains pyrethins in combination with 0.25% DDT). An excellent indoor spray for flies, mosquitoes, roaches, ants, fleas, and certain other household insects. This is not a residual spray. It should be used as necessary whenever insects are present. Be sure to write for a free copy of our "DDT—Facts and Fiction" for helpful information regarding the efficient control of household insects. Pt. 25c; qt. 40c; gal. \$1.30.

**Multicide.** A residual DDT spray (containing 5% DDT) for the control of flies, mosquitoes, fleas, bed bugs, and certain other household insects. Our booklet "DDT—Facts and Fiction," will help you in using a spray of this type to the best advantage. Write for a free copy now. Qt. 60c; gal. \$1.50.

**Buzz Bombs—Aerosol Insecticide.** Containing pyrethrum and DDT. Price \$2.95 each.





## INSECTICIDES (Continued)



**General Purpose Dust and Gun.** Kills most garden insects, both sucking and chewing, as well as ants, roaches, fleas, etc., in or around the home. Complete—Each 35c; Refills for dust guns (dust only), 1 lb. 21c.

**KRYOCIDE (Natural Cryolite).** A fluorine spray for chewing insects. Use 2 to 3 pounds Kryocide to fifty gallons of water. 1-lb. can 35c; 4-lb. bag 70c; 50-lb. bag \$7.50.

**KRYOCIDE DUST 30-70.** A fluorine dust especially recommended for worms on cucumbers and squash, pinworms on eggplants and fruit and pinworms on tomatoes. 9c per lb.; 25 lbs. \$2.00; 50 lbs. \$3.00; 100 lbs. \$6.00.

**KRYOCIDE-SULPHUR DUST 30-70.** 10c per lb.; 25 lbs. \$2.25; 50 lbs. \$3.55; 100 lbs. \$7.05.

**LIME-SULPHUR SOLUTION.** (32 to 34 degrees Baumé.) Dilute

with water at 1 to 60. 1 gal. can 60c; 5 gal. can \$2.45. Write for special prices on 55 gallon barrels.

**NICOTINE DUSTS.** Used to control aphids and thrips. For most effective control use on still and hot days. Use 3% dusts for ground applications, and 4% dusts for airplane applications.

3% Activated—

Lb. 15c; 25 lbs. \$3.60; 50 lbs. \$6.20; 100 lbs. \$14.40.


4% Activated—

Lb. 18c; 25 lbs. \$4.35; 50 lbs. \$7.25; 100 lbs. \$15.45.

**NICOTINE DUST—BLACK LEAF 10.** A nicotine dust comparable in killing power to a 3% Nicotine-lime dust, containing only 40% lime. 1 lb. 14c; 25 lbs. \$3.30; 50 lbs. \$5.60; 100 lbs. \$11.20.

**NICOTROL.** Nicotine Sulphate with Penetrol as spreader. Qt. \$1.25; gal. \$2.75; 5 gal. drum \$10.50.

**OIL EMULSION (FICO).** For the control of scales, mealy bugs, red spider, etc. 75c gal.; 5 gals. \$2.70; 55 gals. \$19.25.



**PYROCIDE DUSTS.** Before the war, Florida truck crop growers used Pyrocide Dusts extensively for various purposes. We can now again offer Pyrocide Dusts of the same pre-war quality that most of our growers are familiar with. Pyrocide Dusts are uniform in killing power, non-poisonous and quick acting. Because

of its remarkably fast action, applications of Pyrocide Dusts are not affected by subsequent rains. Within an hour after application, where the proper strength and dosage are used, Pyrocide Dusts will have so disabled the insects that rain will not prevent control. On the other hand, rain within a day or two after application of the arsenicals, fluorides, and similar stomach poisons will greatly diminish the effectiveness of the insecticide, necessitating another application. Pyrocide Dusts are effective against both chewing and sucking insects and is specifically recommended for the control of certain insects on crops where poisonous stomach insecticides should not be used.

**PYROCIDE DUST NO. 5-A.** 15c per lb.; 25 lbs. \$3.50; 50 lbs. \$6.05; 100 lbs. \$12.05.

**PYROCIDE DUST NO. 7½.** 18c per lb.; 25 lbs. \$4.25; 50 lbs. \$7.50; 100 lbs. \$15.00.

**PYROCIDE DUST NO. 7½-S.** 19c per lb.; 25 lbs. \$4.60; 50 lbs. \$8.25; 100 lbs. \$16.45.

**PYROCIDE-ROTEENONE DUST.** 24c per lb.; 25 lbs. \$5.75; 50 lbs. \$10.50; 100 lbs. \$21.00.

**PARIS GREEN.** Best grade. Use as a dust or as a water suspension against chewing insects. ¼ lb. 15c; 1 lb. 42c; 5 lbs. \$1.85; 25 lbs. \$8.00; 100 lbs. \$30.00.

**POISON BAITS.** Ready for use to control cutworms and mole crickets. Poison Baits No. 6 and No. 3-S are intended only for application direct to the soil, as they will burn foliage. Poison Bait No. 3 may be applied to the soil or hardier foliage. Poison Bait No. 4 can be applied directly to the foliage of most truck crops. A very effective poison bait.

Poison Bait No. 3 (contains Calcium Arsenate)—8c per lb.; 25 lbs. \$1.75; 50 lbs. \$2.55; 100 lbs. \$5.05.

Poison Bait No. 3-S (contains Sodium Fluosilicate)—8c per lb.; 25 lbs. \$1.75; 50 lbs. \$2.55; 100 lbs. \$5.05.

Poison Bait No. 4 (contains Kryocide)—9c per lb.; 25 lbs. \$2.10; 50 lbs. \$3.25; 100 lbs. \$6.50.

Poison Bait No. 6 (contains Paris Green)—8c per lb.; 25 lbs. \$1.80; 50 lbs. \$2.65; 100 lbs. \$5.30.



**RED ARROW INSECT SPRAY.** Makes a perfect solution. Kills garden aphids, melon aphids (Hessian Fly), worms, rose chafers, leaf hoppers, whiteflies, red spider, caterpillars, thrip, celery leaf tyer. 1 oz. 35c; 4 oz. \$1.00; pint \$2.85; quart \$5.50; gal. \$18.50.

**ROLLER WORM DUST NO. 1.** A mixture consisting of Arsenate of Lead and Sulphur, intended for the control of leaf rollers on beans. 7c per lb.; 25 lbs. \$1.40; 50 lbs. \$1.80; 100 lbs. \$3.60.

**ROTEENONE DUST, 1%.** For cabbage worms, loopers, pea aphids, etc. 1 lb. 17c; 25 lbs. \$4.00; 50 lbs. \$7.15; 100 lbs. \$14.25.

**SABA-CHINCH.** Provides a positive chinchbug control in lawns. Watering of the lawns after an application does not interfere with control. Only infested spots need be treated, applying approximately from three to four pounds of Saba-Chinch to 100 square feet. One application, properly applied, is sufficient to give control. Chinchbug control should begin when the first signs of infestation appear. At this time, good results can be more readily secured at lower cost, as the spots are usually considerably smaller, and of course, damage to lawn is greatly minimized. Lb. 16c; 25 lbs. \$3.85, 50 lbs. \$6.65; 100 lbs. \$13.30.

**SABADILLA DUST.** A new type of material for the effective control of certain types of "stink bugs," such as green pumpkin bugs, leaf-footed plant bugs, Harlequin cabbage bugs and squash bugs. 19c per lb.; 25 lbs. \$4.00; 50 lbs. \$7.80; 100 lbs. \$15.60.

**SCALECIDE.** Excellent for citrus. Combined with Sulfocide at the rate of two gallons Scalecide and one gallon Sulfocide to two hundred gallons of water, it takes care of many citrus troubles. Qt. 75c; gal. \$1.75; 5 gal. \$6.35.

*Write for descriptive pamphlets on Sulfocide and Scalecide.*

**SODIUM FLUOSILICATE (Fluocide).** For use in cutworm and mole cricket baits. Baits prepared with this salt should not be broadcast over plants, as burns will result. Sodium fluosilicate is highly poisonous. 15c per lb.; 50 lbs. \$12.50.

**THRIP AND MITE DUST.** As this mixture contains Sulphur and treated Tobacco Dust, it has been found a satisfactory control for both red spider and thrips in strawberries. 8c per lb.; 25 lbs. \$1.70; 50 lbs. \$2.40; 100 lbs. \$4.75.

**TOBACCO DUST.** Best grade finely ground dust. Analysis ¾% nicotine. 7c per lb.; 25 lbs. \$1.15; 100 lbs. \$3.50.

**VOLCK OIL SPRAY.** A liquid oil spray and spray carrier similar to Volck Nursery Spray, furnished in the smaller sizes only. 4 oz. 25c; 16 oz. 50c; ½ gal. \$1.25; 1 gal. \$2.25.



# FUNGICIDES FOR DISEASE CONTROL

Prices subject to change without notice.

As truck farming becomes more extensive in Florida, we naturally are going to have more diseases to combat, which have already become a major factor in producing a crop. Fungicides are just as necessary in producing a good crop as fertilizers, etc. There are many factors involved in the use of fungicides, as to the results obtained, such as the proper fungicide for the control of different diseases, the time and method of applications. You cannot expect satisfactory control with poor or wrongly timed applications. Too often the grower waits until the disease has too much of a start before dusting or spraying, which usually is more expensive than starting out with a regular spray or dust program to prevent disease. You not only have to use as much or more spray and dust after a disease gets a good start, you also suffer a loss in crop damage before the disease is brought under control. Our fungicide sprays are of the latest and highest quality material. Our fungicide dusts are mixed in our own plant, which insures you of getting freshly mixed material in the best mechanical condition.

**BLUESTONE (Copper Sulphate) Crystals.** 1 to 10 lbs. 10c per lb.; 25 lbs. \$2.30; 100 lbs. \$7.30.

**BLUESTONE (Copper Sulphate) Snowform.** 1 to 10 lbs. 10c per lb.; 25 lbs. \$2.30; 100 lbs. \$7.30

**BLUESTONE (Copper Sulphate) Instant Soluble.** 1 to 10 lbs. 11c per lb.; 25 lbs. \$2.50; 100 lbs. \$7.95.

**BORDEAUX (POWDERED) DRY.** A powerful fungicide for the control of blights, rusts and rots on crops where Bordeaux is recommended. Fine, light and fluffy. Add water according to directions and spray. Pound canister 30c; 4 lbs. 65c; case (12 4-lb. pkgs.) \$6.00.

**CERESAN (New Improved).** Usually destroys seed-borne diseases either by direct contact with the spores (germs), or by forming a vapor which penetrates every crack and cranny of the seed. It also aids in protecting the seed against certain soil-borne organisms.

Ceresan has been used very successfully in treating Gladiola bulbs for control of Fusarium rot before planting. Use  $\frac{1}{2}$  lb. Ceresan, 5 tablespoons of du Pont Spreader and Sticker to 25 gallons water. Dip bulbs in solution, let remain 15 minutes. Bulbs can be planted immediately after treatment.

Price—4 oz. 30c; 1 lb. 80c; 4 lbs. \$2.70; 25 lbs. \$15.00; 100 lbs. \$55.00.

**COMPOUND A DUST NO. 12.** Contains 12 lbs. Copper-A Compound. Recommended for tomatoes, peppers, eggplant, cucumbers, etc., as a fungicide. 8c per lb.; 25 lbs. \$1.80; 50 lbs. \$2.60; 100 lbs. \$5.20.

**COMPOUND A DUST NO. 15.** Contains 15 lbs. Copper-A Compound. Especially recommended for potatoes as a fungicide. 9c per lb.; 25 lbs. \$2.00; 50 lbs. \$3.05; 100 lbs. \$6.05.

**COPOTOX 53.** Copotox is a strictly neutral product which has its advantage over other highly caustic materials in preventing "burn" to foliage and fruit. It is compatible with arsenicals, sulphur, zinc and manganese sulphate, and with organic insecticides, such as pyrethrum, derris and nicotine products free from acid radicals. Copotox is extremely fine. This fineness is essential for good coverage of a copper compound for effective control of fungus. All the particles in Copotox contain copper; they are fine and result in a good protective coating. There is no inactive residue to smother and stunt the plant, thereby decreasing the yields. 4 lbs. 65c; 100 lbs. \$12.80.

**COPOTOX DUST 20-80.** This dust contains 10 pounds of an extremely fine particle-sized neutral copper (Copotox). Recommended wherever copper mixtures not containing lime are desired. 7c per lb.; 25 lbs. \$1.45; 50 lbs. \$1.95; 100 lbs. \$3.85.

**COPPER-A COMPOUND.** An excellent fungicide for spraying purposes, containing 45% metallic copper. 6 lb. bag \$1.60; 50 lb. bag \$12.90.

**DITHANE D-14.** This synthetic organic fungicide actually controls blight—both early and late—as well as certain other plant diseases. It is greatly superior to the copper compounds which have been the potato growers' chief protection against these destructive diseases. The use of Dithane D-14 in comparison with copper spray materials has resulted in better disease control and consistently higher yields. Dithane D-14 when combined with zinc sulphate and lime in the proportions of 2 qts. Dithane D-14, 1 lb. zinc sulphate and  $\frac{1}{2}$  lb. hydrated lime per 100 gallons water, is an effective fungicidal spray material

that gives superior blight control. Used regularly in your spray program, it will insure better disease control and higher yields than can be obtained with copper fungicides. Qt. 85c; gal \$2.75; 5 gal. \$2.65 per gal.; 30 gal. drums \$2.55 per gal.

**FERMATE.** An organic fungicide containing ferric dimethyl-dithiocarbamate. Fermate possesses several very important and desirable characteristics; namely, high effectiveness in low concentrations against many fungi, safety to a wide range of plants and compatibility with most insecticides. Fermate is especially effective in the control of downy mildew in cabbage seed-beds, leaf spot on celery, damping-off in celery seed-beds, and anthracnose fruit spot on tomatoes. Less than drum lots 75c per lb.; 3 lb. bag \$1.80; 25 lb. drum \$15.00; 50 lb. drum \$30.00.

**FERMATE DUSTS.** Where dusting is desirable, Fermate can be furnished in dust form in both 15% and 20% concentrations.

15% Fermate Dust—17c per lb.; 25 lbs. \$3.95; 50 lbs. \$6.90; 100 lbs. \$13.75.

20% Fermate Dust—21c per lb.; 25 lbs.; \$4.90; 50 lbs. \$8.85; 100 lbs. \$17.70.

**PYROX (Without poison).** A copper fungicide. A flowable paste, mixing readily with water.

No trouble—you just mix Pyrox Without Poison with water and spray. No burnt foliage. No wasted mixture; Pyrox stays in suspension well and doesn't spoil if you don't use it promptly.

For Pyrox with poison, see page 59. 100 lbs. \$8.75; 300 lb. drum \$23.70; 500 lb. barrel \$36.75.

**SEMESAN.** An effective treatment for vegetable and flower seeds to control damping-off fungi in the soil. Also repels ants, Directions on each package. (See page 50.) 1/3 oz. 10c; 2 oz. 40c; 12 oz. \$1.88; 4 lbs. \$9.10; 25 lbs. \$52.50.

**SEMESAN BEL (New Improved).** For treatment of potatoes, controlling certain diseases of this crop. Directions on each package. 2 oz. 30c; 1 lb. \$1.65; 4 lbs. \$5.70; 25 lbs. \$33.25.

**SPERGON.** Extremely safe to use on all kinds of seeds planted in any kind of soil and is compatible with inoculation. Very valuable for treating seeds, especially beans and peas, to control soil diseases, for better stands and increased yields. Not only a seed protectant but also a growth stimulant. Use 2 ounces per bushel of seed with beans and peas. (See page 50.) 2 oz. 33c; 1 lb. \$2.16; 5 lbs. \$9.95; 10 lbs. \$18.50; 50 lbs. \$87.50.

**SPERGON (Wettable Grade).** Valuable for spraying to control diseases. Especially valuable to control downy mildew in cabbage seed-beds. Use from 1 to 2 pounds to 50 gallons of water. 1 lb. \$1.10; 5 lb. pkg. \$5.00; 10 lbs. \$9.25; 50 lbs. \$43.75.

**SPERGON DUST—12%.** For the control of downy mildew on cabbage. 1 lb. 23c; 25 lbs. \$5.50; 50 lbs. \$10.05; 100 lbs. \$20.10.

**SULFOCIDE.** Unexcelled as a vegetable spray. Checks mildew, rust and anthracnose on beans. Also used in the washing water before shipping beans, tomatoes, eggplants and peppers to check rots and other diseases while in transit. While Sulfo-cide is a splendid spray for vegetables, it is just as valuable for citrus fruits. Pt. 60c; qt. \$1.00; gal. \$2.50; 5 gals. \$8.25.

**SULPHUR (Dusting, with spreader).** 6c per lb.; 25 lbs. \$1.17; 50 lbs. \$1.35; 100 lbs. \$2.70; ton \$49.00.

**SULPHUR (Wettable).** 50 lbs. \$1.50; ton \$55.00.



## INSECTICIDE AND FUNGICIDE COMBINATIONS

**COMPOUND A - ARSENATE OF LEAD - SULPHUR DUST.** Contains 12 lbs. Copper-A Compound and 20 lbs. of Arsenate of Lead. 12c per lb.; 25 lbs. \$2.80; 50 lbs. \$4.65; 100 lbs. \$9.30.

**COMPOUND A - CALCIUM ARSENATE - SULPHUR DUST.** Contains 12 lbs. Copper-A Compound and 20 lbs. of Calcium Arsenate. 11c per lb.; 25 lbs. \$2.40; 50 lbs. \$3.80; 100 lbs. \$7.60.

**COMPOUND A - KRYOCIDE DUST.** A very good insecticide and fungicide combination for most vegetable crops. Contains 12 lbs. Copper-A Compound and 30 lbs. Kryocide (Natural Cryolite). 12c per lb.; 25 lbs. \$2.85; 50 lbs. \$4.70; 100 lbs. \$9.40.

**COPOTOX-CALCIUM ARSENATE DUST 20-20-60.** Valuable in the control of Tomato Fruitworms. A mixture made of Copotox (a neutral copper), Calcium Arsenate and talc. 9c per lb.; 25 lbs. \$1.90; 50 lbs. \$2.85; 100 lbs. \$5.65.

**KRYOCIDE-COPOTOX DUST 20-20-60.** A fluorine dust to replace Copper-Lime Dusts with poison where neither arsenicals or lime are desired. This dust contains 20 lbs. Copotox (neutral copper). 10c per lb.; 25 lbs. \$2.15; 50 lbs. \$3.35; 100 lbs. \$6.65.

**NICOTINE-KRYOCIDE-COPPER DUST.** An excellent combination dust especially developed for use on cucumbers, containing Nicotine, Kryocide and Cuprocide for the control of aphids, worms, cucumber beetles and certain diseases. Lb. 22c; 25 lbs. \$5.20; 50 lbs. \$9.40; 100 lbs. \$18.80.

**NICOTINE PYROX.** If you have a garden you will want a can of the Nicotine Pyrox—Pyrox treated with nicotine. It not only kills leaf-chewing insects and prevents blight and other diseases as the regular Pyrox does, but it also kills sucking insects such as aphids, thrips and leaf-hoppers. Nicotine Pyrox is designed for commercial crops, as well as home gardens. 20 oz. 60c; 5 lbs. \$2.00; 25 lbs. \$6.50.



**PYROX (Standard, with Lead Arsenate poison).** A combined insecticide and fungicide in the form of an easily mixed paste. Pyrox is used for control of chewing insects and fungus diseases. 50 lbs. \$8.35; 300 lbs. \$34.50.


**ROSE DUST and GUN (Kilgore's).** A combined insecticide and fungicide, to keep rose bushes free of insects and diseases, by applying at regular intervals of approximately seven days. Complete—Each 35c. Refills for dust guns (dust only). 1 lb. 24c; 25 lbs. \$5.75; 50 lbs. \$10.50; 100 lbs. \$21.00.

**SQUASH DUST NO. 2.** As the name implies, this dust is a specific for the control of certain insects and diseases on squash. It contains 5 lbs. Arsenate of Lead, 50 lbs. Tobacco Dust and 45 lbs. Sulphur. 8c per lb.; 25 lbs. \$1.80, 50 lbs. \$2.65; 100 lbs. \$5.30.

## FUMIGANTS

**CARBON DISULFIDE.** Recommended for ridding grain of weevils, and excellent for killing ants, grasshoppers, etc., and for destroying vermin. Sold in gallon cans only. Per gallon \$2.00. (Not mailable.)

**CYANOGAS A-DUST.** For Killing the Following Pests: **ANTS** (Garden; Mound Building; Leaf Cutting). **RATS** (In burrows; along ditch banks in city dumps; under pavements and tight floors; in lumber piles; on poultry farms; in grain elevators and stockyards). **MICE** (Field Mice and Pine Mice), **MOLES**, **GOPHERS**. ¼ lb. tin 30c; 1 lb. tin 75c; 5 lb. can \$3.00; 25 lb. can \$10.00. Not mailable.



**CYANOGAS ANT-KILLER.** Cyanogas Ant-Killer kills ants with the least trouble. It is a gas-producing powder—flows freely through the spout on the can. Not a bait. IT'S THE GAS THAT KILLS 'EM. 4 oz can 30c. Not mailable.

**CYANOGAS G-FUMIGANT.** Comparable to sea sand in size of particles. Used for fumigating greenhouses, warehouses, buildings and for grain fumigation. 4 oz. can 30c; 5 lb. can \$3.00; 25 lb. can \$10.00. Not mailable.

**D-D.** A newly developed soil fumigant for the control of soil-borne pests, principally nematodes and wireworms. Nematodes are responsible for the formation of "root-knot" on the roots of many of our most important vegetable crops. (See illustration showing root-knot on beans). It is well recognized by all truck crop growers that the presence of root-knot seriously reduces yields. It is now possible to control nematodes commercially with D-D at a reasonable cost. Ask for booklet describing methods and containing other pertinent information. Pt. \$1.00; qt. \$1.75; gal. can \$5.85; 5 gal. can \$21.60. (In hand applications one gallon of D-D will treat approximately 1500 square feet of soil area.)

## SPREADERS, STICKERS, EMULSIFIERS, ETC.

**ACCO. (A Casein Spreader).** Use ½ lb. to 50 gallons. 2 lb. pkg. 50c; case (25-2 lb. pkgs.) \$11.25.

**FISH OIL SOAP.** Increases the efficiency of Black Leaf 40 and many other spray materials. Use 1½ to 2 lbs. to 50 gallons as a spreader and sticker. 1 lb. 30c; 8 lbs. \$1.00; 16 lbs. \$1.84; 50 lbs. \$5.50, including container.

**DUPONT SPREADER—STICKER.** This is a combined spreading and sticking agent designed especially for use with agricultural sprays. It is compatible with hard water. Will also increase the efficiency of weed-killing compounds, such as Ammate. 1 pt. 85c; 1 gal. \$5.75.

**ORTHEX SPREADER-ADHESIVE.** An excellent spreader-adhesive for use with residual sprays, such as copper com-

pounds, arsenicals, Kryocide, etc. Orthex gives better protection by **STRETCHING** the period of effectiveness in your sprays. 1 gal. \$1.45; 5 gals. \$5.00.

**PENETROL.** A free flowing spreader. Qt. 75c; gal. \$1.75; 5 gal. drum \$6.75; 55 gal. drum \$71.50.

**TRITON B-1956.** An efficient emulsifier and spreader for insecticides and fungicides. A combined spreader, sticker and deposit builder. Soluble in water and oil, it is widely used as an emulsifier in fruit, vegetable garden and ornamental sprays for maximum spreading and sticking qualities. Triton B-1956 is used at the rate of 2 to 4 ounces per 100 gallons. Gal. \$5.70; 5 gal. \$27.25.



## VERMICIDES

**CARBOLINEUM.** A wood preservative and vermicide. Prevents damage by termites. It will kill and protect against chicken mites and fowl ticks. In gallon cans \$1.75; 35 gal. \$42.00; 55 gal. \$63.25. F.O.B. Plant City.

**DIXIE KILLER.** Exterminates rats, mice, roaches, waterbugs, land crabs, cut worms and other destroyers of food and property. 1 3/4 oz. jar 25c; 1 lb. 60c; 2 lbs. \$1.10.

**MAGIKILL JELLY ANT BAIT.** Kills ants and is harmless to plants. Garden size 35c; Estate tube 85c; 7 1/2 oz. Jumbo size \$1.65; 10 lbs. \$19.00.

**TERRO ANT KILLER.** Will rid your place of ants quickly. Small size bottle 25c.



**TREE TANGLEFOOT.** Save your trees with "Tree Tanglefoot." A sure, easy, inexpensive material to apply to trunks of shade and fruit trees to prevent caterpillars from crawling up to the leaves. A pound makes a minimum of 15 lineal feet of 2-inch wide bands. Prices quoted are f.o.b. Plant City. 6 oz. 45c; 1 lb. 80c; 5 lbs. \$3.75; 10 lbs. \$7.00; 25 lbs. \$15.00.

**QUICK DEATH RAT KILLER.** A fortified Red Squill formula. Safe to use in homes. Price, 25c per package.

## WEED KILLERS

F.O.B. Plant City

**AMMATE WEED KILLER (du Pont's).** Ammate can be used for the control of many types of noxious weeds and generally effects a permanent kill. It is not considered poisonous and may be used safely on weed-infested areas without danger to livestock and humans. Ammate usually exerts only temporary soil sterilizing effects, varying with the soil. Treated areas may often be used for growing crops during the same season. 2 lb. bottle 75c; 6 lbs. \$1.80; 50 lb. drum \$12.00; 350 lb. barrel \$63.00. (Use 1 to 3 lbs. per 100 sq. ft. area.)

**TUFOR.** A selective weed killer which kills broad-leaved plants but not narrow-leaved plants such as cereals, grains and grasses. The weed-killing action of TUFOR is based on the growth-regulating properties of 2,4 dichlorophenoxy acetic acid (2-4-D), the newly developed selective herbicide. TUFOR is

completely soluble in water and will not settle out. It is comparatively non-volatile and therefore its destructive action is confined to those places upon which it is sprayed. 1 gal. \$8.00; 5 gal. cans \$38.75. (Use from one to two quarts of TUFOR per 100 gallons of water.)

**WEEDONE.** A new kind of weed killer, which when sprayed on to the leaves of certain weeds, is absorbed by the plant and penetrates down to the end of the root system, and thereby kills the plant throughout. For complete kill, all the foliage must be sprayed as there is little cross-movement within the stem. Weedone is effective only when the leaves are green and actively growing, for the chemical does not move through dormant or dead tissue. 6 oz. bottle 75c; 1 qt. bottle \$2.50; 1 gal. bottle \$7.50; 5 gals. \$6.00 per gal.

## ROOT-INDUCING MATERIALS AND STARTER SOLUTIONS


Prepaid

**HYPONEX—A plant food powder—makes a good starter solution.**

Write for quotations on larger quantities.

Especially valuable in seedbeds and to start plants off after transplanting. Comes in a powder which makes liquid plant food containing all plant food elements plus Vitamin B1.

1 oz. can—makes 6 gallons.....	\$ .10 postpaid
3 oz. can—makes 18 gallons.....	.25 postpaid
7 oz. can—makes 42 gallons.....	.50 postpaid
1 lb. can—makes 100 gallons.....	1.00 postpaid
10 lb. drum—makes 1000 gallons.....	8.00



Not Treated      Treated

### HORMODIN POWDERS

"Hormodin" is a hormone-like plant growth substance. Its principal use is to stimulate rapid root growth on cuttings. It has wide-spread use in propagating cuttings, whether rooted with ease, or normally rooted with difficulty. Many cuttings formerly impossible to propagate may now be rooted with the aid of Hormodin. Easy to use, consisting of simply dropping moistened stems in the powder and then planting. The cost of treatment is only a fraction of a cent per cutting.

No. 1—For Chrysanthemums, Poinsettias, Roses, Etc.

1/4 oz. 25c; 1 3/4 oz. 50c; 1 lb. \$3.00

No. 2—For semi-woody plants and most common shrubs.

1 3/4 oz. 75c; 1 lb. \$4.50

No. 3—For resistant species, such as Evergreens and dormant leafless cuttings.

1 oz. \$1.00; 1/2 lb. \$4.50

Combination Package, powders Nos. 1, 2 and 3, in carton, 75c.

## HY-GRO SOLUBLE PLANT FOOD

An excellent starter solution for potted plants, seed beds and transplanting. Use at the rate of 3 tablespoons of HY-GRO dissolved in 2 gallons of water (1 teaspoon in 1 quart).

3 oz. 25c; 20 oz. \$1.00; 10 lbs. \$4.00



### PLANTABBS FOR HOUSE PLANTS

Plantabbs are a complete, balanced plant food



of the high analysis 11-15-20. Use Plantabbs for all indoor potted plants and flowers, window and balcony boxes. Plantabbs are also excellent for garden flowers and vegetables. Plantabbs with Vitamin B1 makes vastly stronger root growth.

10 Tablets 10c; 30, 25c; 75, 50c; 200 \$1.00; 1000, \$3.50

### ROOTONE

A hormone powder to hasten the rooting of cuttings.

It is the easy, economical, safe and sure treatment for rooting cuttings. Low cost—1/30 to 1/50 cent per cutting.

Write for booklet "Rootone—A hormone powder." Complete directions given on each package.

1/4 oz. pkg. 25c; 2 oz. pkg. will treat up to 3,000 cuttings, \$1.00; Commercial pkg., 1 lb., will treat up to 30,000 cuttings, \$5.00 (Patents Pending)

### TRANSPLANTONE

Transplantone supplies the plant with chemicals which stimulate root formation and growth after transplanting time. One ounce makes ten gallons solution.

1/2 oz. 25c; 3 oz. can \$1.00; 1 lb. can \$4.00



# FERTILIZERS

For seed inoculants and root-inducing materials see pages 50 and 60.

Prices subject to change without notice.

## NACO BRAND FERTILIZERS

The manufacturers of NACO BRAND Fertilizers sincerely believe in their superiority. "COMPARE RESULTS" has been their slogan. NACO Fertilizers prove their value and economy by comparison.

NACO BRANDS are put up in 100-lb. burlap bags, F.O.B. Jacksonville except 300 lbs. or over delivered rail freight prepaid to any point in Florida served by railroad, from warehouse in Jacksonville.

Prices listed are applicable to sales through our mail order department at Plant City.

### NACO BRANDS FOR VEGETABLES

	Analysis	Price per 100-lb. Bag	Price per Ton
Standard .....	3-8-5	\$1.95	\$38.50
Standard .....	4-7-5	2.05	40.90

### NACO BRAND FOR GARDENS

Victory Garden Special 5* .....	5-10-5	2.45	49.00
Grass Specialty .....	6-8-4	2.35	46.80

### NACO BRANDS FOR CITRUS

Young Tree Grower .....	4-9-3	2.05	40.90
Citrus Special .....	3-8-8	2.05	40.80
Citrus Special .....	4-8-6	2.15	42.40
Citrus Special .....	4-8-8	2.20	43.80

All NACO BRAND Fertilizers are made from only the highest grade animal and vegetable organics, balanced with reasonable amounts of Nitrate of Soda, Sulphate of Ammonia, Superphosphate, and with the Potash from either Muriate or Sulphate of Potash.

## NACO FIVE STAR

NACO was the first in the field to realize the need of "secondary elements." Believing that a number of these elements in small quantities were of more value than a greater amount of a single element, NACO has successfully made up its 5 Star Base, which includes Copper, Zinc, Iron, Magnesia, and Manganese. This 5 Star may be included in any of the above mixtures at the small additional cost of \$3.00 per ton. When ordering 5 Star, please be certain to designate 5 Star alongside the Brand desired.

### NITRATE OF SODA

(F.O.B. Jacksonville)

100-lb. bag .....Not Available

### VIGORO



A complete plant food, supplies 11 vital food elements that science has proved all living plants require for normal healthy growth. You will particularly enjoy using Vigoro because it is odorless, sanitary, and so easy to apply. Vigoro is ideal for all growing things; lawns, flowers, shrubs, trees, and vegetables.

Vigoro 5-10-5; 5 lbs. 45c; 10 lbs. 85c; 25 lbs. \$1.50; 50 lbs. \$2.50; 100 lbs. to 400 lbs. @ \$4.00 cwt. Write for prices on larger quantities.

Vigoro prices quoted are f.o.b. Plant City or any Kilgore store.

**Acid Phosphate (Superphosphate).** Acid Phosphate is a valuable fertilizer and has corrected many plant troubles, particularly on muck soil. 18 per cent available Phosphoric Acid. 100 lbs. \$1.25, f.o.b. Jacksonville, Fla. Ton \$25.00. 300 lbs. and up delivered, rail freight prepaid.

**Hardwood Ashes.** Fine for acid soils. 2 per cent potash, put up in 100-lb. bags. 100 lbs. \$1.40, f.o.b. Jacksonville, Fla. Ton \$28.00. 300 lbs. and up delivered, rail freight prepaid.

**Peat Moss.** Very good to add humus and hold moisture in seed-beds. Also an excellent poultry litter. Georgia Peat, 100 lb. bag \$3.00; Primer Canadian Peat—in fiber board cartons, Junior Bale 18x14x18 in., each \$2.20; Senior Bale 18x14x33 in., each \$3.70.



## WIZARD BRAND SHEEP MANURE

Wizard manure is highly concentrated, with all weed seeds killed. They supply the humus and natural plant-food so needed by Florida soils.

For New Lawns use 10 to 12 pounds per 100 square feet and rake into the surface soil. On old lawns use 8 to 10 pounds scattered broadcast and wet down with a hose.

For Flowers and Shrubs mix Wizard with the soil around each plant, using 1 to 5 pounds according to size.

For Fruits and Vegetables use 1000 to 1500 pounds per acre. Apply with a drill in the row or hill. Wizard is a profitable and lasting soil-building fertilizer.

50 lbs. 100 lbs. Ton

Wizard Brand Sheep Manure .....\$1.30 \$2.60 \$49.00

Prices quoted on Wizard Sheep Manure are f.o.b. Plant City.

**Es-Min-EI.** Contains all trace or rare essential mineral elements in proper proportions. Add to ordinary fertilizers at rate of 1 lb. or 2 lbs. to 10 lbs. regular fertilizer or 100 to 200 lbs. per ton of regular fertilizer. 5-lb. bag \$1.25, f.o.b. Plant City; 100-lb. bag \$9.00; Ton \$140.00, f.o.b. Plant City.

**Manganese Sulphate (65% spray grade).** A quick acting material for applying manganese to plants in the form of a spray when plants are stunted and turning yellow on very alkaline or sweet soils. Apply at the rate of 4 lbs. to 50 gallons of water. 1 lb. 7c; 100 lbs. \$4.25, f.o.b. Plant City.

**Granular Aero Cyanamid.** A fertilizer derived from Calcium Cyanamid, containing 20.6 Nitrogen, in addition to furnishing an abundance of organic nitrogen. It serves as a soil sweetener, and helps to control soil disease organisms, especially nematodes and "Scherotiniase" of vegetables, such as pink rot of celery, watery soft rot or white mold in beans, etc. Used at the rate of 1000 lbs. per acre, at least six weeks before planting. Packed in convenient even weight, paper-lined 100 pound bags. 100 lbs. \$2.57; Ton \$51.40, f.o.b. Plant City. Call or write for interesting booklets describing its uses.

**ALUMINUM SULPHATE.** For increasing acidity of soils where aluminum toxicity is no factor. 5c per lb.; 100 lbs. \$4.00.

**MANGANESE SULPHATE.** For manganese deficiency in beans, peppers, etc. 100 lbs. \$4.25; less than 100 lbs 7c lb.

**SULPHUR-MANGANESE DUST—10%.** For manganese deficiencies in beans, peppers, etc. Lb. 6c; 25 lbs. \$1.25; 50 lbs. \$1.50; 100 lbs. \$3.00.

**Lime, Hydrated.** Lime is a wonderful land-sweetener. Use at the rate of a half ton to a ton per acre, broadcast, before breaking the ground. If your soil is new and sour, the application should be heavier. You can use Hydrated with safety. Also used for the neutralization of Manganese, Zinc and Copper Sulphates. 50-lb. bag 60c; Ton \$21.50; ½ ton at ton rate, f.o.b. Plant City.

**ZINC SULPHATE.** For zinc deficiencies in beans, tomatoes, etc. 100 lbs. \$7.00; less than 100 lbs. 8c lb.



# POWER AND TRACTION DUSTERS



**Eight row Howry-Berg Crop Duster in action. A Duster built for service and durability**

## HOWRY-BERG CROP DUSTERS

**FAN**—Powerful, arc welded all steel 8 blade fan reinforced for dependable operation and long life.

**FAN HOUSING**—Housing is constructed of heavy steel plate electric arc welded throughout. Air inlet has been enlarged to increase capacity.

**NOZZLE and NOZZLE MOUNTING**—Latest design nozzle mounting permits operator to set the nozzles in any desired position.

**FEEDING MECHANISM**—A power agitator has been added in order to insure perfect feeding of any type dust.

**BOOM**—Built of square steel tubing, the strongest for its weight; easier to fasten nozzle mountings to than angle or pipe. Raising or lowering of the boom for road travel can be accomplished manually or by means of the tractor power lift.

**FRAME**—Frame for mounting the heavy duty duster on the tractor is of the same square steel tubing as the boom.

**HOSE**—Rugged sun and weather proof rubber hose will not crack from exposure in any climate. Wire reinforced to prevent kinking, yet remains unusually flexible.

**HOPPER**—Redesigned and enlarged with two vertical ends, two nearly vertical sides, and extremely smooth interior to prevent bridging of dusting material. Made of heavy steel plate electric arc welded throughout and braced with four channels irons.

**POWER TAKE OFF**—Driving power for this duster is taken direct from the tractor power take-off shaft by means of 15" drive sheave and set of twin matched V belts. Simple adjustment insures the correct belt tension at all times. Belts and power take-off sheave to fit any tractor are furnished with the duster. Be sure to specify the kind of tractor you are going to use duster on, year, make, and model, when ordering.

**Eight Row Crop Duster \$295.00. Price F.O.B. Plant City**

## ROOT TRACTION DUSTERS

Root dusters are made of top quality materials. Gears are machine-cut steel, permanently sealed in lubricant. Bearings and other materials are carefully tested for service and durability.

**Model T-1** ..... **\$85.20**  
**Model T-44** ..... **65.65**

**Price F.O.B. Plant City**



## HOWRY-BERG GROVE DUSTER

Powerful high-speed duster delivering a hard blast of air driving the dust up into the trees, around leaves and fruit, regardless of the type of dusting material used.

Duster mounting frame is of square steel tubing—the strongest construction for the weight. Belts and power Take-Off to fit any tractor furnished with duster. Be sure to give kind of tractor, year, make, and model when ordering duster.

**Grove Duster—\$250.00. Price F.O.B. Plant City**


**For Best Results Plant Kilgore's "Bred-Rite" Seeds**




# HAND SPRAYERS AND DUSTERS

All prices prepaid unless otherwise specified.

## ROOT HAND GUN—MODEL C-3



Root Hand Duster C-3, Price \$22.90



AMERICAN BEAUTY DUSTER—\$22.50

## SMALL HAND DUSTERS



Brown Crystal Duster, Glass Jar, capacity 1 quart.....	\$1.55
No. 132 Dobbins, 1 lb. capacity, price .....	1.25
Hudson No. 661 Signal Duster, tin .....	.35
Hudson No. 612 Patrol Duster .....	1.25
Hudson No. 663 Cadet .....	.50
Hudson No. 666 Major .....	1.10
Hudson Admiral No. 766 .....	1.45
Hudson Adjutant No. 664 .....	.65
P-1 Junior .....	1.80
Quick Loader Puffer Dusters for Household Use .....	.15

## MODEL P2 JUMBO DUSTER



Length 32½ inches. Diameter 2½ inches.

An ideal duster for the average home garden, for use on vegetables, flowers, trees, and shrubs.

P2 Jumbo Duster—\$3.20


## CHAMPION SPRAYER



Brass Tank, Capacity 5 Gallons, \$20.50

## BROWN'S COMPRESSED AIR SPRAYERS

Brown's Open-Hed No. 4B and No. 4D are electrically welded and galvanized after being fabricated. This makes a tank lining having no seams. Equipped with 5-ply special spray hose, automatic shut-off, seamless brass extension, swivel nozzle coupling and non-clog nozzle.



Open-Hed No. 4D, Galvanized Tank, 4 gallons capacity.....\$7.90

Hudson 235G, 3¾ gallon .....	\$ 7.00
Hudson Leader 192G, 3¾ gallon .....	5.60
Boyett Tractor Sprayer, F.O.B. Plant City .....	107.69

## Household Sprayers

Brown No. 14 Dome Top, 1 qt. capacity .....	\$ .50
Hudson No. 440, Handy, quart capacity .....	.45
Hudson No. 452 Misty, quart capacity .....	.60
Dobbins No. 702, quart capacity .....	.45
Dobbins No. 710, pint capacity .....	.35

## Household Sprayers Continuous

Brown No. 26 A.G. quart capacity .....	\$1.30
Hudson Cardinal No. 435, 3 quart capacity .....	1.60
Hudson Mercury No. 432, 1 quart capacity .....	1.00
Airosprayer (Trombone Type) .....	7.25

For the first time—a powerful, compact sprayer that produces billows of aerosol-type fog-spray! The CORNELIUS SPRAYER penetrates into every corner and crevice, into every fiber of clothing and upholstery.

Effective with all modern insecticides. Simple to use. Easy 2½-inch piston stroke develops 300-lb nozzle pressure.




Cornelius Aersol Sprayer Model A, \$2.50  
Complete with extra jar.



# MISCELLANEOUS FARM AND GARDEN TOOLS

All prices quoted are F.O.B. Plant City unless otherwise specified.


**Planet Jr.  
No. 4D Hill  
and Drill  
Seeder**



F.O.B.  
Plant City  
and all stores

No. 4D Hill and Drill Seeder—Shipping weight 41 lbs.  
Price .....\$18.45  
No. 4 Seeder—Shipping weight 50 lbs. Price..... 23.10  
No. 300 Seeder—Shipping weight 55 lbs. Price..... 25.00  
No. 300-A Seeder—Shipping weight 55 lbs. Price..... 25.00

**Planet Jr. No. 219  
Fertilizer Distributor**



F.O.B. Plant City  
and all stores


No. 219 Fertilizer Distributor. Shipping weight 33 lbs.  
Price .....\$12.65  
No. 215 Fertilizer Attachment for No. 219 Distributor. Ship-  
ping weight 17 lbs. Price..... 8.25  
No. 8556X, Stand for No. 215. Shipping weight 2 lbs.  
Price ..... .65  
No. 8858X, Cover for No. 215. Shipping weight 2 lbs.  
Price ..... .90

**Planet Jr.  
No. 220  
Fertilizer  
Distributor**



Shipping  
Weight  
115 lbs.  
Price  
\$34.65  
F.O.B. Plant City  
and all stores

## WISS GARDEN TOOLS Postpaid



**No. 801 Quick Trim Grass Shears**


No. 801 "Quick Trim" .....\$1.40  
No. 5600 Forged Grass Shear ..... 1.95  
No. 700 Grass Shear ..... 1.75



**Hedge Shears**

No. 8½ B .....\$3.00


**Planet Jr.  
No. 119  
Garden Plow**



F.O.B. Plant City  
and all stores

No. 119 Garden Plow. Shipping weight 18 lbs. Price.....\$4.50  
No. 19 Wheel Hoe. Shipping weight 18 lbs. Price..... 6.35

**Planet Jr.  
No. 17 Single  
Wheel Hoe**




Shipping Weight  
22 lbs.  
Price \$9.85  
F.O.B. Plant City  
and all stores

**Planet Jr.  
No. 13 Double  
and Single  
Wheel Hoe**



F.O.B. Plant City  
and All Stores


No. 13 Double and Single Wheel Hoe—Shipping weight 27 lbs.  
Price .....\$10.95  
No. 4D—Five Tooth Plain Cultivator. Shipping weight  
57 lbs. Price ..... 12.65  
Planet Junior Edger—No. 2. Shipping weight 3¾ lbs.  
Price ..... 1.90



**No. 607G Pruning Shears**

No. 607-G .....\$1.75

## BROADCASTS EVENLY — SAVES SEEDS



Uneven seeding is wasteful. The Cyclone  
will sow many acres per hour, any amount  
per acre.

Does the work quickly and . . .  
**Saves Labor**

## CYCLONE SEEDER Postpaid

Cyclone Seeder .....\$2.75

## HAND CORN PLANTER F.O.B. Plant City


Acme Victor Corn Planter No. 314.....Write for Price  
Acme Rotary Corn Planter No. 309.....Write for Price

For Best Results Plant Kilgore's "Bred-Rite" Seeds



MISCELLANEOUS FARM AND GARDEN SUPPLIES

NEPONSET  
GREEN PAPER POTS



Especially adapted for growing plants. They are made of tough, waterproof paper eliminating breakage. The plants are grown from seed to maturity, sold and transplanted in the one Green Pot. They perform the major functions of clay pots at a fraction of the cost.

NEPONSET  
RED PAPER POTS


Neponset Red Paper pots are specifically designed for shipping plants which have been grown in clay pots or in other containers. Shipping costs are lower by using Neponset Red Pots because there is considerably less weight and less breakage, and the clay pots can be saved for further use.

PLANT BANDS AND FLATS

	Prepaid	F.O.B. Plant City
Tom Thumb Flats and Plant	100 Flats	1000 Flats
Band Combinations with	1200 Bands	12000 Bands
Vita-Bands		
Number 1—1 3/4 x 1 3/4 x 2 1/2	\$12.45	\$78.30
Number 2—2 x 2 x 2 1/2	13.50	85.00
Growtex Combinations:		
Number 1	9.90	62.40
Number 2	10.75	67.85

HOTKAPS

Hotcaps are "individual hothouses" for every plant — protecting them against frost, rain, wind, insects and crusting. They force plant growth, making hardier, healthier plants and producing crops two to three weeks earlier. They may be used with practically any crop that needs protection, but are especially suited for use with vine crops such as tomatoes, cucumbers, cantaloupes and watermelons.



25 pkg. Complete with Paper Setter, each	\$ .60
100 with Fibreboard Garden Setter	2.20
250 with Fibreboard Garden Setter	4.15
1000 without Setter	12.00
5000 without Setter, per 1000	11.75
10000 without Setter, per 1000	11.50
25000 without Setter, per 1000	11.25
Fibreboard Garden Setter, alone	.20
Steel Setter, each	1.75

Prices quoted are f.o.b. Plant City and all Kilgore Stores

LABEL PASTE

Ours is a genuine wheat paste, especially made for pasting labels on vegetable and fruit boxes. Mixes easily in cold or warm water. Will not discolor labels. Unaffected by water or atmospheric changes after drying.

Prices quoted are f.o.b. Plant City and all Kilgore stores.  
16 1/2 c per lb.; 100 lbs. \$14.75

TWINE (Jute)

Soft vegetable tying twine, excellent quality. Used for tying tomato plants and bunching vegetables.  
Per lb. 50c; 50 to 60 lb. reels, per lb. 35c.

Prices quoted are prepaid.

RAFFIA

The plain or natural color comes in one pound hanks. Lb. 90c; 10 lbs. \$8.50. Prepaid.

TARPAULINS

Write for Prices Stating Size Desired.

By mail postpaid  
100 Pots

F.O.B. Plant City  
1000 Pots

	Green	Red	Green	Red
2 inch or 2 1/4 inch	\$1.40	\$1.00	\$ 8.75	\$ 6.00
2 1/2 inch	1.55	1.05	9.40	6.10
3 inch	1.70	1.15	10.60	6.85
3 1/2 inch	2.25	1.50	14.05	9.15
4 inch	2.65	1.70	16.55	10.40
5 inch	3.60	2.15	22.85	13.30
6 inch	4.60	2.70	29.30	16.90



PICK UP LIKE THIS



SQUEEZE AND PRESS  
CORNERS



SET IN PLACE



PLANT BANDS

By mail postpaid 100 F.O.B. Plant City 1000

Growtex:			
1 3/4 x 1 3/4 x 2 1/2 inches	\$ .55		\$2.90
2 x 2 x 2 1/2 inches	.60		3.25
2 x 2 x 3 inches	.70		3.75
2 1/2 x 2 1/2 x 3 inches	.75		4.15
3 x 3 x 3 inches	.80		4.55
3 x 3 x 4 inches	1.05		5.90
Vita-A Bands:			
1 3/4 x 1 3/4 x 2 1/2 inches	.75		4.25
2 x 2 x 2 1/2 inches	.85		4.70
2 x 2 x 3 inches	.90		5.05
2 1/2 x 2 1/2 x 3 inches	1.00		5.20
3 x 3 x 3 inches	1.10		6.30
3 x 3 x 4 inches	1.30		7.35




# CANNING DEPARTMENT

**Do Some Canning**

**Stop Wasting**

**Be Thrifty**

Florida offers the greatest opportunity for home canning of any state in the Union, due to the fact that every month in the year produces some fruit or vegetable, and yet there is probably less canning done here than in almost any other state; but we are becoming more thrifty each year in this respect.



## BURPEE ARISTOCRAT

The only pressure cooker or canner made by forming heavy plate aluminum. Much stronger — half the weight of "cast" aluminum. Guaranteed not to crack, break or split. It will not stain because there are no "pores" in this metal to fill up with food and create a bad odor.

### MODEL AR25


Holds 10 qt. or 17 pt. cans or 7 qt. or 14 pt. jars. Equipped

with canning basket, recipe book, and cooking pans.

## Burpee Pressure Cooker or Canner

(F.O.B. Plant City and All Stores)

Burpee AR25 Aluminum, 7-qt. ....\$19.90



## DIXIE SIMPLIFIED AUTOMATIC HOME CAN SEALER WITH CAN SAVER ATTACHMENT


One of the best home can sealers ever built. Equipped to seal No. 2 (pint) and No. 3 (quart) Sanitary cans. Can be furnished to seal No. 1 and No. 2½ cans, if desired. Price \$17.50, prepaid.

*Extremely  
Simple, Accurate  
and Foolproof.  
Insert can, turn  
crank, and can  
is automatically  
sealed. Just  
that simple!  
Complete canning  
recipe book with  
each machine*

Home canning is fine training for the children, both girls and boys, as it teaches thrift. In some states the women and children add several hundred dollars to the family income during the year from home canning, thus securing money for many other things. It matters not whether products are used at home or sold, it's money saved just the same.

Hardly is there a day in Florida where there is not some luscious vegetable or fruit that can easily be conserved for later use. Meats, poultry and fish can also be conserved by modern safe and scientific methods—same methods as used by commercial canners. A pantry full of wholesome home-canned products means a better balanced diet for the entire family the year round. It is fascinating too, avoids waste and builds a bank account.

## 4-QUART PRESSURE PAN




Quicker meals and better ones with the new Pressure Pan. And when you eat them, you'll admit nothing ever tasted more appetizing, with all flavor and juices intact.

Easy to use, easy to clean, non-porous, odorless. The only Pan with the Safety Seal.

F.O.B. Plant City and All Stores.

4 qt. Aluminum Pressure Pan, Price .....\$12.95



## BURPEE SIMPLEX SEALER

The Leader in Can Sealers

Seals cans quickly and easily. Set the can in position, spin the crank with the right hand and move a lever with the left hand. Made of hardened steel for long life. Rustproof. Equipped with attachment which simplifies changing from one sized can to another. Clamps on a table. Seals, opens and reflanges two sizes of cans, the No. 2 and No. 3. Tested canning recipes and illustrated instructions with every sealer. Net weight 11 lbs. Price \$11.50, prepaid.

## BURPEE CANNER

14 qt. Pressure Canner

The only pressure canner made by forming heavy plate aluminum. Much stronger — half the weight of "cast" aluminum. Guaranteed not to crack, break or split. It will not stain because there are no "pores" in this metal to fill up with food and create a bad odor.

### MODEL AR1525

Holds 15 qt. or 25 pt. cans, or 14 qt. or 21 pt. jars. Equipped with 2 canning baskets, recipe book, and pans.

(F.O.B. Plant City and All Stores)

Burpee AR1525 Aluminum 14 qt. ....\$23.90





# CANNING DEPARTMENT

Do Some Canning

Stop Wasting

Be Thrifty



SANITARY CANS

Our sanitary open top cans are ideal for home canning. The finest fruits or vegetables and all your hard work can be wasted if the cans are not right.

Our cans for home canning are uniform, accurate, dependable, and strong. For nearly 30 years they have been recognized as cans of highest quality and are preferred by the majority of home canners.

## CANS

(F.O.B. Plant City)

	Amt. in case	Case	1,000
No. 2 Plain Sanitary cans and caps.....	100	\$2.65	\$25.30
No. 3 Plain Sanitary cans and caps.....	100	3.65	35.20
No. 2 Sanitary lacquered cans and caps....	100	2.80	26.80
No. 3 Sanitary lacquered cans and caps....	100	3.95	38.20

These cans are of the highest quality, uniform, accurate, dependable, and strong.

Friction top or syrup cans are used for packaging syrup, honey and for many other purposes.



10-LB. SYRUP CAN

No. 5 Friction-top (approx. ½ gal.) cans and caps .....	50	3.55	69.05
No. 10 Friction-top (approx. 1 gal.) cans and caps .....	50	5.20	101.80
5 gal. square Honey Cans, each 55c; 10 or more 50c each.			

## CANNING SUPPLIES

(Prepaid)

	Per 100
Extra Covers for No. 2 Plain Sanitary cans.....	\$ .75
Extra Covers for No. 3 Plain Sanitary cans.....	1.00
Extra Covers for No. 2 Enameled Sanitary cans.....	.85
Extra Covers for No. 3 Enameled Sanitary cans.....	1.10
“Hot-Lift” Can Tongs, each.....	.60
Gunnard Canning Set .....	1.50

## CANNING LABELS

(Prepaid)

Beans, Corn, Blackeye Peas, Tomato and Syrup

	25	100	1,000
Price, No. 1½ and 2½, Syrup .....	\$.25	\$.50	\$3.50
Price, No. 2 and 3, Vegetable .....	.25	.75	5.00
No. 5, approx. half gallon, Syrup—Front only ..	.25	.60	5.00
No. 10, approx. 1 gallon, Syrup—Front only..	.25	.60	5.00
Rubber stamp, two-line \$1.00; three-line \$1.35.			

## ATLAS FRUIT JARS

F.O.B. Plant City. Add freight to branch stores.

Atlas Jars are made of clear crystal glass of highest quality giving the natural color to packed fruits and vegetables. Double tested for strength. When you buy “Atlas” jars, you purchase the best preserving jar on the market and one that is guaranteed to give entire satisfaction when properly used.



Atlas Square Mason Jars

This style jar has been on the market for over 50 years but has recently been improved by the strong shoulder feature.

## FRUIT JARS

(F.O.B. Plant City)

	Per doz.
Atlas Square Mason Jars, ½ pint size .....	\$.75
Atlas Square Mason Jars, pint size .....	.75
Atlas Square Mason Jars, quart size .....	.90

## Caps For All Type Jars

(Prepaid)

	Per doz.
Atlas Seal All Standard Caps, 2-piece .....	\$.25
Atlas Seal All Standard Lids only .....	.15
63 MM 2-piece Caps for Coffee and Relish Jars ..	.25
63 MM Lids only for Coffee and Relish Jars .....	.15
Glass Caps Only for E Z Good-luck Jars .....	.20
Rubber Rings for Old Style Zinc Caps .....	.07

## HONEY JARS

(F.O.B. Plant City)

	Per doz.
½ lb. Utility, Plain Round, 2 doz. to case .....	\$.45
1 lb. Utility, Plain Round, 2 doz. to case .....	.60
2 lb. Utility, Plain Round, 1 doz to case .....	.80
½ Gal. Glass Honey Pails .....	1.05
1 Gal. Glass Honey Pails .....	1.35

Every Jelly Glass is individually selected and double-tested for strength. Crystal-clear glass with smooth, glazed edges distinguish these fine products.



## JELLY GLASSES

(F.O.B. Plant City)

	Per doz.
⅓ pint No. 85 Jelly Glass .....	\$.45
No. S-6—6 oz. ....	.45



# POULTRY DEPARTMENT

We Carry Only The Very Best Poultry Supplies. Our Stocks Are Complete At All Times,  
Which Means Quick And Efficient Service On All Orders.

General Poultry Supplies—All Prices Quoted are f.o.b. Plant City or any Kilgore Store  
All prices subject to change without notice.

## REEL TOP FEEDERS




Balanced "S" type reel, strong, well built, for small flocks, die formed in one piece.

No. 224 Metal Feeder, 24-inch length .....\$ .40

## HUDSON "KLEEN-EZY" REEL TOP FEEDERS

Electrically welded ends—Ezy-Angle sides with flat bottom and feed saving lip, ½ inch wide. Perfectly formed galvanized steel throughout.



No. 6360—36-in. length—Reel Top.....\$ .80  
No. 548 Feeder, 48-inch length Reel Top..... 1.40  
No. 748 Feeder, 48-inch length Grill Top..... 1.75

The 48-inch length feeders indicated above are of different styles.

**Key Ring Leg Bands.** Made of celluloid in fast colors, red, pink, garnet, green, white and blue. Sizes for baby chick, pigeon, bantam, medium, intermediate and large. Specify size and color. 1c each; 75c per 100.

	<i>Each</i>	<i>Doz.</i>
Nest Eggs—China .....	\$ .03	\$ .35

## HUDSON HANDY FILL CHICK FOUNTAIN



Snap-on pan and sturdy handle make it possible to carry fountain when full without spilling. Ideal for baby chicks—ten drinking cups correctly sized.

No. A-8—Capacity two gallons  
Price .....\$1.10  
C-3—Capacity three gallons  
Price ..... 1.60  
C-5—Capacity five gallons  
Price ..... 2.20

## MASON JAR FOUNTAIN AND FEEDER

B-35 Glass Pan with  
three point clip..... \$ .15

No. 1541—Glass Fountain  
Capacity—1 gallon  
Price ..... 1.00



## THERMOMETERS

Black oxidized brass scales, white filled figures and graduations, mercury tubes.

Incubator Thermometer.....\$1.00  
Brooder Thermometer..... .75  
Weather Thermometer, 8 in. wood case..... .50

## POULTRY PREPARATIONS

All prices quoted are prepaid.

**Pratt's Poultry Regulator.** Small size 25c; 2¾ lbs. 50c; 6 lbs. \$1.00; 25 lbs. \$3.25; 100 lbs. \$10.65.

**Dri-Kill Insect Powders.** For ticks, Lice and Mites on Live Stock and Poultry. 2 lb. cans 60c.

**Pratt's Split Action Poultry Worm Capsules.** Adult size, 50 capsules 85c; 100 capsules \$1.50; Chick size, 50 capsules 55c; 100 capsules \$1.00.

**Pratt's Poultry Worm Powder.** 50 hen size, 60c; 100 hen size, \$1.00.

**Pratt's R-P Tablets.** (formerly Roup), 1½ oz. 30c; 3½ oz. 60c.

**Pratt's Chick Tablets.** (formerly Diarrhoea), 22 tablets 30c; 55 tablets 60c.

**Pratt's Disinfectant.** For Dipping and Spraying Poultry and Stock. Pint 40c; quart 60c; gallon \$1.60.

**Kilcide 10 Powder.** (Containing 10% DDT.) For treating chickens against lice. Apply by dusting it well into the feathers in order to get the dust down to, or near, the skin surface. 1 lb. 16c; 25 lbs. \$3.80; 50 lbs. \$6.60.

**Pratt's C-Ka-Gene.** (Coccidiosis Control). 3½ lb. pkg. 50 chick size, 75c; 100 chick size, \$1.25.

**Pratt's Pik-No-Mor.** Small size. 30c; 5 oz. jar 60c.

**Pratt's Poultry Inhalant.** 1 pt. bottle 70c; 1 qt. bottle \$1.25.

**Pratt's Roost Paint.** ½ pt. size \$1.00 (covers 240 running feet); pt. size \$1.75 (covers 480 running feet).

**Smith's Sorehead Remedy.** 1 oz. 60c.

**Germozone.** For use in drinking water. Valuable as preventive of simple bowel trouble, also ocular roup. 4 fluid oz. 50c; 12 fluid oz. 75c.

**Getz-Um Poultry Insurance.** Use in drinking water for lice, mites, fleas and all blood sucking insects. 2 fluid oz. 50c.

**Walko Tablets.** Use in drinking water for baby chicks. Aids in treating cold in head, simple catarrh, sneezing, wheezing, and roup. Package 50c.

**In-Tes-Trol.** New drinking water medication for chickens and turkeys of all ages. An effective astringent that helps soothe and heal intestinal irritation as in simple diarrhea, not caused by infection. Also a valuable treatment for Mycosis. Pint 60c; quart \$1.00.

Write for Pratt's Poultry Health Guide. Free.



# STOCK PREPARATIONS

Prices are subject to change without notice.  
All prices quoted are f.o.b. Plant City.

## D. D. T. SPRAY FOR STOCK AND FARM BUILDINGS

For horn fly control on animals use 50% wettable D.D.T. Powder at the rate of 25 lbs. per 100 gal. or 1¼ lbs. to 5 gal. water.

For control of lice on animals use 50% wettable D.D.T. powder at the rate of 16 lbs. per 100 gal. or ¾ lb. to 5 gal. water.

For the treatment of barns and other farm buildings, use 50% wettable D.D.T. powder at the rate of 20 lbs. per 100 gal. or 1 lb. to 5 gal. of water. Use 4 gal. of spray to 1000 square feet of surface.

Our recently published "D.D.T. Facts and Fiction" contains a chapter explaining the use of D.D.T. for dairies and cattlemen. Write for a free copy.

50% Wettable D.D.T. Powder. Price .....

**Pratt's Animal Regulator.** Small size 25c; 2½ lbs. 50c; 6 lbs. \$1.00; 25 lbs. \$3.50.

**Tilghman Condition Powder.** Aromatic stimulant and carminative for cattle, horses, sheep, hogs, and chickens. Package 25c.

**Pratt's Fly Spray.** (For livestock.) Gal. \$1.60.

**Cooper's Cattle Dip.** A very effective cattle dip. Equally effective when sprayed or dipped. Qt. 75c; gallon \$2.25; 5 gallon can \$10.00.

**Berry's Screw Worm Killer.** 6 oz. 35c; 16 oz. 65c; gallons \$3.50.

**Peerless Screw Worm Killer.** 6 oz. 35c; qt. \$1.00; gallon \$3.50.

## PULVEX DOG PRODUCTS

All prices quoted are prepaid.

### Suggestions on Feeding Dogs

Avoid overfeeding; Both puppies and dogs should be left a little hungry. Never give more than they clean up in ten minutes. The U. S. Dept. of Agriculture Yearbook says that the correct amount of food for an adult dog is that which keeps him "at uniform body weight and in a lean thrifty condition." Although the "Feeding Chart" specifies amounts to feed, a dog kept indoors may only require 65% to 75% of those amounts, an outdoor dog 25% more. Let your dog's eagerness to eat and condition be your guide.



Should your dog be indifferent to his food, let him fast for a day so that he may not only regain his appetite but give his digestive organs the opportunity to normalize. At zoos, a once a week fast is so beneficial to the animals that it is an established practice. So don't be afraid to let your dog go without eating for a day.

### Dog Book Free

Ask today for a copy of "Dog Owner's Digest" while supply still lasts. Tells you what you want to know about raising, training, feeding dogs. IT'S FREE!



### Pulvex Flea Powder with 5% D.D.T.

1-1/5 oz. (cat and dog size) .....	\$ 0.25
3-3/5 oz. (cat and dog size) .....	.50
12 oz (kennel size) .....	1.25

**Pulvex Flea Soap**..... .25

**Pulvex Conditioners**  
48 tablets to box ..... .50

### Pulvex Combination Treatment Worm Capsules

Box (for puppies and dogs weighing 1 to 10 lbs) .....	.50
Box (for dogs, puppies weighing 10 or more lbs.) .....	.50

### Pulvex Dry Cleaner

2 oz. package .....	.25
5 oz. package .....	.50

### Pine Oil Disinfectant

8 oz. size .....	.50
------------------	-----

### Pulvex Astringent Tablets

Box of 30 tablets .....	.60
-------------------------	-----

**Pulvex Ear Canker Treatment**  
4 oz. bottle ..... .60

**Pulvex Analgesic (Cold) Tablets**  
Box of 50 tablets ..... .60

**Pulvex Cough Medicine**  
4 oz. bottle ..... .60

**Pulvex Eye Lotion**  
4 oz. bottle ..... .60

### Pulvex Laxative Tablets

Box of 50 tablets .....	.60
-------------------------	-----

### Pulvex Liniment

4 oz. bottle .....	.60
--------------------	-----

### Pulvex Pepsin Papain Tablets

Box of 24 tablets .....	.60
-------------------------	-----

### Pulvex Sedative Tablets

Box of 30 tablets .....	.60
-------------------------	-----

### Pulvex Tape Worm Tablets

Box of 15 tablets .....	.60
-------------------------	-----

**Pulvex Tick Powder**..... .75

### Pulvex Tonic Tablets

Box of 40 tablets .....	.60
-------------------------	-----


### Pulvex Sponge-Away

1 oz. Bottle .....	.25
3 oz. Bottle .....	.50
8 oz. Bottle .....	1.00

### Pulvex R. H. W. Worm Capsules

(Kill Round, Hook and Whipworms)

Dog or Puppy size .....	.25
-------------------------	-----



### Spot-Not Dog Stain Remover

8 oz. Bottle .....	.75
--------------------	-----

### Vita-Vurv—Vitamin Mineral Supplement

5 oz. can .....	.75
-----------------	-----

Kilgore Agencies in The West Indies; Nueva Gerona; Isle of Pines, Cuba; Kingston, Jamaica; Nassau, Bahamas; Port au Prince, Haiti,



# Bee-Keepers' Supplies, Bee-Hives and Equipment

The following prices on these supplies are subject to change without notice.

All prices quoted are f.o.b. Plant City, Florida or any Kilgore store.

If you wish your shipment to be made by mail, please add postage when ordering.

The following is only a partial list of our large and complete line of bee supplies carried in stock in all Kilgore's Florida stores and in Kilgore's mail order department at Plant City, Florida. We can always quickly get whatever a customer wants from the factory if we happen to be out, in which case the price will be f.o.b. factory, Medina, Ohio.

Write for a complete catalog on Bee-Keepers' Supplies.

## Standard 10-Frame Hive

One-story Standard Hive with mastic (substitute for metal) cover. 16 1/4 x 20 in., outside measurements.

Hives in the flat are furnished with nails, 135-lb. tin rabbets punched for nails, reversible bottom boards, mastic cover, Hoffman frames, and complete directions for nailing.

A-1. Knocked down without foundation. Wt. 31 lbs. \$ 4.90

One-story Standard Hive, with excelsior cover.

A-6. Knocked down without foundation. Wt. 27 lbs. \$ 4.15

## Full-Depth 10-Frame Extracting Supers or Hive Bodies

C-2. 5 KD Deep Supers Empty. Wt. 45 lbs. \$5.50

## Shallow 10-Frame Extracting Supers

C-12. 1 KD Empty only, no fittings. Wt. 5 lbs. \$ .78

C-13. 5 KD Empty only, no fittings. Wt. 28 lbs. 3.55

C-20. 5 KD Frames with thick top bar. Wt. 45 lbs. 7.10

## Beeway 10-Frame Section Super

D-5. 1 KD Without sections or foundations. Wt. 7 lbs. \$1.40

D-6. 5 KD Without sections or foundation. Wt. 36 lbs. 6.30

## List of Inside Fixtures for Supers

E-1. 10 Beeway Section Holders (4 1/4 x 4 1/4 x 1 1/2 in.), KD Wt. 3 lbs. \$0.63

E-2. 50 Beeway Section Holders (4 1/4 x 4 1/4 x 1 1/2 in.), KD Wt. 15 lbs. 2.70

E-3. 100 Beeway Section Holders (4 1/4 x 4 1/4 x 1 1/2 in.), KD Wt. 23 lbs. 5.10

E-15. 10 Beeway Wood Separators, 1/10 in. thick Wt. 2 lbs. 0.30

E-35. 100 Super Springs (3 used to a super) Wt. 1 1/2 lbs. 0.95

## Honey Extractors

L-35. Three frame New Novice Extractor. Pocket 9 1/2 x 16 in. 60 combs per hr. Shipping Wt. 52 lbs. \$19.50  
Large Electric Extractor can be supplied upon order

## Covers, Metal, 10-Frame

B-1. 1 KD Metal Cover with inner cover. Wt. 11 lbs. \$ 1.70

B-2. 5 KD Metal Cover with inner cover. Wt. 51 lbs. 7.75

## The Excelsior Wood Cover, 10-Frame

B-4. 5 KD Excelsior All-Wood Cover. Wt. 31 lbs. \$ 4.30

## Inner Covers, 10-Frame

B-8. 1 KD Inner Cover, without bee escape. Wt. 3 lbs. \$ 0.47

B-9. 5 KD Inner Cover, without bee escape. Wt. 12 lbs. 2.15

## Bottom Boards, 10-Frame

B-12. 1 KD Reversible Bottom Board. Wt. 7 lbs. \$ 1.00

B-13. 5 KD Reversible Bottom Board. Wt. 37 lbs. 4.50

## Wire for Frames

G-61. 1/4 lb. Spools Tinned Wire. \$ 0.20

G-62. 1/2 lb. Spools Tinned Wire. .30

G-63. 1 lb. Spools Tinned Wire. .53

## Bee Escape

O-5. Root Double Escape without Board. Wt. 1 oz. \$ 0.18

## Bristle Bee Brush

N-85. Bristle Bee Brush. Wt. 3 oz. .60

## Frames

Furnished in the flat with nails. All frames are furnished with solid bottoms unless otherwise specified.

	10	50	100
Hoffman, with solid bottom bar, 9 1/2 x 17 3/4 in. Wt. 46 lbs. per 100	G-1 \$1.05	G-2 \$3.80	G-6 \$7.40

Shallow Extracting Frames, with regular Hoffman top bar, with solid bottom bar. Wt. 38 lbs. per 100	G-25 \$3.60	G-26 6.90	
---	-------------	-----------	--

## Comb Honey Sections

Mill Run

F-1. 100 Wt. 7 lbs.	\$1.85
F-3. 500 Wt. 32 lbs.	8.35

## Spur Wire Imbedder

N-65. Super Wire Imbedder. Wt. 8 oz. \$0.20

## Steel Hive Tool

N-81. Hive Tool. 10-inch. Wt. 6 oz. \$0.75

## Queen and Drone Trap (10-frame)

O-8. Wire Trap. Wt. 2 lbs. \$0.65

## Queen Excluder, 10-Frame

Each 10

Bees pass through rapidly, without hesitating. B-30 B-31

10-frame Standard 3-wire and wood, 16 1/4 x 20 in. \$0.80 \$7.70

Wt. 4 lbs. H-35 H-36

10-frame Special 7-wire and wood. Wt. 4 lbs. 0.83 8.00

## Standard Smoker

N-3. Standard Tin Smoker, 3 1/4 x 7 in. Wt. 2 lbs. \$1.25

N-7. Big Jumbo Tin Smoker. Wt. 3 lbs. 2.20

## Leather and Drill Bee Gloves

N-21. Leather. Size med. N-22. Size large. Wt. 2 lbs. \$2.65

N-24. Drill. Size small. Wt. 1 lb. 1.55

N-25. Drill. Size med. N-26. Size large. Wt. 1 lb. 1.55

## Veils

N-10. Root Indestructible Bee Veil. Wt. 1 lb. \$1.05

N-12. Delphos Steel Bee Veil. Wt. 1 lb. 1.35

## Feeders

O-2. Boardman Feeder, with cap. Wt. 12 oz. \$0.30

## Brood Foundation, 3-Ply

8 x 16 1/2 in.—7 sheets to pound

	Weight	Price
H-1. 10-sheet Carton	3 lbs.	\$ 1.55
H-3. 50-sheet Carton	9 lbs.	7.60

## Medium Brood

For Standard Frames

8 x 16 1/2 in.—8 sheets to pound

	Weight	Price
H-20. 10-sheet Carton	3 lbs.	\$ 1.35
H-22. 50-sheet Carton	8 lbs.	6.40

## Special Brood Foundation

8 x 16 1/2 in.—10 sheets to pound

	Weight	Price
H-32. 10-sheet Carton	2 lbs.	\$ 1.05
H-34. 50-sheet Carton	7 lbs.	5.05
H-36. 200-sheet Carton	33 lbs.	19.65

## Medium Brood

For Shallow Frames

4 1/2 x 16 1/2 in.—10 sheets to pound

	Weight	Price
H-26. 10-sheet Carton	2 lbs.	\$ 0.85
H-28. 50-sheet Carton	5 lbs.	3.75

## Medium Brood, Wired

8 1/2 x 16 1/2 in.—7 sheets to pound

	Weight	Price
350. 10-sheet Carton	3 lbs.	\$ 1.55
350. 50-sheet Carton	10 lbs.	7.60

## Medium Brood, Wired

4 13/16 x 16 1/2 in.—12 sheets to pound

	Weight	Price
352. 10-sheet Carton	2 lbs.	\$ 1.05
352. 50-sheet Carton	6 lbs.	5.05

## Thin Super

Weight Price

J-1. 1-lb. Carton, 3 7/8 x 15 3/4 in., 28 sheets to lb. 2 lbs. \$1.17

J-3. 5-lb. Carton, 3 7/8 x 15 3/4 in., 28 sheets to lb. 7 lbs. 5.55

J-22. 1-lb. Carton, 4 1/2 x 16 1/2 in., 22 sheets to lb. 2 lbs. 1.17

J-24. 5-lb. Carton, 4 1/2 x 16 1/2 in., 22 sheets to lb. 7 lbs. 5.55

J-27. 1-lb. Carton, 5 x 16 1/2 in., 22 sheets to lb. 2 lbs. 1.17

J-29. 5-lb. Carton, 5 x 16 1/2 in., 22 sheets to lb. 7 lbs. 5.55



# THE KILGORE SEED COMPANY

A FLORIDA INSTITUTION MAINTAINED FOR SERVICE TO FLORIDA GROWERS  
THIRTEEN KILGORE SEED STORES AND MAIL ORDER DEPARTMENT SERVING FLORIDA



**GAINESVILLE**  
300-4 E. Union St.



**SANFORD**  
300-2 W. First St.



**VERO BEACH**  
1095 Twentieth St.

*Kilgore Seeds and Supplies  
Cover Florida Like the  
Sunshine.*



**PALMETTO**  
741-743 Lemon Ave.



**PAHOKEE**  
313-19 Belle Glade Rd.



**PLANT CITY**  
GENERAL OFFICES, WAREHOUSE  
AND MAIL ORDER DEPARTMENT  
214 S. Collins St.



**PLANT CITY**  
101 N. Evers St.



**BELLE GLADE**  
301-3 Main St.



**WAUCHULA**  
702-6 W. Main St.




**WEST PALM BEACH**  
910 Belvedere Road



**POMPANO**  
314-20 Flagler Ave.



**MIAMI**  
127 N. W. Fifth Street



**HOMESTEAD**  
45-46 So. Flagler Ave.



## INDEX

	Page
— A —	
Acco (Casein Spreader).....	59
Agricultural Dusts.....	50-56-57-58-59
Agricultural Sprays.....	50-56-57-58-59
Ammate Weed Killer.....	60
Aluminum Sulphate.....	61
Arsenate of Lead, Bowker's.....	56
Arsenate Lead-Lime Dust.....	56
Arsenate of Lead-Sulphur Dust.....	56
— B —	
Beans, Bush, Pole, Lima, Green.....	6-8
Beans, Velvet.....	46
Bee-Keepers' Supplies, Hives and Equipment.....	70
Beet.....	9
Beets, Sugar and Stock.....	9
Beet, Spinach.....	9
Beggarweed.....	41
Bene or Sesame.....	41
Black Leaf 10.....	57
Black Leaf 40.....	51-56
Bluestone (Copper Sulphate).....	58
Bordeaux, Powdered.....	58
Broccoli.....	9
Brussels Sprouts.....	9
Buzz Bombs (Aerosol Insecticide).....	56
— C —	
Cabbage.....	10-11
Cabbage, Chinese.....	11
Calcium-Arsenate Dust.....	56
Calcium Arsenate Powder.....	56
Canning Department.....	66-67
Cans.....	67
Can Sealers.....	66
Cantaloupe.....	12
Carbolineum.....	60
Carbon Disulfide.....	59
Carrot.....	13
Cattle Dip, Cooper's.....	69
Cauliflower.....	11
Celery.....	14-15
Celtuce.....	15
Ceresan.....	58
Chicken Corn.....	43
Chick Feeders.....	68
Chufas.....	41
Clover, Alyce.....	41
Collard.....	17
Compound A Dusts.....	58-59
Cookers.....	66
Copotox—53.....	58
Copotox Dusts.....	58-59
Copper-A Compound.....	58
Corn, Chicken.....	43
Corn, Field.....	38-39
Corn, Pop.....	39
Corn, Sweet and Roasting Ear.....	18
Cowpeas.....	42-43
Crotalaria.....	43
Cucumber.....	16-17
Cutworms.....	47
Cyanamid.....	61
Cyanogas A—Dust.....	59
Cyanogas G—Fumigant.....	59
— D —	
D-D.....	54-59
DDT Preparations.....	51-56
Dilution Table for Insecticides and Fungicides.....	50
Directions to Customers.....	1
Diseases—Seed Borne.....	48
Dithane D-14.....	58
Dixie Killer.....	60
Dog Products, Pulvex.....	69
DuPont Spreader-Sticker.....	59
Dust—General Purpose.....	51-52
Dusters.....	62-63
Dusts, Household.....	57
— E —	
Eggplant.....	19
Egyptian Wheat.....	43
Emulsifiers.....	59
Endive.....	20
Es-Min-El.....	61
Ever Green Garden Spray.....	56
Export Shipments.....	1
— F —	
Farm and Garden Supplies.....	65
Feeders—Poultry.....	68
Fermate.....	58
Fermate Dusts.....	58
Fertilizers.....	61
Field Seed.....	42-45
Fish Oil Soap.....	59
Flower Seed Planting Calendar.....	5
Flowers Recommended for Florida.....	48
Fluocide.....	57
Fountains and Feeders.....	66

	Page
Fumigants .....	59
Fungicides .....	58-59
— G —	
Garlic .....	20
General Purpose Dust .....	57
Grass, Bahia .....	40
Grass, Bermuda, Hulled & Unhulled .....	40
Grass, Carpet .....	40
Grass, Dallis .....	40
Grass, Italian Rye .....	40
Grass, Sudan .....	40
— H —	
Hand Corn Planter .....	64
Hegari (Hy-gear) .....	46
Hoes, Single and Double Whee .....	64
Home Gardens .....	2-3-4
Hormodin Powder .....	60
Household Sprays .....	56
Hotkaps .....	65
Hudson Chicken Fountains .....	68
Hudson Reel Top Feeders .....	68
Hyponex .....	60
Hy-Gro .....	60
— I —	
Insecticides .....	56-57
Insecticides and Fungicides .....	49-59
Insecticide and Fungicide Combinations .....	59
Insects—Their Identification and Control .....	51-55
— K —	
Kale .....	20
Kilgore Institution .....	71
Kohl Rabi .....	20
Kyrocide .....	53-55-57
Kyrocide Dusts .....	53-55-57-59
— L —	
Labels, Can .....	67
Label Paste .....	65
Leek .....	20
Leg Bands .....	68
Lettuce .....	21
Lime, Hydrated .....	61
Lime-Sulphur Solution .....	57
Livestock Sprays and Dusts .....	69
Lupine .....	43
— M —	
Magikill Jelly Ant Bait .....	60
Manganese Sulphate .....	61
Manure, Sheep .....	61
Mason Jar Fountain and Feeder .....	68
Millet, Golden .....	44
Millet, Pearl or Cattail .....	44
Miscellaneous Farm and Garden Supplies .....	65
Misc. Farm and Garden Tools .....	64
Mole Crickets .....	47
Mosaic .....	47
Multicide (Household Spray) .....	56
Muskmelon .....	12
Mustard .....	22
— N —	
Nicotine Dusts .....	51-57-59
Nicotine Pyrox .....	59
Nicotrol .....	57
Nitragin .....	50
Non-Warranty .....	1
— O —	
Oats .....	44
Oil Emulsions .....	57
Okra .....	23
Onion .....	24
Onion Sets .....	24
Orthex Spreader-Adhesive .....	59
— P —	
Paris Green .....	57
Parsley .....	25
Parsnip .....	25
Peanuts .....	44-45
Peat Moss .....	61
Peas, English or Garden .....	25
Penetrol .....	59
Pepper .....	26-27
Planet Jr. Tools .....	64
Plant Bands .....	65
Plant Stimulants .....	60
Plantabbs, Fulton's .....	60
Planting Chart, Field Seed .....	5-41
Planting Chart, Flower Seed .....	5
Planting Chart, Vegetable Seed .....	5
Planting Chart, Vegetables .....	3
Poison Bait .....	53-55-57
Poisonous Insecticides .....	49
Poisonous Residue on Plants .....	50
Postal Information .....	50

	Page
Potatoes .....	28
Pots, Paper .....	65
Poultry Department .....	68
Pressure Cookers .....	66
Pruning Shears .....	64
Pumpkin .....	28
Pyrocide Dusts .....	51-54-57
Pyrocide (Household Spray) .....	56
Pyrox .....	58-59
— Q —	
Quick Death Rat Killer .....	60
— R —	
Radish .....	29
Raffia .....	65
Rape, Dwarf Essex .....	45
Red Arrow Insect Spray .....	54-57
Rhubarb .....	29
Rice .....	45
Roller Worm Dust No. 1 .....	57
Root-Inducing Materials .....	60
Root Knot .....	47
Rootone .....	60
Rose Bushes .....	47
Rose Dust .....	59
Roselle .....	29
Rotenone .....	60
Rotenone Dust, 1% .....	51-53-57
Rutabaga .....	35
Rye .....	45
— S —	
Saba-Chinch .....	51-57
Sabadilla Dust .....	52-57
Sage .....	29
Salsify .....	29
Sanitation .....	49
Scalecide .....	57
Screw Worm Killer, Barry's .....	69
Seed Bed .....	4
Seed Inoculants .....	50
Seed Treatment .....	50
Seeders .....	64
Semesan .....	58
Semesan Bel .....	58
Sesbania .....	46
Sesame .....	41
Shallu .....	43
Sodium Fluosilicate .....	57
Soil Preparation and Fertilizing .....	4
Sorghum .....	46
Spergon .....	58
Spergon Dust, 12% .....	58
Spinach .....	31
Sprays, Household .....	50
Sprays, Livestock .....	69
Sprays—Miscellaneous .....	53
Sprayers .....	63
Spreaders and Stickers .....	59
Squash .....	30-31
Squash Dust No. 2 .....	59
Starter Solutions .....	60
Stock Preparations .....	69
Strawberry Plants .....	47
Sulfocide .....	52-58
Sulphur Manganese Dust .....	61
Sulphur, Dusting .....	52-58
Sulphur, Wettable .....	58
Sunflower .....	46
Superphosphate .....	61
Swiss Chard .....	9
— T —	
Tarpaulins .....	65
Terro Ant Killer .....	60
Thermometers .....	68
Thrip and Mite Dust .....	52-57
Tobacco Dust .....	57
Tomato .....	32-33
Transplantone .....	60
Tree Tanglefoot .....	60
Triton B—1956 .....	59
Turnip .....	35
Tufor (Weed Killer) .....	60
Twine .....	65
— V —	
Vermicides .....	60
Vigoro .....	61
Volck Oil Spray .....	57
— W —	
Watermelon .....	36-37
Weedone (Weed Killer) .....	60
Weed Killers .....	60
What and When to Plant in Florida .....	5
Wheat, Egyptian .....	43
Wizard Brand Sheep Manure .....	61
What Will Your Harvest be? .....	34
— Z —	
Zinc Sulphate .....	6



Name \_\_\_\_\_

Post Office \_\_\_\_\_

State \_\_\_\_\_

No  
Postage Stamp  
Necessary  
If Mailed in the  
United States

**BUSINESS REPLY ENVELOPE**

FIRST CLASS PERMIT NO. 1, SEC. 510, P. L. & R., PLANT CITY, FLA.

*The Kilgore Seed Co.*

Plant City,

Florida







# ORDER BLANK

Name .....

P.O. Box, Street,  
or R.F.D. No. ....

Post Office.....

County..... State.....

Ship by.....Parcel Post ☐.....Express ☐.....Freight ☐

Exp. or Frt. Office..... Date.....19.....

AMOUNT ENCLOSED

**Check.....**

### Money Order...

Cash.....

Stamps.....

**Total.....**

**IMPORTANT!** Be sure address and shipping instructions are correct. Please write plainly.

**SPECIAL NOTICE! Remittance**—For small amounts, send money order, cash, or stamps. Although we have an ample supply of all items listed in this catalog as we go to press, owing to the extra heavy demand for seeds, some items may be short before the end of the season. Therefore we would ask you wherever possible in the case of seeds to allow us to substitute with items of equal value and of the nearest variety. Just mark with a cross in the space provided at the bottom of this order sheet.

The Kilgore Seed Company gives no warranty, express or implied, as to the productiveness of any seeds, bulbs or plants it sells, and will not be in any way responsible for the crop. Its liability in all instances is limited to the purchase price of the seeds, bulbs or plants. If the seeds, bulbs or plants are not accepted on these terms, they are to be returned at once in unopened packages.

We test our seeds for germination before we send them to our customers. We have the fullest confidence in the quality of all the seeds we sell, but we have no control over them after they leave our hands. Satisfactory germination and production are dependent upon many factors other than the quality of the seed, such as weather and soil conditions, methods of planting, cultivating and fertilizing. If we should warrant or guarantee our seeds, we could be held responsible for the failure of the crop, regardless of cause, a responsibility we cannot accept.

Quantity**Price**

Dollars

Cents

7

Total



—Please do not substitute without first notifying me

We would like to send our annual catalog to several of your friends. Space on the reverse side of this sheet is provided for this purpose.

If you are interested in flower culture and home beautification and wish a copy of *Kilgore's Flower Guide for Florida* be sure to mark X in this space ☐

PLEASE DO NOT FORGET TO GIVE YOUR NAME AND ADDRESS

[SEE OTHER SIDE]



Tear Off Along This Line

**PLEASE WRITE BELOW**

The names of several of your neighbors or friends who you believe might be interested in receiving a copy of our annual catalog.

NAMES	POST OFFICE	P.O.Box, Street, or R.F.D.	STATE





GROTHEN'S RED GLOBE TOMATO




IMPERIAL  
NO. 44 LETTUCE



PURPLE TOP  
WHITE GLOBE TURNIP



EARLY YELLOW SUMMER CROOKNECK  
(BABY CROOKNECK) SQUASH



*Zinnias—Sunburst Mixture*

**Make Florida More Beautiful and  
Spread Happiness Everywhere**

**DO IT WITH FLOWERS**

Kilgore's flower seeds have been especially selected, developed and improved for Florida planting. We list only kinds and varieties which, as the result of over thirty-five years' experience, we have found to be especially suited to the climatic and soil conditions prevailing in Florida. Different kinds of flowers can be grown in Florida every month of the year.

Flower culture and home beautification in Florida are fully discussed in *Kilgore's Flower Guide for Florida*. Send for your free copy.

**THE KILGORE SEED COMPANY**  
Florida's Flower Garden Headquarters  
General Offices and Mail Order Department,  
Plant City, Florida



*Plant*

**KILGORE'S**  
*Bred-Rite*  
**SEEDS**

TRADE MARK

*For Better Crops  
in  
Florida*

1947 Annual Catalog  
for Florida



EARLY PROLIFIC STRAIGHTNECK  
SQUASH



FORT MYERS MARKET EGGPLANT



COCOZELLE SQUASH



RUTGERS TOMATO

**The Kilgore Seed Co.**  
General Offices and  
Mail Order Dept.  
Plant City, Florida



RED CORE CHANTENAY CARROT